



State of Utah—Department of Administrative Services
 DIVISION OF FACILITIES CONSTRUCTION AND MANAGEMENT
 4110 State Office Building/Salt Lake City, Utah 84114/538-3018

**SALT LAKE
 COMMUNITY COLLEGE
 REDWOOD ROAD CAMPUS
 ASPHALT OVERLAY 2010
 DFCM PROJECT 10031660**

PROJECT NOTES:

1. CONTRACTOR SHALL CONTACT MR. BRENT LLOYD OF DFCM AT 550-5882 AND MR. JON HANSEN OF SLCC AT 706-5379 48 HOURS IN ADVANCE OF MOBILIZING TO THE SITE TO COMMENCE WORK.
2. CONTRACTOR SHALL RESTRIPE ALL PAINT STRIPING MATCHING THE PRE-EXISTING STRIPING IN ITS TYPE, COLOR, LOCATION AND DIMENSION WITH TWO COATS OF PAINT.
3. CONTRACTOR SHALL COMPLETE THIS WORK SUCH THAT THE CURING PAVEMENT IS PROTECTED AND FLAGGED AND ACCESS TO ALL FACILITIES IS MAINTAINED AT ALL TIMES.
4. THE CONTRACTOR SHALL VERIFY THE SQUARE FOOTAGES OF OVERLAY PRIOR TO BIDDING.
5. ALL SQUARE FOOTAGES INCLUDE OVERLAYING INTERIOR ROADS LOCATED WITHIN THE DESIGNATED AREAS.

**King
 Engineering,
 Inc.**

2825 E Cottonwood Parkway
 Salt Lake City, Utah 84121
 Phone: 801.990.3170
 Fax: 801.990.3293

Internet: www.pavementmanagement.com
 CREATED BY: KING ENGINEERING, INC.



SITE/LOCATION:

SALT LAKE
 COMMUNITY
 COLLEGE
 REDWOOD ROAD
 CAMPUS

PROJECT TITLE:


ASPHALT
 OVERLAY
 2010
 LOTS M AND PAY LOT
 ENTRANCE ROAD

MARK	DATE	DESCRIPTION
		ISSUE TYPE: PRELIMINARY
		ISSUE DATE: APRIL 30, 2010
		SLCC PROJECT NO: 10031660
		CAD PROJECT NO: 02-XXX
		CAD DWG FILE: KE1117NCSSHEET.DWG
		DRAWN BY: AD
		CHK'D BY: JEK
		COPYRIGHT:
		SHEET TITLE

SHEET NUMBER

G-001

SHEET 1 OF 4



VICINITY MAP



REDWOOD ROAD CAMPUS



PAY LOT ENTRANCE ROAD (SHEET C-102)

PARKING LOT M (SHEET C-101)

PARKING LOT R, 2 ADDITIONAL HANDICAPPED
 PARKING STALLS AS PART OF PROJECT 10030660

PARKING LOT Q, 1 ADDITIONAL HANDICAPPED
 PARKING STALL AS PART OF PROJECT 10030660



SITE/LOCATION:

SALT LAKE COMMUNITY COLLEGE
REDWOOD ROAD CAMPUS

PROJECT TITLE:

ASPHALT OVERLAY
2010
LOTS M AND PAY LOT
ENTRANCE ROAD

MARK	DATE	DESCRIPTION
ISSUE TYPE: PRELIMINARY		

ISSUE DATE: APRIL 30, 2010

SLCC PROJECT NO:	10031660
CAD PROJECT NO:	02-XXX
CAD DWG FILE:	C-101.DWG
DRAWN BY:	AD
CHK'D BY:	JEK
COPYRIGHT:	

SHEET TITLE

LOT M

SHEET NUMBER

C-101

SHEET 2 OF 4

NOTES:

- ALL PARKING STALLS SHALL BE 9' WIDE BY 18' IN LENGTH.
- DRIVE ISLES SHALL BE A MINIMUM OF 24' IN WIDTH.
- THE CONTRACTOR SHALL RESTRIPE ALL PARKING STRIPES MATCHING THEIR CURRENT LOCATION, DIMENSION, WIDTHS AND COLORS. IN THE EVENT THERE ARE DISCREPANCIES BETWEEN THESE PLANS AND THE EXISTING STRIPING, THE EXISTING STRIPING SHALL TAKE PRECEDENCE EXCEPT IN AREAS WHERE HANDICAPPED REVISIONS AND UPDATES ARE NOTED ON THE PLANS.
- ALL HANDICAPPED PARKING LOADING/UNLOADING ZONES SHALL BE YELLOW STRIPED AND SHALL BE A MINIMUM OF 5' IN WIDTH. ALL VAN ACCESSIBLE LOADING/UNLOADING ZONES SHALL BE A MINIMUM OF 8' IN WIDTH.
- THE CONTRACTOR SHALL ADJUST ALL STORM DRAIN INLETS, WATER VALVE COVERS, SS MH LIDS, ETC TO GRADE. THE CONTRACTOR SHALL PROTECT ALL LIGHT POLE BASES, ETC. IN-PLACE.
- THE CONTRACTOR SHALL MILL THE ASPHALT TO A 1" DEPTH AGAINST ALL CONCRETE CURB, GUTTER, SIDEWALK AND CONCRETE UTILITY COLLARS AT EDGES AND DISPOSE OF THE MILLINGS OFF SITE. SEE DETAIL F SHEET C-501.


- ASPHALT OVERLAY. SEE DETAIL A SHEET C-501. APPROX. 57,435 S.F.
- ASPHALT PATCH AND OVERLAY. SEE DETAIL B SHEET C-501. APPROXIMATELY 235 S.F.

HANDICAPPED STRIPING NOTES:

- THE CONTRACTOR SHALL CONFORM TO DETAILS C,D AND E ON SHEET C-501 FOR ALL STRIPING.
- THE CONTRACTOR SHALL WIDEN THE EXISTING LOADING/UNLOADING ZONE SHOWN TO A MIN. OF 8' IN WIDTH TO ACCOMMODATE A VAN ACCESSIBLE PARKING STALL.
- THE CONTRACTOR SHALL ADD A VAN ACCESSIBLE HANDICAPPED PARKING SIGN WHERE SHOWN.

HANDICAPPED PARKING CODE REVIEW NOTES:


- THERE ARE 173 CURRENT PARKING STALLS IN PARKING LOT M. ADA REQUIRES THAT A MINIMUM OF 6 HANDICAPPED PARKING STALLS BE PROVIDED OF WHICH ONE IS VAN ACCESSIBLE. THREE OF THOSE REQUIRED ARE PROVIDED WITHIN THE BOUNDARIES OF LOT M AND SLCC HAS ELECTED TO PROVIDE TWO ADDITIONAL HANDICAPPED PARKING STALLS IN LOT R (TO THE SOUTH) AND ONE ADDITIONAL HANDICAPPED PARKING STALL IN LOT Q (TO THE SOUTH) TO MEET CODE. THIS WAS DONE TO PROVIDE MORE STALLS CLOSER TO THE CENTER OF CAMPUS. PLEASE SEE THE EXHIBIT "REDWOOD ROAD CAMPUS" ON SHEET G-001.
- THE REVIEWER MAY CONFIRM THIS IN DFCM PROJECT NUMBER 10030660 SALT LAKE COMMUNITY COLLEGE REDWOOD ROAD CAMPUS SLURRY SEALING AND STRIPING 2010.



LOT M
APPROXIMATELY 57,435 S.F.

SEE HANDICAPPED PARKING CODE REVIEW NOTES FOR ADDITIONAL REQUIRED STALLS

REPLACE EXISTING HANDICAPPED PARKING SIGN WITH 'VAN ACCESSIBLE' PARKING SIGN





SITE/LOCATION:

SALT LAKE COMMUNITY COLLEGE
REDWOOD ROAD CAMPUS

PROJECT TITLE:

ASPHALT OVERLAY
2010
LOTS M AND PAY LOT ENTRANCE ROAD

MARK	DATE	DESCRIPTION
ISSUE TYPE: PRELIMINARY		

ISSUE DATE: APRIL 30, 2010

SLCC PROJECT NO:	10031660
CAD PROJECT NO:	02-XXX
CAD DWG FILE:	C-501.DWG
DRAWN BY:	AD
CHK'D BY:	JEK
COPYRIGHT:	


SHEET TITLE

DETAILS

SHEET NUMBER


C-501

SHEET 4 OF 4



ASPHALT OVERLAY


SCALE: NTS



HANDICAPPED PARKING SIGNS


SCALE: NTS

- ALL H/C PARKING SIGNS SHALL MEET ANSI A117.1 2003 REQUIREMENTS.
- AT LEAST ONE OF THE H/C PARKING SIGNS SHALL READ "VAN ACCESSIBLE"




PAVEMENT NOTES:

- SOIL STERILENT SHALL BE PLACED ON THE PREPARED ROAD BASE BEFORE PAVING.




ASPHALT PATCH

SCALE: NTS




HANDICAPPED PARKING SYMBOL

SCALE: NTS



ASPHALT OVERLAY

SCALE: NTS



HANDICAPPED PARKING STALLS

SCALE: NTS