



STATE OF UTAH - DEPARTMENT OF ADMINISTRATIVE SERVICES

Division of Facilities Construction and Management

DFCM

Request for Proposals for Design/Build/Operate/Maintain/Finance Services

SINGLE-STAGE COMPETITION

Value Based Selection Method

July 10, 2015

GROUND-MOUNTED SOLAR PHOTOVOLTAIC FACILITY DAVIS CAMPUS

WEBER STATE UNIVERSITY LAYTON, UTAH

DFCM Project No. 15279810

TABLE OF CONTENTS

	<u>Page Numbers</u>
Title Sheet	1
Table of Contents	2
Notice to Design/ Build /Operations/Maintenance/Finance Teams	3
Description of Work	4
Procurement Process	8
Project Schedule	16
Cost Proposal Form	17
Exhibit A: Site Description	
Exhibit B: Installation Requirements, Interconnect Spec (Metering; Effective Grounding)	
Exhibit C: Sample Solar PPA	
Exhibit D: Sample Site License Agreement	
Attachment 1 – Exhibit A: Geotechnical Study	
Attachment 2 – Exhibit A: Central Plant Power Plan CP-A101	
Attachment 3 – Exhibit A: Central Plant Schedules CP-A601	
Attachment 4 – Exhibit A: Central Plant One Line Diagram CP-A701	
Attachment 5 – Exhibit A: MV Riser Diagram and Details EP-A701B	
Attachment 6 – Exhibit A: Site Plan – Electrical Medium Voltage Distribution ES-A102A	
Attachment 7 – Exhibit A: Davis Solar Model	

Current copies of the DFCM General Conditions dated May 25, 2005, Design Manual, and all Supplemental General Conditions are available upon request at the DFCM office and on the DFCM web site at www.dfc.utah.gov - “Standard Documents” – “Reference Documents” – “Supplemental General Conditions”, and are hereby made part of these contract documents by reference.

The Agreement and General Conditions dated May 25, 2005 have been updated from versions that were formally adopted and in use prior to this date. The changes made to the General Conditions are identified in a document entitled Revisions to General Conditions that is available on DFCM’s web site at www.dfc.utah.gov.

NOTICE TO DESIGN / BUILD TEAMS SINGLE-STAGE COMPETITION

The Division of Facilities Construction and Management (DFCM) intends to hire a Design/Build/Operate/Maintain/Finance Team comprised of a General Contractor supported by subcontractors and an A/E with supporting technical consultants to design and construct the following project:

**GROUND-MOUNTED SOLAR PHOTOVOLTAIC FACILITY - DAVIS CAMPUS
WEBER STATE UNIVERSITY – LAYTON, UTAH
DFCM PROJECT NO: 15279810**

This project will include design/build/operate/maintain/finance via a Power Purchase Agreement (or similar), of a two MW ground mounted solar PV facility on the southeast side of the Weber State University Davis Campus, approximately 2750 University Park Blvd., Layton, Utah. DFCM is looking to select the Team providing the lowest PPA rate while complying with material specification and all applicable design, material spec, incentive, net metering and code requirements.

The RFP documents will be available at 3:00 PM on Friday, July 10, 2015 on the DFCM web page at <http://dfcm.utah.gov> (under “Current Projects”). For questions regarding this project, please contact Bianca Shama, DFCM, bshama@utah.gov. No others are to be contacted regarding this project.

The Team for this project will be selected by a Value Based Selection RFP method. There will be a **MANDATORY** Pre-Proposal Meeting for all Teams at 2:30 PM on Monday, July 20, 2015 that will be held in Room 201, Davis 3 Building, Weber State University Davis Campus, approximately 2750 University Park Blvd., Layton, Utah (See project schedule). A representative from each team wishing to submit on this project must attend the meeting.

The proposal documents that are requested in the RFP must be submitted to DFCM in Room 4110 State Office Building, Capitol Hill Complex, Salt Lake City, Utah, by the dates and times shown in the Project Schedule.

The Division of Facilities Construction & Management reserves the right to reject any or all proposals or to waive any formality or technicality in any proposal in the interest of the State.

DIVISION OF FACILITIES CONSTRUCTION AND MANAGEMENT
Room 4110 State Office Building
Capitol Hill Complex
Salt Lake City, Utah 84114

DESCRIPTION OF WORK

The scope of this project addresses the construction of a 2,000 kW_{DC} fixed ground-mounted photovoltaic energy facility on the southeast side of the Weber State University Davis Campus, approximately 2750 University Park Blvd., Layton, Utah.

DFCM will require the successful Team to provide the complete installation of the proposed hosted solar electric system with the net metering of the power generated and the sale of the electricity to Weber State University, at a mutually agreed rate, guaranteed during the term of the Solar Power Purchase Agreement.

The overall RFP objective is to obtain the lowest PPA rate, lowest escalator, and lowest overall scheduled energy cost (including a “co-payment” in year 0, if applicable), while complying with all required material specifications, codes and legal requirements. The Team offering the strongest combination of these variables, with proven capabilities and assured project financing, will achieve the optimal score within this key RFP component.

The exhibits to RFP Project 15279810 cannot be warranted as correct. The information in the exhibits/attachments must be independently verified. Teams should use their own judgment in the design, and layout of the solar systems and should independently verify Code versions and Code compliance.

DFCM and Weber State University make no representation as to the validity of a Team receiving tax credits or all other potential incentives for this project. Teams will have the sole responsibility to collect tax credits and incentives.

The Division of Facilities Construction & Management and Weber State University reserve the right to reject any or all proposals or to waive any formality or technicality in any proposal in the interest of the State.

The PPA and contractual requirements that are provided for in this RFP may be modified by reviews with the Utah Attorney General's Office and/or legal counsel representing Weber State University.

Objectives

DFCM seeks a private sector partner, as a “third-party developer,” to enter into a Solar Power Purchase Agreement (SPPA) and Site License Agreement (SLA) for the solar electric energy generation facility described above, with Weber State University, which may include high efficiency mono or polycrystalline silicon solar cells, with the overall objective to negotiate the best possible 20-year renewable electricity rate for Weber State University. Weber State would like to evaluate the potential to own the project in Year 7, but will only do so where the financial objectives meet the requirements of the university.

The overall objective of this project is for the selected third-party to develop and propose for mutual agreement, the concept, final system design/engineering, system specifications, financing structure and package, materials procurement, construction/installation, operation and maintenance of turn-key, hosted solar electric systems at the location described above, and sell the solar-generated electricity to Weber State University under the terms of the SPPA.

Specific objectives that DFCM and Weber State University seek to attain while pursuing these goals include the following:

- As soon as possible, develop and design the solar system, to be located on the approved area on the southeast side of the Weber State University Davis Campus.
- Commence the installation of the solar electric systems (PV) at this location.
- The newly installed solar PV systems must be installed and generating electricity no later than September 1, 2016.

- Select and contract with a highly qualified solar system owner/developer, with demonstrated experience in outstanding system design, quality installation, ownership, operation and maintenance.
- Select and contract with a solar system owner/developer who is able to fully leverage and monetize any local utility, state and or federal incentives (as appropriate), and any other available incentives or resources, as applicable.
- Performance guarantees, and warranty provisions for the inverters and solar modules will be part of the contract.
- Because early (SPPA term) ownership is one of the desired options for Weber State University, a **minimum** 10-year installation (workmanship) guarantee will be part of the contract.
- Purchase electricity through the SPPA with a predictable annual price escalator, allowing known energy cost stability and the potential of significant long term energy cost savings versus projected future utility rates (currently the meter is on RMP Schedule 6 but this will convert to Schedule 6A after the installation of the PV system) There is an estimated 3,000,000 kWh of total annual consumption at the Davis Campus.
- Weber State University would like to consider the option of pre-paying the PPA as well as buy-out options after Year 6. Responses to this RFP should consider the following financial mechanisms. Teams are NOT required to respond to each financial mechanism, but should respond to at least one, and Teams are encouraged to respond to as many of the following financial mechanisms as possible.
 - SPPA (meaning no co-pay and with a PPA rate escalator); with or without annual buy-out options after Year 6
 - Pre-paid SPPA(meaning prepaying all or a portion of the future electricity production); with or without annual buy-out options after Year 6
 - Levelized SPPA (meaning a 0% escalator) (with or without annual buy-out options after Year 6)
- Add long-term economic value by employing thoughtful designs and materials that are of investment grade quality, with the cost-efficient option for long term ownership by Weber State University.
- Be the beneficiary of the produced environmental attributes yielded from the constructed solar system, including carbon offsets, carbon credits, renewable energy credits, green tags or other climate/carbon offset entitlements.
- Receive an annual license fee of \$1.00 per installed kW for the use of its site.
- Connect to existing web based monitoring system (Lucid Dashboard) for the benefit of the students, staff and general public, as appropriate. Metering will be connected at the chiller plant. The communication will be over a BACnet IP and connect through the campus Johnson Metasys.
- WSU reserves a 2500 sq. ft. location next to the PPA site for future solar training site. See site plan for details.

All solar projects will need to comply with the (2011) National Electric Code¹ and the (2012) International Code Council family of codes and State of Utah amendments as approved by the Uniform Building Codes Commission (including the 2012 International Fire Code). All work shall comply with the DFCM Standards of Work. Design professionals on the selected, qualified Design/Build Teams are encouraged to contact the building official having jurisdiction, early in the design process. Final construction documents will need to be reviewed and approved for code compliance prior to construction. Construction change orders will generally need to be reviewed for code compliance prior to construction implementation.

The SPPA provides an option for removal of the solar electric systems in accordance with all applicable laws and return of the site to its original condition, less normal wear and tear, at the end of the agreement. The SPPA also gives Weber State University the option to acquire the solar electric system, based upon their fair market value, at the end of the agreement. The SPPA typically gives a third option to extend the term of the agreement.

¹ The NEC Code version will potentially change on July 1, 2015. Please note this **may impact** the solar design requirements.
DFCM FORM 5c-1 010213

Deliverables

A. Develop Solar Energy Project Final Plans and Specifications: Upon the successful negotiation of the Solar Power Purchase Agreement and Solar Site License with Weber State University, the successful Team shall develop final Solar Energy System project plans and specifications, which shall be subject to approval, regulatory plan check and design review by DFCM and Weber State University. The final plans and specifications shall be submitted to the DFCM and Weber State University's designated Project Managers for review.

B. Design and Engineering: The design requires that the PV modules be installed according to the specifications outlined in the provided RFP Exhibits, and in a manner accepted by all parties specific to the final design(s), as developed and proposed by selected vendor.

B.1. PV Module, Inverter and Balance of System Plant Component Specifications: The selected proposer shall install PV modules, inverters and all other components to meet the minimum standards outlined in the *Solar Electric Facility Installation Requirements, Exhibit B*.

In addition to requirements noted in the Exhibits, the proposed solar modules must have, at a minimum:

1. A 25-year power output performance warranty, with a minimum performance specification of 90% for the initial 10 years, and a progressive scale reaching no less than 80% for the remaining 15 years of the warranty. A linear rather than a stepped or tiered warranty is preferred.
2. The module warranty must be "investment grade".
3. All modules shall be UL certified and factory-tested to meet or exceed name plate power rating, with preference for "plus-sorting" to minimize module mismatch losses and name plate tolerance losses.

In addition to requirements noted in the Exhibits, the grid-tied solar inverters must have, at a minimum:

1. Minimum 10 year (preferably 20-year) nationwide warranty, with such warranty being "investment grade".
2. Weighted CEC Efficiency of not less than 96%.

B.2 PV System Performance Monitoring: The system shall integrate with existing Lucid Dashboard system at Weber State University. All costs associated with integration shall be the responsibility of the Proposer.

Once the solar system plans and specifications have been approved by DFCM/Weber State University staff, the plans will be returned to the successful Team, so they can be submitted to the necessary permitting authorities and agencies, as required, for plan review and issuance of the appropriate permits.

C. Obtain Building and all other needed Permits: The successful proposer must work with all jurisdictional authorities and agencies, as needed, to ensure that plans and specifications meet relevant land use, building, and all other applicable codes, and must obtain the requisite building and other permits for the solar electric systems prior to construction. DFCM has jurisdiction with respect to permitting and Code review.

D. Construct the Ground Mount Solar PV System: All costs associated with the construction of the ground-mounted solar PV system on the Weber State University location, including insurance coverage, shall be the responsibility of the selected Team. The successful Team shall furnish all labor, materials, permits, engineering/ design (including all architectural and engineering drawings and specifications, as may be required), transportation, storage, and equipment rental costs to construct the entirety of the solar electric system, in accordance with the final approved plans and specifications. Construction shall include a solar panel cleaning

system or plan, the cost of power system components, and the complete installation and commissioning of the solar power system (including tie-ins to the existing utility electric service in accordance with the prevailing net metering and interconnection agreements with Rocky Mountain Power (RMP)/ PacifiCorp.

E Obtain Intermediate and Final Inspections: The selected Team shall arrange for all intermediate and final permit-required inspections, including those required by the electrical inspector(s), and all requisite documentation and inspections from RMP or the serving local electric utility, to permit proper connection of the PV system to the campus electrical service, and to obtain the net metering benefits for Weber State University. Final inspection will also be performed by jurisdictional authorities, as designated by DFCM's Project Manager.

Teams are advised that a net metering and interconnect application should be submitted to RMP as early on in the project as possible, as this process has proven to be on the 'critical path' to obtain PTO (permission to operate).

F. Commissioning and Acceptance Testing: During the start-up, DFCM and/or its designee shall observe and verify each system performance requirement. Required commissioning and acceptance test services shall include, but not be limited to:

1. Starting up the solar electric system until it achieves the mutually agreed performance requirements;
2. Conducting the successful delivery of power within thirty calendar days following the completion of the system, meeting each system requirement as designed.
3. Fulfilling any other noted requirement as specified by DFCM/Weber State University or other local authority or agency.

G. Maintenance and Operation of the System: The selected Team shall provide on-site operation and maintenance of the entirety of the solar electric system for the term of the Solar Power Purchase Agreement, and shall guarantee the tariff rate in the proposal for the solar-generated electricity (including any approved escalation clause) for the term of the Solar Power Purchase Agreement, unless or until Weber State University purchases the system, or the system is removed per agreement requirement. Prior to system start-up, the selected Team shall supply to Weber State University two copies of all Component Product Data and Component Operation and Maintenance Manuals. Each Component type must have a separate component ID, a separate 3-ring binder of information, and must be labeled appropriately for content. Additionally, one electronic copy, on suitable media, shall also be provided. Such electronic copy may be directly aggregated PDF files and or images scanned to PDF files and aggregated. The information must be sufficient for Weber State University to evaluate and ensure appropriate operation and maintenance is being completed over the life of the system, including repair timelines, detailed Operation and Maintenance procedures (and frequency), and performance assurance standards and guarantees. Examples of components include PV modules, conduit, inverter, racking, net metering equipment, etc.

The selected Team must submit to Weber State University record drawings of the constructed system, detailing the location of all above and underground utilities, and all components. Such drawings shall be submitted within 30 days of project start-up, and shall include a set of both electronic and hard copy as-built drawings in AutoCad-Autodesk format, unless otherwise approved by the DFCM.

H. Monitoring: Monitoring of system performance is a required element of the selected Team's services and must integrate with existing campus monitoring system; Lucid Dashboard.

The Performance Monitoring System shall utilize existing software-based graphical display to provide real-time monitoring of the output and efficiency of the system for energy production and failure diagnostics. The minimum inputs shall be DC System Size, other relevant system characteristics (summary of system design), real-time PV system AC power output (kW) and production (kWh). The system shall be integrated with the University's dashboard system (Lucid Dashboard). Metering will need to be connected to the local BAS (Johnson Metasys) in the chilled water plant. This will require coordination with University approved controls integrator.

PROCUREMENT PROCESS

The State of Utah intends to enter into an agreement with a firm to provide Design/Build/ Operate/ Maintain/ Finance services as described. The selection of the Design/Build/ Operate/Maintain/Finance Team will be made using a Value Based Selection (VBS) system.

1. **Request for Proposals Documents for Design/Build/ Operate/Maintain/Finance Team**

The Request for Proposals for Design/Build/Operate/Maintain/Finance Services (RFP) consists of all of the documents listed in the Table of Contents and all said documents are incorporated in this RFP by reference. The RFP will be available on the DFCM website as stated on the Project Schedule

2. **Contact Information**

Except as authorized by the DFCM Representative or as otherwise stated in the RFP or the pre-proposal meeting, communication during the selection process shall be directed to the specified DFCM's Representative. In order to maintain the fair and equitable treatment of everyone, contractors shall not unduly contact or offer gifts or gratuities to DFCM, any Board officer, employee or agent of the State of Utah, users or selection committee members in an effort to influence the selection process or in a manner that gives the appearance of influencing the selection process. This prohibition applies before the RFP is issued as the project is developed, and extends through the award of a contract. Failure to comply with this requirement may result in a disqualification in the selection process. Contractors should be aware that selection committee members will be required to certify that they have not been contacted by any of the contractors in an attempt to influence the selection process.

3. **Requests for Information**

All requests for information regarding this project shall be in writing and directed to:

Bianca Shama - DFCM Energy Program Director
Division of Facilities Construction and Management
Room 4110 State Office Building
Capitol Hill Complex
Salt Lake City, Utah 84114
E-mail: bshama@utah.gov

4. **Project Schedule**

The Project Schedule lists the important events, dates, times and locations of meetings and submittals. The terms of the project schedule are hereby incorporated by reference and must be met by the selected team.

5. **Mandatory Pre-Proposal Meeting**

A mandatory pre-submittal meeting will be held on the date and time and at the location listed on the Project Schedule. A representative from each team is required to attend. During the meeting, a presentation will be made to describe the overall scope of work and intended schedule. Interested firms may ask questions and request

clarification about the project and the procurement process. Sub-consultants and subcontractors are invited to attend this meeting, but it is not mandatory for them.

The prime vendor's absence from the pre-submittal meeting and/or failure to register precludes participation as a submitting firm on this project.

6. Submittal Due Dates and Times

All required submittals must be delivered to, and be received by DFCM prior to the date and time indicated in the Project Schedule. Submittals received after the specified time will not be accepted. If using a courier service, the Design/Build/ Operate/Maintain/Finance Team is responsible for ensuring that delivery will be made directly to the required location. It is your responsibility to allow for the time needed to park on Capitol Hill.

7. Last Day to Submit Questions

All questions must be received at the office of DFCM no later than the time and dated listed in the Project Schedule. Questions must be submitted in writing to Bianca Shama at DFCM.

8. Response Document

The Response Document should, at the least contain the following:

- A cover sheet that includes the title of this RFP, Project Number, the name and address of the firm, the contact person and the contact person's phone and e-mail.
- Statement of Qualifications
- Management Plan
- Design Proposal, including material selection (spec sheets, warranty details) and preliminary layout
- A section that addresses project viability, including a statement specific to the intended method of project financing and or any project finance partners
- Termination and Debarment statement

There is no prescribed page limit to the Response document but Proposers are encouraged to keep the Response Document as concise as possible. Five printed copies and two CDs of the Response Document are required.

9. Cost Proposal

The cost proposal must be submitted in a separate file or on a separate sheet (in a separate envelope). Teams must take into consideration Weber State University's goal to purchase electricity through the SPPA with a predictable annual price escalator, allowing known energy cost stability and the potential for significant long term energy cost savings versus projected future utility rates (Assume **6% annual increase** in utility rate for the purpose of your cash flow calculations). Weber State's preference is to see a variety of financial proposals. Teams are NOT required, but are encouraged, to submit more than one financial proposal, and are asked, but not mandated to include annual buy-out options after Year 6: SPPA, Pre-paid / Partial Pre-paid SPPA, Levelized SPPA (zero escalator).

The Cost Proposal must include:

1. The cost of the total energy to Weber State University over a 20-year period, broken down by year, and as an aggregated total energy cost. (Please note that proposed kWh energy rates above the current RMP *blended rate* will be considered, but are discouraged. Likewise, PPA escalation rates above 2.5% will be

considered but are discouraged. Creative PPA pricing and escalation approaches focused upon meeting stated Weber State University objectives *will* be considered.

2. The total projected kWh produced by the system over a 20-year PPA period. Please provide the cell degradation rate.
3. Provide the guaranteed kWh rate for each year under the proposed Solar Power Purchase Agreement for the energy generated by the solar PV system.
4. Provide information about the early termination fee (at fair market value) in case this PPA is terminated at the request of the University with all facilities that were previously owned by the Team to then be owned by the University

EXAMPLE Bidder Proposal Matrix for 2 MW Solar PV System

Scenario #	kW _{DC} PPA	Annual kWh Projected Output (in Year 1)	Guaranteed Annual kWh Output	Rate/kWh PPA (in Year 1)	PPA Escalation Rate	Expected Weber State Contribution (in Year 0)
1	2,000 kW	2,800,000 kWh/yr		\$0.04	2.0%	\$590,000
2	2,000 kW	etc	etc	etc	etc	\$0
3						

Fair Market Value Cost to the University to have Complete Ownership of the PV System Starting in Year 7 Broken Down By Year Until Year 20.

- Year Seven: \$ _____
- Year Eight: \$ _____
- Year Nine: \$ _____
- Year Ten: \$ _____
- Year Eleven: \$ _____
- Year Twelve: \$ _____
- Year Thirteen: \$ _____
- Year Fourteen: \$ _____
- Year Fifteen: \$ _____
- Year Sixteen: \$ _____
- Year Seventeen: \$ _____
- Year Eighteen: \$ _____
- Year Nineteen: \$ _____
- Year Twenty: \$ _____

If offering more than one option, please use the PPA Proposal Matrix format as shown (or similar). Each proposal scenario should address DFCM/Weber State University’s stated RFP objectives, and may include different PPA and escalation rate options, and / or different Weber State University capital requirements.

How Calculated: The Team that produces the most energy at the lowest \$/kWh cost over a 20-year period will be awarded maximum points in this category (see point schedule). Scores will be lower if the combination of these elements (PPA rate, pre-payment and amount of energy) are less favorable to Weber State University, calculated through a 20 year cash flow. Other offers that establish lower cost savings will be scored proportionately lower in points based upon their spread from the highest energy savings Cost Proposal.

The following factors will be used for the calculations:

- 20 year term
- Cell degradation rate as warranted by manufacturer
- 6% Annual Utility Rate increase

Cost Proposals will be accepted at the office of DFCM, Room 4110 State Office Building, Capitol Hill Complex, Salt Lake City, Utah 84114. Late proposals will be disqualified and returned to the Team unopened. One copy of the cost proposal is required. The cost proposal has to be submitted on a separate sheet or in a separate file.

10. Addendum

All responses to questions and requests for clarification will be in writing and issued as addenda to the Request for Proposals. The addenda will be posted on DFCM’s web site.

Any addenda issued prior to the submittal deadline shall become part of the Request for Proposals and any information required shall be included in your proposal.

11. Past Performance and References

As each DFCM project is completed, DFCM, the Contractor and A/E will evaluate each other and will also be evaluated by the using agency/institution. It is the intent of DFCM that this process will be the major source for evaluating past performance.

Contractors and A/Es shall submit past performance and reference information by the time indicated on the Project Schedule.

For all DFCM projects completed in the last five years identify the project by name, number and DFCM project manager. Each prime contractor and each prime design firm wishing to compete for this project that has not completed at least three DFCM projects in the last five years, will be required to provide one copy of a list of references on additional similar projects for a total of three projects.

For non-DFCM projects provide the following information:

- Point of Contact: Person who will be able to answer any customer satisfaction questions.
- Phone Number: Phone number of the contact we will be surveying.
- User Name: Name of Company / Institution that purchased the construction work.
- Project Name: Name of the project.
- Date Completed: Date of when the work was completed.
- Address: Street, city and state where the work was performed.
- Size: Size of project in dollars.
- Duration: Duration of the project / construction in months.
- Type: Type of the project (i.e.: School, Offices, Warehouse, etc)

12. Statements of Qualifications

The submitting Design/Build/ Operate/Maintain/Finance Team shall provide five copies of the Statements of Qualifications. The Statement of Qualifications is a short document that addresses the selection criteria. It indicates the experience and qualifications of the Design/Build/ Operate/Maintain/Finance Team, the construction project manager, the lead designer, and other critical members of the team. It describes what talents their team brings to the project, how their knowledge of the subject will provide benefit to the process, how the team has been successful in the past and how that relates to this project. It should include information on similar projects that have been completed by the Design/Build/ Operate/Maintain/Finance Team, construction project manager, lead designer, and other team members. Include the experience and special qualifications that are applicable to this project and/or are part of the project specific selection criteria.

13. Design Proposal and System Components

A preliminary layout should be included in the proposal. There is a preference (but no mandate) for domestic products, for which warranty issues may be better enforceable if required. When addressing system components please identify:

- The designated ground-mounted PV system lay-out detail and the proposed mounting method.
- The proposed security and ground cover methods.
- The make, number and specifications of selected solar modules.
- The make, number and sizing of the selected grid-tied solar electric (PV) inverters and its/their location.
- Details regarding the monitoring provisions.
- The PV module and other component warranty terms as well as the workmanship warranty term.

14. Management Plan

The Design/Build/ Operate/Maintain/Finance Team shall submit five copies and two CDs of a Management Plan by the time indicated on the Project Schedule. The cover sheet of the management plan is to include the name and address of the firm, the contact person and the contact person's phone and e-mail. The Management Plan should demonstrate how the Design/Build/ Operate/Maintain/Finance Team is organized, the role of team members, and how the team will work together to achieve the objectives of the project. It should identify decision making authority and point of contact.

The Management Plan should address in a general manner how the Team will accomplish the objectives of the project, mitigate the project risks identified by the Team, and address any other selection criteria not addressed elsewhere in the Team's submittals. It should include a preliminary project schedule indicating how the Team will accomplish the desired completion timeframe.

The Management Plan should be concise yet contain sufficient information for evaluation by the Selection Committee.

15. Time

Weber State University requests a completion date of no later than Sep 1, 2016

16. Proposal Viability

This section pertains to the financial capability of the Team, the financial and legal structure and viability of the Project.

Each proposal must include an acknowledgment that the Proposer has reviewed each of the attached Exhibits and shall specifically include an outline of any changes the Proposer believes necessary to the attached Exhibits, including substantive changes to the proposed draft Site License Agreement and draft Power Purchase Agreement. The SPPA and SSLA are included in this RFP for informational purposes but do show documents that have previously been approved by the State of Utah. If vendor intend to use their own version of the PPA/SLA, please include a section that summarizes substantial differences with the attached examples of those contract documents.

Further, binding conditional proof of project financing, either directly by the Proposer if applicable, or by a third-party project finance entity, will be required prior to the award of this RFP. The Proposer shall include information specific to its intended method of project financing and or any project finance partners.

17. Termination or Debarment Certifications

The general contractor and prime design firm of the Design/Build/ Operate/Maintain/Finance Team must submit a certification that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from soliciting work by any governmental department or agency. These firms must also certify that neither the firm nor its principals have been terminated during the performance of a contract or withdrew from a contract to avoid termination. If the firm cannot certify these two statements, the firm shall submit a written explanation of the circumstances for review by DFCM. Design/Build/ Operate/Maintain/Finance Teams are to submit these certifications with their Statement of Qualifications.

18. Selection Committee

The Selection Committee may be composed of individuals from DFCM, the Weber State University, and representatives from the design or construction disciplines.

19. Interviews

Interviews will be conducted at the discretion of the DFCM selection committee. The interview evaluation will be made using the selection criteria noted below. The information provided by the past performance/references, design proposal, management plan, price proposal and statement of qualifications will be the basis for this evaluation. It will also provide an opportunity for the Selection Committee to seek clarification of the Team's proposal.

The method of presentation is at the discretion of the Team. The interviews will be held on the date and at the place specified in the Project Schedule.

20. Selection Criteria

The following criteria will be used in arriving at the successful Design/Build/ Operate/Maintain/Finance team. The criteria are not listed in any priority order. The Selection Committee will consider all criteria in performing a comprehensive evaluation of the proposal.

The following criteria will be used in ranking each of the construction firms. The firm that is ranked the highest will represent the best value for the state. The criteria are not listed in any priority order. The selection committee will consider all criteria and determine how much weight to give to each item in performing a comprehensive evaluation of the proposal. Weights have been assigned to each criteria in the form of points.

1. Design Proposal. **20 POINTS**. The Design/Build/ Operate/Maintain/Finance Team's design as presented in the drawings and specifications as clarified in the interviews will be evaluated as to how well it meets the objectives of the project.
2. Schedule. **10 POINTS**. The contractor's schedule will be evaluated as to how well it meets the objectives of the project. Unless other objectives are stated the shorter the construction duration that is evaluated to be feasible while maintaining safety and quality in conformance with the construction documents is preferred. The contractor shall discuss during the interview the project schedule identifying major work items with start and stop dates that are realistic and critical subcontractors and if they have reviewed and agree to the schedule. The overall completion date shown on the schedule will be used in the contract as the contract completion date.

3. **DFCM Past Performance Rating. 10 POINTS.** Each construction firm will be given a past performance rating. The rating will be based first on how well the firm did on past projects with DFCM. If the DFCM past performance ratings are not available a rating will be established using any DFCM past performance ratings that are available, supplemented by references supplied by the contractor at the time the proposals are submitted.
4. **Strength of Team. 10 POINTS.** Based on the statements of qualifications, the interview, and management plan, the selection team shall evaluate the expertise and experience of the construction firm the project manager and the superintendent as it relates to this project in size, complexity, quality and duration. Consideration will also be given to the portions of the project that the contractor will self perform and the strength brought to the team by critical subcontractors including how they were selected and the success the contractor has had in working with them.
5. **Project Management Approach. 10 POINTS.** Based on the information provided in the construction and management plan and information presented in the interview the selection team shall evaluate how each Team has planned the project and determined how to construct the project in the location and in the time frames presented. The Team should present how they plan to move material and people into and out of the site, keep the site safe; minimize disruption to the facility, etc. The construction firm shall also discuss what portions of the project they plan to self perform. The selection team will also evaluate the degree to which risks to the success of the project have been identified and a reasonable solution has been presented. This may include cost reduction ideas or proposals.
6. **Cost (Team's offer and terms). 30 POINTS.** Up to four cost scenarios (including an economic analysis, such as a 20-year cash flow) may be submitted
7. **Proposal Viability. 10 POINTS.** This portion of the scoring represents the financial capability of the firm, the financial and legal structure and viability of the project. Further, binding conditional proof of project financing, either directly by the proposer if applicable, or by a third-party project finance entity, will be required prior to the award of this RFP. The Team shall include information specific to its intended method of project financing and or any project finance partners.

TOTAL POSSIBLE POINTS: 100 POINTS.

21. Award of Contract

The selection of the Design/Build/ Operate/Maintain/Finance Team will be made using the Value Based Selection system (VBS). The award of the contract shall be in accordance with the criteria set forth in the Request for Proposals (RFP). The State of Utah intends to enter into an agreement with the prime contractor to construct the project as outlined. Individual contractors or alliances between two or more contractors are allowed in this process. The State will contract with only one legal entity.

22. Licensure

The Design/Build/ Operate/Maintain/Finance Team shall comply with and require all of it's A/Es consultants, sub-consultants, and subcontractors to comply with the license laws as required by the State of Utah.

23. Permitting

In concurrence with the requirements for permitting in the General Conditions, it is the responsibility of the Contractor to obtain the fugitive dust plan requirements from the Utah Division of Air Quality and the SWPPP requirements from the Utah Department of Environmental Quality and submit the completed forms and pay any permit fee that may be required for this specific project. Failure to obtain the required permit may result in work stoppage and/or fines from the regulating authority that will be the sole responsibility of the Contractor. Any delay to the project as a result of any such failure to obtain the permit or noncompliance with the permit shall not be eligible for any extension in the Contract Time.

24. Financial Responsibility of Contractors and Subcontractors

Contractors shall respond promptly to any inquiry in writing by DFCM to any concern of financial responsibility of the contractor or subcontractor.

25. Withdrawal of Proposals

Proposals may be withdrawn on written request received from proposer until the notice of selection is issued.

26. Time is of the Essence

Time is of the essence in regard to all the requirements of the contract documents.

27. Right to Reject Proposals

DFCM reserves the right to reject any or all proposals.



PROJECT SCHEDULE

PROJECT NAME: GROUND-MOUNTED SOLAR PHOTOVOLTAIC FACILITY - DAVIS CAMPUS WEBER STATE UNIVERSITY – LAYTON, UTAH				
DFCM PROJECT NO: 15279810				
Event	Day	Date	Time	Place
RFP for Design/Build/ Operate/ Maintain/Finance Teams Available	Friday	July 10, 2015	3:00 PM	DFCM web site *
MANDATORY Pre-Proposal Meeting	Monday	July 20, 2015	2:30 PM	Room 201 Davis 3 Building WSU Davis Campus 2750 University Park Blvd. Layton, UT
Last Day to Submit Questions	Monday	July 27, 2015	4:00 PM	Bianca Shama- DFCM E- mail: bshama@utah.gov
Addendum Deadline (exception for bid delays)	Wednesday	July 29, 2015	3:00 PM	DFCM web site*
Management Plans, References, Statements of Qualifications, Cost Proposals and Cost/Scope Adjustments, and Termination / Debarment Certifications Due	Tuesday	August 11, 2015	12:00 NOON	DFCM Room 4110 State Office Bldg Capitol Hill Complex SLC, UT
Interviews	Wednesday	August 26, 2015	TBA	To Be Announced
Announcement of Selection	Friday	August 28, 2015	3:00 PM	DFCM web site*

* DFCM’s web site address is www.dfc.utah.gov.



COST PROPOSAL FORM

NAME OF PROPOSER _____ DATE _____

To the Division of Facilities Construction and Management
4110 State Office Building
Salt Lake City, Utah 84114

The undersigned, responsive to the "Notice to Contractors" and in accordance with the "Request for Proposals" for the **GROUND-MOUNTED SOLAR PHOTOVOLTAIC FACILITY - DAVIS CAMPUS - WEBER STATE UNIVERSITY – LAYTON, UTAH - DFCM PROJECT NO: 15279810** and having examined the Contract Documents and the site of the . proposed Work and being familiar with all of the conditions surrounding the construction of the proposed Project, including the availability of labor, hereby proposes to design, finance, install, construct, operate and maintain a solar photovoltaic array as required for the Work in accordance with the Contract Documents, within the time set forth, at the price stated below. This price is to cover all expenses incurred in performing the Work required under this RFP and the Contract Documents.

I/We acknowledge receipt of the following Addenda: _____

The Proposer is responsible for complying with all applicable Utah State Sales and Use Tax exemption requirements.

The Proposer is responsible for payment of all Utah State Sales and Use Tax obligations that arise from the Proposer’s failure to comply with exemption requirements. We encourage Proposers to visit www.dsireusa.org for further information. Please note, that this website does not include all information needed to meet this requirement.

Proposers must use due diligence in obtaining all information on tax requirements

IT IS ACCEPTABLE TO COPY THIS FORM IN A WORD DOC OR SPREADSHEET

Bidder Proposal Matrix - PPA

Scenario #	kW_{DC} PPA	Annual kWh Projected Output (in Year 1)	Guaranteed Annual kWh Output	Rate/kWh PPA (in Year 1)	PPA Escalation Rate	Expected Weber State Contribution (in Year 0)
1						
2						
3						
4						

Project Name / Identifier/Scenario#:					
System Size:		kW _{DC}			
Cell Degradation Rate:					
Total Cumulative Savings:					
Year	Projected kWh Produced	PPA Payments (including co-payment in Year 0)	Estimated RMP Payment Saved (Assume 6% Annual Increase)		Guaranteed kWh/y
0					
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
TOTAL					

Projected Fair Market Value In Annual Intervals After Year 6:

Year	Fair Market Value
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	

Anticipated use of Grants, Tax Credits and or Financial Incentives (for informational purposes only)

I/We guarantee that the Work will be Substantially Complete by **January 1, 2016**, should I/we be the successful proposer.

This bid shall be good for 60 days after bid opening.

The undersigned Contractor's License Number for Utah is _____

Upon receipt of notice of award of this bid, the undersigned agrees to execute the contract within thirty (90) days, unless a shorter time is specified in the Contract Documents.

Type of Organization:

(Corporation, Partnership, Individual, etc.)

Any request and information related to Utah Preference Laws:

Respectfully submitted,

Name of Proposer

ADDRESS:

Authorized Signature



STATE OF UTAH - DEPARTMENT OF ADMINISTRATIVE SERVICES

Division of Facilities Construction and Management

DFCM

EXHIBIT A

DFCM Project No. 15279810

SITE IDENTIFICATION AND PRELIMINARY LAYOUT

Disclaimer

The intent of this exhibit is to estimate the potential solar power generation capacity of the described WSU site location and to give guidance to potential bidders with respect to the available space, the obstacles that may cause shading and electrical infrastructure.

A geotechnical analysis has been carried out.

This report is NOT intended to serve as a detailed engineering design document. It should be noted that detailed structural and electrical design is still a requirement and a full design package is expected for submittal to the client and the various permitting agencies.

While the recommendations in this exhibit have been reviewed for technical accuracy and are believed to be reasonably accurate, the findings are estimates and actual results may vary.

The vendor should independently evaluate any advice or direction provided in this exhibit. In no event will DFCM, BacGen or its associates or agents be liable for the failure of the vendor to achieve a specified electricity production, the operation of host's facilities, or any incidental or consequential damages of any kind in connection with this exhibit or the installation of the recommended project.

Weber State University – Davis Campus, 2 MW_{DC} Ground Mount PV System

Weber State University – Davis Campus 2750 University Park Blvd., Layton, UT	
RMP Account #	44581426-015 1
Meter #	28338212, 57480102, 50573031, 50816592, 2914450, 2958403
Schedule #	6 – Will switch to 6A
Approximate Average Annual Consumption	3,000,000 kWh/y
Approximate Average Annual Expense	\$270,000
Fully Blended Rate	\$.09/ kWh Energy produced by solar PV will be able to offset at approximately \$.07/kWh on schedule 6A – Cost savings should use \$0.07/kwh as the basis for financial analysis

The Weber State University (WSU) Davis Campus is a satellite campus located just off of State Highway 193 and University Park Boulevard in Layton, Utah.

There is a large area of available land (approximately 10 acres) to the very southeast side of the Davis Campus property. The ownership and jurisdictional authority over this land lies with the State of Utah and WSU. Refer to the attached site plan which shows the general allowable footprint for this proposed 2 MW solar installation. The site plan also shows the footprint for a 2,500 SF future solar training site that shall be reserved for WSU use, as well as the location of the existing storm detention basin (which can be overlaid by this solar installation, provided the panels are properly elevated above this basin), and the existing Davis Campus central plant building (D4). The site plan also shows the outline for the future expansion of the parking lot and perimeter loop road, around which the solar installation must adhere.

Also attached here are select electrical drawings from the original construction of the Davis Central Plant and 'D3' Classroom Building, which include the location and size of the existing electrical service and equipment.

Attachments:

Detailed Account Activity

ITEM 13 - ELECTRIC SERVICE

2750 University Park Blvd Layton UT
School Schedule 6

METER NUMBER	SERVICE PERIOD		ELAPSED DAYS	METER READINGS		METER MULTIPLIER	AMOUNT USED THIS MONTH
	From	To		Previous	Current		
28338212	Sep 16, 2014	Oct 15, 2014	29	4085	4325	300.0	72,000 kwh
28338212	Sep 16, 2014	Oct 15, 2014	29	1748	1838	300.0	27,000 kvarh
28338212	Demand	Oct 15, 2014			0.69	300.0	207 kw

Next scheduled read date: 11-14. Date may vary due to scheduling or weather.

NEW CHARGES - 10/14	UNITS	COST PER UNIT	CHARGE
Basic Charge - 3P			54.00
Demand Charge			
for 14 day(s) Summer	207 kw	14.2700000	1,426.02
for 15 day(s) Winter	207 kw	10.6500000	1,140.28
Facilities Charge	207 kw	4.0400000	836.28
Energy Charge			
for 14 day(s) Summer	34,759 kwh	0.0384040	1,334.88
for 15 day(s) Winter	37,241 kwh	0.0354200	1,319.08
Renewable Energy Adjustment		0.0030000	15.66
Energy Balancing Account		0.0184000	96.05
Customer Efficiency Services		0.0326000	201.08
Home Electric Lifeline Program			8.91
Municipal Energy Sales/use Tax		0.0600000	385.40
Total New Charges			6,817.64
ADJUSTMENTS			CHARGE
09/14 Adjusted Estimated Read 08/15/14 - 09/16/14			-994.55
09/14 Fee Waived			-69.70
Total Adjustments			-1,064.25



STATE OF UTAH - DEPARTMENT OF ADMINISTRATIVE SERVICES

Division of Facilities Construction and Management

DFCM

EXHIBIT B

SOLAR ELECTRIC FACILITY INSTALLATION REQUIREMENTS AND MATERIAL SPECIFICATION

DFCM Project No. 15279810

1.0 Purpose

This Solar Electric Installation Requirements document details the requirements and *minimum* criteria for a solar electric (“photovoltaic” or “PV”) system (“System”) installed by a solar electric facilities contractor, licensed in Utah, for the Division of Facilities Construction and Management (“DFCM”).

Where local code or contract specifications call for standards other than those incorporated herein, the standard deemed by local building official and or the authorized State of Utah contracting and code authorities to be the more rigorous, shall supersede.

The purpose of these installation requirements is to help promote the performance and longevity of systems installed on State or State affiliated buildings or landholdings, or that of its direct or indirect agencies. DFCM specifically reserves the right to require compliance with installation specifications that may exceed manufacturer or code requirements. Final design specifications, including any variations from the installation requirements called out herein, shall be mutually approved and receive prior written approval from the authorized DFCM agent(s).

2.0 System Requirements

2.1 General

- 2.1.1 System shall be grid-connected and installed on real property in Utah that receives electrical service directly from Rocky Mountain Power, a Local Electrical Utility recognized by the Utah Public Service Commission, or a mutually agreed provider.
- 2.1.2 System shall meet local utility interconnection and net metering requirements, as applicable.
- 2.1.3 The installation shall be of industry standard and workmanlike quality.
- 2.1.4 System should be designed for optimal annual performance, without sacrificing aesthetics, and design shall be approved by DFCM & Weber State University. **See Section 2.5.**
- 2.1.5 System design shall be documented with a schematic diagram that accurately describes all electrical components to be installed and the wiring design. Diagram should include:
 - Module series/parallel wiring
 - Conductor and ground wire types and sizing
 - Conduit types and sizing
 - Voltage drop calculations
 - AC breaker sizing
- 2.1.6 System shall be properly permitted, inspected, and in compliance with all applicable State of Utah building and electrical codes, including but not limited to those listed in the DFCM Design Standards.
- 2.1.7 System equipment installers shall be licensed according to the Utah Building Codes Division and shall be directly licensed, or working for a contractor that is licensed according to the Utah Construction and Contractors Board.

2.2 Materials

- 2.2.1 Materials used outdoors shall be sunlight/UV-resistant and listed for outdoor locations.

- 2.2.2 Materials used shall be designed to withstand the temperatures to which they are exposed.
- 2.2.3 Dissimilar metals that have galvanic action (such as aluminum and steel) shall be isolated from one another using industry standard practices (such as non-conductive shims, washers, or other methods).
- 2.2.4 Aluminum shall not be placed in direct contact with concrete materials.
- 2.2.5 Only stainless steel fasteners shall be used. The fasteners shall be coated with an anti-seize lubricant to prevent galling and allow for ease of removal during system maintenance or repair.
- 2.2.6 Structural members shall be either:
 - High general corrosion resistance/SCC resistant aluminum, with characteristics suitable for marine environments. Clear anodizing is preferred.
 - Hot-dip galvanized steel per ASTM standard A123 equivalent or better.
 - Stainless steel (recommended for all environments).

2.3 Equipment and Installation

- 2.3.1 All installed system components shall be new.
- 2.3.2 All components shall be mounted securely.
- 2.3.3 All electrical equipment shall meet appropriate current electrical standards and shall be listed by a nationally recognized testing laboratory (e.g. UL, ETL).
 - Inverters shall meet IEEE 929, 1374 and 1547 (listed to UL 1741) or their successor standards and shall have been certified by the [California Energy Commission](#).
 - Photovoltaic modules shall meet IEEE 1262 (listed to UL 1703) or their successor standards and shall have been certified by the [California Energy Commission](#)
- 2.3.4 Manufacturer warranties shall cover:
 - Inverter for a minimum of 10 years against manufacturer's defects.
 - PV modules for a minimum of 20 years against degradation of performance below 80% of original output under standard test conditions
- 2.3.5 All electrical equipment shall be listed for the voltage and current ratings necessary for the application, reference 2011 NEC, or supercedents.
- 2.3.6 Equipment shall not be modified such that it voids the listing or manufacturer warranty.
- 2.3.7 All required over-current protection shall be included in the system and accessible for maintenance. The inspection or maintenance of combiner or feed through junction boxes shall not require the removal or displacement of modules or other obstructions.
- 2.3.8 A listed means of disconnection from all sources of power (both AC and DC) shall be provided such that inverter source and output circuits can be safely isolated for service or in an emergency. Disconnects shall be designed to be switched under load without an arcing hazard (e.g., blade-type or circuit breaker). Pull-out style disconnects shall not be used.
- 2.3.9 All electrical terminations shall be torqued to specification, secured, and strain-relieved as appropriate. Wire ends shall be coated with anti-corrosive compound prior to termination.
- 2.3.10 All cables, conduit, exposed conductors, and electrical boxes shall be secured and supported according to code requirements and in accordance with their performance ratings (i.e. NEMA).

- 2.3.11 Array equipment grounding conductors (EGC) and DC grounding electrode conductors (GEC) shall be copper and shall be either minimum 6 AWG or protected from physical damage and sized to conform to applicable Utah Electrical Codes, reference 2011 NEC:
- EGC shall be sized and protected according to applicable Utah code.
 - GEC shall be sized and protected according to applicable Utah code
 - If a single conductor is used for the EGC and GEC, conductor sizing and protection shall conform to all applicable Utah codes, or referenced codes. Contractor is responsible for identifying any additional code sections that may apply. For most applications, a 6 AWG conductor will be the minimum required to meet code.
- 2.3.12 Twist-on wire connectors shall not be used on DC conductors or ground wires. Instead, these wire connections shall be made using terminal strips in combiner boxes, feed through blocks in junction boxes, or other similar mechanical wire splicing devices. When outdoors or exposed to moisture, twist-on wire connectors used for AC connections shall be listed for usage in a damp/wet location.
- 2.3.13 Junction boxes and combiner boxes shall be listed and suitable for their environment and conditions of use.
- 2.3.14 Permanent labels shall be applied to system components as required by the applicable Utah Electrical Codes, or referenced codes.
- 2.3.15 Disconnect switch cover plates (not switch handles) shall be secured closed for safety (i.e. padlock, zip tie, etc.).
- 2.3.16 Micro-inverters, if used, shall be installed to meet the requirements of this document and all applicable codes, and shall:
- Include the installation of manufacturer-provided equipment that allows local monitoring of system performance and identification of inverter errors.
 - Have appropriate AC disconnect switch at each inverter output circuit junction box to provide isolation for each string of inverters.

2.4 Site Requirements

- 2.4.1 Vendor/Contractor shall be responsible for verification of ground condition and suitability/stability of soils by obtaining the necessary site geotechnical analyses.
- 2.4.2 Subject to project specific requirements, the array foundation, racking and mounting systems shall be engineered and installed to meet local wind, snow and seismic load requirements. The Vendor/Contractor shall be responsible to obtain this engineering.
- 2.4.3 All mounting hardware shall be installed according to manufacturer specifications.
- 2.4.4 Solar resource should be fully secured within a fenced site. The preference is for a chain-link fence to be installed at a minimum of 6'-0" high.
- 2.4.5 The site below and around the solar array shall be properly retained and covered with a low-maintenance type of ground material. The preference is for a combination of gravel pathways (installed over a weed barrier) and concrete bases/footings. The proposed materials will be reviewed and approved during the design phase.
- 2.4.6 A solar glare hazard analysis for the proposed solar array shall be conducted by the Vendor/Contractor as part of the design process. The preference is for a solar panel that is as anti-reflective as possible.

- 2.4.7 A provision will be made for select access by DFCM and Weber State University Facilities Management personnel to facilitate educational tours of the completed solar installation.
- 2.4.8 An informational public workshop will need to be conducted at the WSU Davis Campus prior to any construction on the project site. This workshop will need to involve the University stakeholders as well as representatives of the Vendor/Contractor's team.

2.5 Solar Access

- 2.5.1 Solar resource shall be measured with an approved shading analysis tool from the point on the collector(s) where shading is most significant. Currently approved are reports generated from either the Pathfinder Site Analysis Tool Assistant Software, Solmetric SunEye Shading Analysis Tool, or the Wiley ASSET Solar Site Evaluation Tool. Other analysis tools may be approved from time to time or accepted by prior written approval for specific projects.
- 2.5.2 Total Solar Resource Fraction ("TSRF") shall be 75% or greater at all points on the array.
- 2.5.3 It is recommended that the System be installed in as aesthetic a manner as is possible. System installation design and specifications shall be mutually approved by the authorized DFCM authority prior to submission for permits.

2.6 Performance

- 2.6.1 Array shall be sized to operate within the current, voltage and power limits approved and warranted by the inverter manufacturer. The temperature-adjusted array voltage shall remain within the inverter limits at the historical record high and record low temperatures for the location where System will be installed. When calculating voltage at record high temperature, the appropriate adder from the table below shall be used.
- Temperature Adders for High Temperature Voltage Calculation - Array Mounting Temperature Adder**
- Roof 35 °C
 - Rack 30 °C
 - Pole 25 °C
- 2.6.2 Wires shall be sized to keep voltage drop at or below 2% in the DC conductors from the array to the inverter, including the existing wire whips on the PV modules. Voltage drop will be calculated using temperature-adjusted V_{mp} (max power voltage) of the array for the location's average high temperature.
- 2.6.3 Wires also shall be sized to keep voltage drop at or below 2% in the AC conductors from the inverter to the service panel to maintain the AC voltage within the inverter's operating limits.
- 2.6.4 Aluminum wiring **is not acceptable**.
- 2.6.5 Voltage mismatch caused by partial shading of the array, different orientations of strings within the array and or by variations in module voltages, shall be minimized, allowing the inverter to operate within its maximum power point window.

2.7 Output Meters

A revenue grade net meter shall be installed, that complies with the requirements of the RMP net metering and interconnect agreements. Revenue grade metering shall also be used for the purpose of PPA administration (i.e. monthly production charges).

3.0 Customer Manual and Maintenance Training

Upon completion of installation, installer/contractor shall provide the system owner with a manual (the “Customer Manual”) that fully describes the proper system operation and maintenance. The information must be sufficient for Weber State University to evaluate and ensure appropriate operation and maintenance is being completed over the life of the system.

The Customer Manual shall provide accurate system documentation for the current system owner, as well as future owners and potential service personnel. The Customer Manual shall be bound in a durable and professional-looking binder, and shall contain, at minimum, three sections: (1) System Design and Operation, (2) Warranties and Installation Documentation, and (3) Manuals and Data Sheets.

3.1 Section 1 — System Design and Operation

- System Overview Page: An overview page that summarizes the system’s operating conditions and provides emergency information.
- Operation & Maintenance Instructions: Installer’s written instructions for system start-up and shutdown procedures, troubleshooting guidelines and recommended routine maintenance schedule.
- Electrical As-Built Diagrams: Schematic diagram that accurately depicts all electrical components installed, plus main service panel and utility connection. Shall depict module series/parallel wiring, conductor and ground wire types and sizing, conduit types and sizing, and voltage drop calculations
- Mechanical Design: Description of array support structure, including engineering specifications of structural elements and manufacturer installation instructions. Provide drawings describing racking, pole mount or roof attachment methods systems.

3.2 Section 2 — Warranties and Installation Documentation

- Workmanship Warranties, where applicable: Installer’s full system warranty, covering labor and materials.
- Manufacturers’ Warranties: Written warranties and product registration instructions for PV modules and inverters.
- Permit(s): Copy of approved electrical and, as applicable, building permits for the system installation.
- Utility Interconnection / Net Metering Agreement: Copy of the agreement between the utility customer and the utility.

3.3 Section 3 — Parts Data Sheets

- Parts and Source List: Bill of materials, listing all system components including part numbers. Inverter and module serial numbers should be recorded to facilitate replacement in the case of product recall or recovery in the case of theft.
- Inverter Owner’s Manual: Documentation from inverter manufacturer.
- Manufacturer Data Sheets for Major Components: Including but not limited to: inverters, PV modules, rack/mounting system, charge controller, batteries, disconnect switches, ground fault protection equipment, lightning arrestors, and combiner boxes.

Operation and maintenance instruction manuals shall have all required safety warnings and instructions clearly provided where applicable.

All parts of the User Manual are to be made available in two paper copies as well as one electronic copy.

4.0 Monitoring and Data Recording

Monitoring of system performance is a required element of the selected proposer's services and must integrate with existing campus monitoring system; Lucid Dashboard.

The Performance Monitoring System shall utilize existing software-based graphical display to provide real-time monitoring of the output and efficiency of the system for energy production and failure diagnostics. The minimum inputs shall be DC System Size, other relevant system characteristics (summary of system design), real-time PV system AC power output (kW) and production (kWh). The system shall be integrated with the University dashboard system (Lucid Dashboard). Metering will need to be connected to the local BAS (Johnson Metasys) in the chilled water plant. This will require coordination with University approved controls integrator.

5.0 Utah Building Codes

Utah's building codes are mandatory statewide. Local jurisdictions may amend them but only with state approval.

Current and applicable codes and the authorities having jurisdiction ("AHJ"), including but not limited to the code types listed below, should be identified by Contractor prior to any design, engineering and or specification development.

Code Type
Building/Dwelling Code
Structural Code
Plumbing Code
Mechanical Code
Electrical Code
Fire/Life Safety Code
Energy Code

2012 Building Code will be applicable for submittals after July 1, 2013 (but before July 1st, 2016). Vendors are advised that certain sections of this code, pertaining to the fire rating of roof mounted solar PV *systems*, were amended in HB326 in the 2014 legislative session.

2011 National Electric Code is applicable for submittals before July 1, 2015. Vendors are advised to check whether NEC code version requirement has changed if submitting after July 1, 2015.



STATE OF UTAH - DEPARTMENT OF ADMINISTRATIVE SERVICES

Division of Facilities Construction and Management

DFCM

EXHIBIT C

(EXAMPLE)

SOLAR POWER PURCHASE AGREEMENT

**SOLAR PV ENERGY SYSTEM
DESIGN, CONSTRUCTION, OPERATION,
MAINTENANCE AND FINANCING**

CLIENT/AGENCY, (BUILDING), ADDRESS

DFCM Project No. 15279810

CLIENT/AGENCY – VENDOR SOLAR POWER PURCHASE AGREEMENT

This **CLIENT/AGENCY– Vendor Solar Power Purchase Agreement (SPPA)**, dated as of _____, 2015 (this “**SPPA**” or “**Agreement**”), is by and between _____ (“**Provider**”) an Limited Liability Company of the State of _____, whose address _____ and **CLIENT/AGENCY**, an _____ institution organized and existing pursuant to Utah law (“**CLIENT/AGENCY**”), each a “**Party**” and collectively referred to as “**the Parties.**”

RECITALS:

WHEREAS, **Provider** desires to install, maintain and operate the System on the Site in the Licensed Area defined in and pursuant to the Solar Site License Agreement # _____ and by this reference incorporated herein, between **CLIENT/AGENCY** and **Provider** of even date herewith;

WHEREAS, **Provider** desires to sell, and **CLIENT/AGENCY** desires to purchase, electrical energy generated by the System pursuant to the terms and conditions set forth herein;

WHEREAS, **CLIENT/AGENCY** desires to secure sustainable energy resources to support its operations at no greater costs for the energy than it would pay for electricity otherwise supplied by Rocky Mountain Power (“**RMP**”) or the Local Electric Utility serving the respective site; and

WHEREAS, **CLIENT/AGENCY** desires to enter into this Agreement to: (i) support **CLIENT/AGENCY**’s commitment to sustainable energy by providing solar power to **CLIENT/AGENCY**’s site; and (ii) enable **CLIENT/AGENCY** to secure the benefits of Net Metering under the tariffs of **RMP** or the Local Electric Utility serving the Site, and/or successor tariffs.

AGREEMENT:

NOW THEREFORE, in consideration of the mutual promises set forth below, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby agree as follows:

1. Definitions. Unless otherwise required by the context in which any term appears: (i) capitalized terms used in this SPPA shall have the respective meanings set forth in this SPPA; (ii) the singular shall include the plural and vice versa; (iii) the word “including” shall mean “including, without limitation”; (iv) references to “sections,” attachments, and “exhibits” shall be to sections, attachments, and exhibits of this SPPA; (v) the words “herein,” “hereof” and “hereunder” shall refer to this SPPA as a whole and not to any particular section or subsection hereof; and (vi) references to this SPPA shall include a reference to all recitals, exhibits and attachments hereto, as the same may be amended, modified, supplemented or replaced from time to time. Capitalized terms that are used and not defined in this SPPA and are defined in the License shall have the meanings given them in the License.

“**Average kWh Output**” Means (1) the daily average number of kWhs of Energy actually delivered to **CLIENT/AGENCY** from the System during the period of one full year ending on the Termination Date of this SPPA, or (2) if the termination of this SPPA occurs prior to the date that is one full year after the Commercial Operation Date, the expected daily number of kWhs of Energy will be defined as the estimated system production based on NREL PVWatts 1.1 data using the standard derate factor, minus standard production losses for system age and a statistical correction for adverse weather conditions.

“**Agreement**” shall have the meaning set forth in the preamble.

“**Applicable Laws and Requirements**” shall have the meaning set forth in the License.

“Commercial Operation Date” shall have the meaning set forth in Section 3.3.

“Contract Documents” shall include this Agreement; the License; the DFCM Request for Proposal (Project No. 15279810) (the “RFP”), including all associated Exhibits; and the Response submitted by Provider in response to the RFP, dated July 10, 2015 (the “Provider Proposal”), all of which are incorporated herein by reference. In the event of any conflict, inconsistency or discrepancy among the above described documents, such conflict shall be resolved in the following order of precedence: first the terms of this Agreement shall control; then the terms of the License shall control; then the terms of the Provider Proposal which have been accepted by the CLIENT/AGENCY shall control; and finally, the terms of the RFP shall apply.

“Days” shall be calendar days unless otherwise specified as business days herein.

“DFCM” means the State of Utah Division of Facilities Construction and Management

“Delivery Point” shall be at the Provider's Meter or Meters used for determining the Energy produced by the System.

“Electrical Interconnection Point” means the point(s) specified in the design of the System where the System connects to RMP or the Local Utility electrical System serving the Site.

“Energy” means electrical energy, measured in kWhs, which is produced by the System and delivered by Provider to CLIENT/AGENCY at the Electrical Interconnection Point and consists of both the Prepaid Guaranteed Monthly Energy and Excess Energy.

“Excess Energy” means electrical energy, measured in kWhs, produced by the System and delivered by Provider to CLIENT/AGENCY at the Electrical Interconnection Point in excess of the Prepaid Guaranteed Monthly Energy.

“Utah's Solar Electric System Requirements” means the applicable requirements published from time to time by the State of Utah referencing its own or other state requirements, for third-party ownership of a solar electric system that serves a governmental beneficiary. The current Utah Solar Electric System Requirements may include forms, which will be made available to Provider upon documented request, and on a timely basis.

“Environmental Attributes” means the characteristics of electric power generation by the System that have intrinsic value, separate and apart from the Energy, arising from the perceived environmental benefits of the System or the Energy. These characteristics include, but are not limited to: (i) all environmental and other attributes that differentiate the System or the Energy from energy generated by fossil-fuel based generation units, fuels or resources; (ii) characteristics of the System that may result in the avoidance of environmental impacts on air, soil or water, such as the absence of emission of any oxides of nitrogen, sulfur or carbon or of mercury, or other gas or chemical, soot, particulate matter or other substances attributable to the System; and (iii) the compliance of the System or the Energy with the law, rules and standards of the United Nations Framework Convention on Climate Change (the “UNFCCC”) or the Kyoto Protocol to the UNFCCC or crediting “early action” with a view thereto, or laws or regulations involving or administered by the Clean Air Markets Division of the Environmental Protection Agency or successor administrator or the Utah Renewable Energy Act or any state or federal entity given jurisdiction over a program involving transferability of rights arising from Environmental Attributes and Reporting Rights.

“Environmental Incentives” means all existing and future rights, credits (including tax credits), tax depreciation, rebates, benefits, reductions, offsets, and allowances and entitlements of any kind, howsoever entitled or named (including carbon credits and allowances), whether arising under federal, state or local law, international treaty, trade association membership or the like, arising from the Environmental Attributes of the System or the Energy

generated thereby or otherwise from the development or installation of the System or the production, sale, purchase, consumption or use of the Energy generated thereby. Without limiting the foregoing, “Environmental Incentives” includes green tags, renewable energy credits, tradable renewable certificates, portfolio energy credits, the right to apply for (and entitlement to receive) incentives under incentive programs offered by the State and the right to claim federal income tax credits under Sections 45 or 48 of the Internal Revenue Code of 1986 as amended or any successor law. CLIENT/AGENCY makes no representation as to the current or future availability of Environmental Incentives.

“Estimated Annual Production” means the estimated annual production of Energy in the amounts set forth in Exhibit C-1 hereto.

“Expiration Date” shall have the meaning set forth in Section 10.1. “Fair Market Value” shall have the meaning set forth in Section 10.2.3.

“Final Completion” means that the Provider has completed all work called for by the Contract Documents including punch list items and which has been accepted by the CLIENT/AGENCY.

“Force Majeure Event” shall have the meaning set forth in Section 9.1.

“Governmental Authority” means any federal, state, regional, county, city, special district, or municipal government, or any department, agency, bureau, commission, or other administrative, regulatory or judicial body of any such government.

“Installation Work” means all work to be performed by Provider in connection with the permitting, construction, furnishing, installation, testing and commissioning of the System.

“kWh” (Kilowatt Hour) means a unit of electrical energy equivalent to the work done by one kilowatt (1 kW) of power expended over one hour of time.

“kWh Rate” shall have the meaning set forth in Section 5.1.

“Lender” shall have the meaning set forth in Section 14.3.6.

“License” means that certain Solar Site License Agreement dated _____ in respect of the Site entered into by Provider and CLIENT/AGENCY as of the date hereof.

“Licensed Area” shall have the meaning set forth in the License.

“Local Electric Utility” means the local electric utility serving one or more CLIENT/AGENCY site.

“Monthly Period” means the period commencing on the Commercial Operation Date and ending on the last day of the calendar month in which the Commercial Operation Date occurs, and, thereafter, all subsequent one calendar-month periods during the Term, and the last partial month of the Term if the Expiration Date or Termination Date occurs on other than the last day of a month.

“Monthly Production” means, for each Monthly Period, the amount of Energy delivered during such Monthly Period.

“Net Metering and Interconnection Agreement” means that certain Agreement for Net Metering and Interconnection Service between CLIENT/AGENCY and RMP or the serving Local Electric Utility, in substantially the form attached hereto as Attachment II.

“Net Metering Tariff” means RMP’s or the Local Electric Utility’s net metering tariff applicable to the System and the included CLIENT/AGENCY site loads.

“Notice of Final Completion” means a certificate signed by an officer or manager of Provider: (i) certifying that all of the System’s licenses, permits, and approvals necessary for Provider’s construction of the System, and the production and delivery of Energy to CLIENT/AGENCY have been obtained from applicable federal, state or local authorities; (ii) listing all such System- related licenses, permits and approvals; (iii) certifying there has been passage of control of the System from the System’s construction contractor to Provider; (iv) certifying there has been commencement of regular System operations; (v) certifying there has been synchronization of the System into the control area power grid for generating electricity; and (vi) certifying that the construction punch list items have been completed.

“O&M Work” (Operations & Maintenance Work) means collectively, on and after the Commercial Operation Date, subject to the terms of this SPPA and the Site License Agreement, Licensee shall cause the System to be operated and maintained at Licensee’s sole expense, including the cost of capital repairs and replacements, in a commercially reasonable manner throughout the term of this SPPA and the SLA, including the monitoring and maintenance of metering equipment determining the quantity of Energy produced by the System and making such operating information available to CLIENT/AGENCY on an agreed-upon schedule.

“Party” means each of CLIENT/AGENCY and Provider.

“Person” shall mean any individual, corporation, partnership, company, joint venture, association, trust, unincorporated organization or Governmental Authority.

“Prepaid Guaranteed Monthly Energy” means electrical energy, measured in kWhs, produced by the System and delivered by Provider to CLIENT/AGENCY at the Electrical Interconnection Point in the amounts set forth in Exhibit C-2 which the CLIENT/AGENCY has purchased with the Prepayment Amount.

“Present Value of CLIENT/AGENCY’s Purchase Obligations” means the dollar value of the Energy of the System for the remaining portion of the Term, calculated by applying an annual discount rate of 5% to the product of the following: the number of days remaining in the Term times the product of (x) the kWh Rate CLIENT/AGENCY would otherwise pay for such Energy pursuant to Section 5.1 (as such kWh Rate would have been escalated over time pursuant to Section 5.1) times (y) the Average kWh Output reduced by the present value of an assumed degradation of Average kWh Output for the remaining portion of the Term at the rate of 0.50% annually.

“Provider” shall have the meaning set forth in the preamble.

“Provider Default” shall have the meaning set forth in Section 11.2.

“Provider's Meter” shall be the electric revenue meter installed by Provider to meet the Utility’s Solar Electric Net Metering System Requirements, or such requirements as designated by other agency having jurisdiction, and to measure Energy from the System for the purpose of billing CLIENT/AGENCY.

“Reporting Rights” shall mean the right of Provider (or its owners or assignees, in this case, CLIENT/AGENCY), as long as it holds title to the System, to report to any federal, state, or local agency, authority or other party, including without limitation under Section 1605(b) of the Energy Policy Act of 1992 and provisions of the Energy Policy Act of 2005, or under any present or future domestic, international or foreign emissions trading program, that CLIENT/AGENCY owns the Environmental Attributes and the Environmental Incentives associated with the Energy or the System.

“Site” means the designated CLIENT/AGENCY buildings and grounds to be occupied by the System, as more fully described in the License.

“Site Net Meter” shall mean that certain meter installed as more fully described in the Solar Site License Agreement.

“CLIENT/AGENCY” shall have the meaning set forth in the preamble.

“CLIENT/AGENCY Default” shall have the meaning set forth in Section 11.1.

“State” means the State of Utah, including its agencies, departments, commissions, and divisions.

“Substantial Completion” shall have the meaning set forth in Section 3.2.2.

“Substantial Completion Notice” shall have the meaning set forth in Section 3.2.2.

“System” means the approximately XXX kW solar photovoltaic generating system (in aggregate) designed and installed pursuant to this SPPA in the Licensed Area and more fully described in the License.

“System Acceptance Testing” shall have the meaning set forth in Section 3.2.2.

“System Test Requirements” shall have the meaning set forth in Section 3.2.2.

“Technical Requirements” means the applicable technical requirements as published by the State of Utah, and or referenced by the State of Utah or local authority with jurisdiction, and identified as applicable, from time to time, prior to, during construction and until final commissioning of the solar facility(ies). “Term” shall have the meaning set forth in Section 10.1.

“Termination Date” shall have the meaning set forth in Section 10.1.

“Termination Value without Removal Costs” means, as of the Termination Date, an amount equal to (i) the sum of: (a) the Present Value of CLIENT/AGENCY’s Purchase Obligations, and (b) if the Termination Date is within sixty-six months of the Commercial Operating Date, the present value of all tax benefits and incentives if any, that will become or are subject to recapture from Provider or any member of Provider by law; and (ii) minus the Fair Market Value of the System.

“UPSC” means the Utah Public Service Commission.

2. Solar Site License Agreement. CLIENT/AGENCY shall provide Provider with access to the Licensed Area within the Site in accordance with the terms of the License, the terms and conditions of which are incorporated herein by this reference. If any of the terms or conditions of this SPPA are inconsistent with those of the License, the License shall control, except as explicitly provided otherwise in this SSPA.

3. Construction, Installation and Testing of System. Provider shall design, engineer, procure, and construct, operate and maintain the System in the Licensed Area in accordance with the Contract Documents and the CLIENT/AGENCY/DFCM General Conditions and Supplemental General Conditions which are incorporated herein by reference. Provider may retain, with the prior written consent of CLIENT/AGENCY/DFCM, one or more contractors or subcontractors to fulfill its obligations hereunder; provided, however, that Provider shall remain liable for performance under the License and this SPPA.

3.1 Energy Delivery. The date on which the delivery of Energy to the Site under regular System operations commences (the “Commercial Operation Date”) shall be the date on which all of the following shall have occurred: (i) Provider shall have provided to CLIENT/AGENCY a Substantial Completion Notice pursuant to Section 3.2.2; (ii) Provider shall have submitted a certificate of an officer or manager of Provider familiar with the Site stating, after due inquiry, that all permits and licenses required to be obtained under Applicable Laws and Requirements in connection with the operation of the System have been obtained and are in full force and effect; (iii) certificates of insurance evidencing the coverages required by Section 8 shall have been obtained and submitted to CLIENT/AGENCY; (iv) Provider shall have submitted to CLIENT/AGENCY copies of the as-built construction drawings, Installation Work manuals, O&M Work manuals, and equipment and System warranties, as provided in the License; and (v) CLIENT/AGENCY and or Provider, as applicable, shall have entered into a Net Metering and Interconnection Agreement. Time is of the essence in this Agreement. Final completion must be achieved no later than _____.

3.2 System Acceptance Testing.

3.2.1 Provider shall conduct testing of the System (“System Acceptance Testing”). Provider shall notify CLIENT/AGENCY in writing not less than seven calendar days prior to the anticipated date of System Acceptance Testing. CLIENT/AGENCY shall have the right, but not the obligation, to be present at and observe the System Acceptance Testing. Provider must plan and design the required commissioning and acceptance testing and criteria (“System Test Requirements”), which System Test Requirements shall be subject to CLIENT/AGENCY approval, so that the commissioning and testing will determine whether the System is capable of generating Energy for commercial use by CLIENT/AGENCY at the Site.

3.2.2 If the results of the System Acceptance Testing indicate that the System is capable of generating Energy for commercial use by CLIENT/AGENCY as designed and otherwise meets the requirements of this SPPA, and the System has been approved for interconnected operation by RMP or the Local Electric Utility (“Substantial Completion”), then Provider shall send a written notice to that effect to CLIENT/AGENCY (a “Substantial Completion Notice”) accompanied by a copy of the results of the System Acceptance Testing.

3.2.3 During System Acceptance testing, the System must demonstrate the capacity to produce the mutually agreed, projected solar energy at each site, on an annual average basis, as kWh/kW. System Acceptance testing will occur over fourteen days via the specified and mutually agreed monitoring system and will be consistent with historical point in time data (provided by Provider) for a yearly average production of the mutually agreed kWh/kW at each site, for the month in which it is tested. Production estimates taken during commissioning will make allowances for decreased output due to adverse weather conditions.

3.3 Commercial Operation Date. Licensee shall proceed expeditiously following issuance by the CLIENT/AGENCY of the Notice to Proceed, and shall be substantially complete preferably by _____, but no later than _____. Commercial Operation Date shall be no later than _____. Provider shall send to CLIENT/AGENCY a written Notice of Final Completion meeting the requirements stated herein.

4. Compliance with Utility Specifications. Provider must ensure that all Energy generated by the System conforms to the Net Metering and Interconnection Agreement and applicable utility specifications for energy being net-metered, generated and delivered to the Site’s electric distribution system, which shall include the installation of proper power conditioning and safety equipment, submittal of necessary specifications, coordination of utility testing and verification, and all related costs.

5. Purchase of Energy; Billing Environmental Attributes.

5.1 Purchase and Sale Requirement. Provider shall deliver and CLIENT/AGENCY shall purchase all of the Energy generated by the System at the Delivery Point as determined by Provider's Meter as follows:

5.1.1 Payment for Excess Energy. The sale of Excess Energy shall be calculated and billed on a per kWh basis (the "kWh Rate") as set forth in Exhibit C-2. CLIENT/AGENCY's payment for the Excess Energy under this calculation includes and will satisfy CLIENT/AGENCY's payment obligations for all of the described services in the kWh Rate (including, but not limited to System design, permitting, construction, equipment, materials, operation, maintenance, repair, removal and Site restoration) and will not be renegotiated based on costs incurred by Provider.

5.1.2 Prepayment and Price for Energy Output. On or before fifteen business days following the Commercial Operation Date (the "Prepayment Date"), Buyer shall pay to Seller the Prepayment Amount set forth in Exhibit C-2 for the Guaranteed Generation. Following the Prepayment Date, during each month Seller will deliver to Buyer, and Buyer will accept and purchase from Seller (for which the Prepayment Amount is Seller's consideration) the Prepaid Guaranteed Monthly Energy for the Term.

5.1.3 Shortfalls in Prepaid Guaranteed Monthly Energy. If, for any month, the Energy produced by the System is less than the otherwise deliverable Prepaid Guaranteed Monthly Energy for such month, the amount of such shortfall shall (without penalty) be added to, and treated as part of, the Prepaid Guaranteed Monthly Energy for the month immediately following, and so on, until such shortfall shall have been reduced to zero.

5.2 Net Metering and Interconnection. The System must comply with the Net Metering and Interconnection Agreement and all applicable interconnection and Net Metering Tariff requirements such that CLIENT/AGENCY can benefit from the Local Utility's Rate Schedule, or any successor tariff pertaining to net metering.

5.3 Environmental Attributes.

5.3.1 CLIENT/AGENCY's purchase of the Energy includes the Environmental Attributes, Environmental Incentives and applicable Reporting Rights, all of which shall be assigned to and owned by CLIENT/AGENCY, who shall acquire title to same. At CLIENT/AGENCY's request and expense, Provider shall execute all documents and instruments reasonably necessary or desirable to effect or evidence CLIENT/AGENCY's right, title and interest in and to the Environmental Attributes, Environmental Incentives and Reporting Rights as derived from the System.

5.3.2 Provider shall retain, or be assigned by CLIENT/AGENCY all right and ownership to all other generation related incentive credits ("Other Incentives") unless CLIENT/AGENCY acquires title to the System pursuant to Section 10.2.2, 10.3, or 12.1.2 of this SPPA.

5.3.3 Provider shall perform all reporting required by the Environmental Incentives and Other Incentives. CLIENT/AGENCY shall furnish Provider with information Provider reasonably requests in connection with such reporting.

5.3.4 Provider shall at all times retain all tax credits and depreciation associated with the System unless CLIENT/AGENCY acquires title to the System.

5.3.5 Provider shall supply CLIENT/AGENCY with documentation as mutually agreed that CLIENT/AGENCY is acquiring energy resources from Provider in the amount generated by the System under this SPPA.

5.3.6 Notwithstanding the foregoing, CLIENT/AGENCY may transfer or assign the Environmental Attributes associated with the Energy produced by the System to any other entity, including the serving electrical utility at a given CLIENT/AGENCY, or otherwise.

5.4 Monitoring and Metering Equipment and Services. Provider shall install and maintain, at its expense, commercially available revenue grade Interval Data Recording kilowatt-hour (“kWh”) metering on the Site for the measurement of Energy provided to CLIENT/AGENCY. The metering shall have standard industry telemetry and all other capabilities needed to support the monitoring and other reporting requirements. Provider shall, throughout the Term of this SPPA and the License, use the metering to measure, and shall report to CLIENT/AGENCY, the actual kW and kWh output of the System delivered to CLIENT/AGENCY. Such metering must be capable of recording the facility’s total production of Energy and must be equivalent to American National Standards Institute certified revenue meters with a 0.5 or better accuracy class, and, if digital, must have non-volatile data memory.

Provider shall provide a software-based Performance Monitoring System utilizing the Adobe Flash multimedia platform, or similar and as mutually agreed, with a “CLIENT/AGENCY” graphical display recorded in fifteen-minute intervals, integrated to appear as a “live” display, to provide monitoring of the output and efficiency of the system for energy production and tracking, including a display of Total Energy Generated “green energy” equivalents; these will be, at a minimum: Trees Preserved, and Tons of Carbon Dioxide (CO₂) saved by the Solar Electric system. The graphical displays must show solar generation in kW AC production, and include a chart that graphs the kWh output of the system by user-selected displays including, at a minimum: Today, Week, Month and Year’s kWh production. The Performance Monitoring System must be capable of being displayed on the CLIENT/AGENCY and or specific web site, and kiosks, if included, so that the students, staff and general public have access to the solar performance output data.

6. Billing and Payment. Billing and payment for the Energy sold and purchased under this SPPA and any other amounts due and payable hereunder shall be as follows:

6.1 Payments. Subject to the annual adjustment under Exhibit C-2 attached hereto and incorporated by reference herein, CLIENT/AGENCY shall pay to Provider for each Monthly Period during the Term, within thirty (30) days after receipt of any invoice, a payment for the Energy delivered by the System during each such Monthly Period equal to the product of: (i) the Monthly Production for the System for the relevant whole or partial month multiplied by; (ii) the relevant kWh Rate for Energy relating to the System. CLIENT/AGENCY’s payment may be made by check or by wire transfer of immediately available funds to Provider at the address specified in this SPPA. Provider may not assign this right to receive payment without advance written approval of the CLIENT/AGENCY.

6.2 Invoice Errors. Within thirty days after receipt of any invoice, CLIENT/AGENCY may provide written notice to Provider of any alleged error therein. CLIENT/AGENCY shall pay all undisputed amounts, including the undisputed portion of any invoice, in accordance with Section 6.1. If Provider notifies CLIENT/AGENCY in writing within thirty days of receipt of such notice that Provider disagrees with the allegation of error in the invoice, the Parties shall meet, by telephone conference call or otherwise, within ten days of Provider’s response for the purpose of attempting to resolve the dispute. Upon the Parties’ final resolution of the disputed amount, CLIENT/AGENCY shall pay the agreed-upon amount to Provider in accordance with Section 6.1.

6.3 Late Payments. Any payment of any undisputed amount not made within the time limits specified in Sections 6.1 and 6.2 are subject to the Utah Prompt Payment Act, Utah Code Ann. Sections §15-6-1, et seq. Late payment penalties charged to CLIENT/AGENCY under this Agreement shall be no greater than any late payment penalty which would otherwise be applicable to CLIENT/AGENCY under the applicable Tariff Schedule or the Net Metering Tariff.

6.4 Non-Appropriation of Funds. Provider is not entitled to receive power purchase payments under this SPPA from any other agency than CLIENT/AGENCY. Nothing in this SPPA may be construed as permitting any violation of Articles within the Utah Constitution or any other law regulating liabilities or monetary obligations of CLIENT/AGENCY. CLIENT/AGENCY represents that it has sufficient appropriations and expenditure limitations for the current fiscal year to make, within this fiscal year, all the power purchase payments contemplated by this SPPA. CLIENT/AGENCY shall employ its best, good-faith efforts to request and seek funding, appropriations, grant funds, expenditure limitations, allotments, or other expenditure authority sufficient to allow CLIENT/AGENCY to perform its payment obligations throughout the Term of this SPPA. It is understood and agreed to by the parties to this Contract, that the Utah Legislature cannot assure appropriations to agencies in futures years. Therefore, there is no assurance that in any year an agency of the state will purchase energy in any amount under this Agreement and there are no penalties to the Agency or State of Utah for not purchasing any minimum amount."

7. General Covenants.

7.1 Covenants of Provider. As a material inducement to CLIENT/AGENCY's execution and delivery of this SPPA, Provider covenants and agrees to the following:

7.1.1 System Condition.

- (a) Provider shall take all actions reasonably necessary to ensure that the System is capable of providing Energy at a continuous rate, at the designed capacity, for the Term of this SPPA, subject to expected, ordinary System degradation over time or weather fluctuations, subject to Section 9 of this SPPA, and subject to the terms and conditions of the License.
- (b) If the System is materially damaged or destroyed prior to the fifteenth anniversary of the Commercial Operation Date, and insurance proceeds paid to Provider are greater than or equal to 90% of the reasonable cost to repair or replace the System to produce Energy in substantially the same amount and quality as produced by the System immediately before the damage or destruction, then Provider shall repair or replace the System to produce such Energy. It is provided, however, that if the System is damaged or destroyed by a Force Majeure Event that has affected Provider's performance of its obligations hereunder and that has continued, or is likely in the reasonable opinion of Provider and CLIENT/AGENCY to continue, for a period of one hundred twenty consecutive days in a twelve-month period or one hundred eighty days in the aggregate in a twelve-month period, then CLIENT/AGENCY and Provider shall each be entitled to terminate this SPPA as provided by Section 9.3 of this SPPA. If the insurance proceeds paid to Provider under this Section 7.1.1(b) are less than 90% of the reasonable cost to repair or replace the System as described above, then Provider may elect to terminate this SPPA and the License. In addition, the CLIENT/AGENCY may, but is not obligated to, purchase the System in accordance with Section 10.2.2 of this SPPA. For purposes of this paragraph, "insurance proceeds" shall include the amount of any deductible or self-insured retention and the amount available under any policy of insurance. Buyout provision should supersede this.
- (c) If the System is materially damaged or destroyed on or after the fifteenth anniversary of the Commercial Operation Date through no fault of Provider, then Provider may, but shall not be obligated to, repair or replace the System in order to produce Energy in substantially the same amount and quality as produced by the System immediately before the damage or destruction. If Provider is not required to or elects not to repair or replace the System under this Section 7.1.1(c), then this SPPA will terminate without liability to either Party and Provider shall complete the Removal and Remediation of the System in accordance with Section 7.1 of the License, unless CLIENT/AGENCY chooses to purchase the System in accordance with Section 10.2.2 of this

SPPA, with the term “Expiration Date” as used therein understood to refer to “Termination Date” and with the due date for notice of CLIENT/AGENCY’s election to purchase changed to the date on or before sixty days after CLIENT/AGENCY’s receipt of Provider’s notice to terminate.

(d) Notwithstanding anything to the contrary in this Section 7.1.1, if the System is materially damaged or destroyed due to the negligent or intentional acts or omissions of Provider or any of its officers, employees, subcontractors, assignees, or representatives at any tier, Provider shall promptly repair or replace the System to produce Energy in substantially the same amount and quality as produced by the System immediately before the damage or destruction. In these circumstances, CLIENT/AGENCY shall provide reasonable assistance to facilitate Provider's repair or replacement of the System.

7.1.2 Other Applications and Agreements. Provider must timely develop and file such other applications, renewals and agreements as may be necessary for the permitting, operation and maintenance of the System, including but not limited to tax credit applications, construction and other permits, or other agreements or applications, as applicable, and must pay all associated fees. Provider must enable timely review and approval by CLIENT/AGENCY of any agreements or applications to which CLIENT/AGENCY must be a party. Provider shall cooperate with CLIENT/AGENCY in the preparation of the Net Metering and Interconnection Agreement.

7.1.3 Provider Records. Provider shall keep complete and accurate records of its operations hereunder and shall maintain such data as may be necessary to determine with reasonable accuracy any item relevant to this SPPA. CLIENT/AGENCY shall have the right to examine and audit, at its own expense, all such records as may reasonably be necessary to ascertain the reasonableness and accuracy of any statements of costs relating to transactions hereunder.

7.1.4 No Infringement. Provider shall ensure that neither the System, nor any of Provider’s services hereunder, including the Installation Work and the O&M Work, infringe any third party’s intellectual property rights or other proprietary rights.

7.1.5 Liens. Provider shall not directly or indirectly cause, create, incur or suffer to exist any Lien on or with respect to the Licensed Area, the Site, the property owned by CLIENT/AGENCY at the site, or any building, structure or facility (other than the System) located thereon. If Provider breaches its obligations under this Section 7.1.5, it shall promptly notify CLIENT/AGENCY in writing, and shall promptly cause such Lien to be discharged and released of record without cost to CLIENT/AGENCY.

7.2 Covenants of CLIENT/AGENCY. As a material inducement to Provider’s execution of this SPPA, CLIENT/AGENCY covenants and agrees as follows:

7.2.1 Notice of Damage. CLIENT/AGENCY shall make reasonable effort to promptly notify Provider of any matters of which CLIENT/AGENCY Engineering Staff becomes aware that pertain to any material damage to or loss of the use of the System or that could reasonably be expected to adversely affect the System.

7.2.2 Liens. CLIENT/AGENCY shall not directly or indirectly cause, create, incur or suffer to exist any Lien on or with respect to the System or any interest therein. If CLIENT/AGENCY breaches its obligations under this Section 7.2.2, it shall promptly notify Provider in writing, and shall promptly cause such Lien to be discharged and released of record without cost to Provider.

7.2.3 Actions to Prevent Injury. In the event of a material malfunction or emergency of or related to the System that creates a reasonable risk of damage or injury to person or property, as reasonably

determined by the CLIENT/AGENCY, CLIENT/AGENCY may (but shall not be obligated to) take such action as CLIENT/AGENCY deems appropriate to prevent such damage or injury. Such action may include disconnecting and removing all or a portion of the System. Such action shall be at Provider's cost, subject to Section 7.1.1(b), if applicable. It is provided, however, that when the malfunction or emergency is neither the result of actions or omissions of Provider or anyone acting on behalf of Provider, nor the result of a Force Majeure Event, CLIENT/AGENCY shall reimburse Provider, on a pro-rata basis, lost revenue that results from CLIENT/AGENCY's actions under this Section 7.2.3 in an amount per day that equals the average of the trailing thirty day Energy production average.

7.3 Communications/Publicity. Provider and CLIENT/AGENCY acknowledge that all communications and publicity related to the System shall be conducted in accordance with the communications plan developed under Section 9.2 of the License.

8. Insurance Requirements. Provider shall procure and maintain, for the duration of this SPPA and the License, insurance as set forth in the License and shall furnish certificates of insurance as set forth in Article 6 of the License.

9. Force Majeure Events.

9.1 Definition of Force Majeure Event. For purposes of this SPPA, an act or event is a "Force Majeure Event" if that act or event is beyond the reasonable control, and not the result of the fault or negligence, of the affected Party, including any one acting on behalf of the affected Party, and such Party has been unable to overcome such act or event with the exercise of due diligence (including the expenditure of commercially reasonable sums). Subject to the foregoing conditions, "Force Majeure Event" shall include the following acts or events: (i) natural phenomena, such as storms, hurricanes, floods, lightning, volcanic eruption and earthquakes; (ii) explosions or fires arising from lightning or other causes unrelated to the acts or omissions of the Party seeking to be excused from performance; (iii) acts of war or public disorders, civil disturbances, riots, insurrection, sabotage, terrorist acts, or rebellion; (iv) strikes or labor disputes; and (v) action by a Governmental Authority, including a moratorium on any activities related to this SPPA.

9.2 Procedure for Claiming Force Majeure. Any Party claiming a Force Majeure Event shall advise the other Party as soon as possible of the occurrence of the Force Majeure Event and shall provide the other Party with the basis of the claim, in writing, within ten calendar days of the occurrence of the Force Majeure Event.

9.3 Consequences of Force Majeure Event. The Parties shall make reasonable efforts to avoid the adverse impacts of a Force Majeure Event and to resolve the event or occurrence once it has occurred in order to resume performance, (unless Provider has no repair and replacement obligations as provided under Section 7.1.1(b)). Subject to the termination rights contained in this Section 9.3, if a Party is prevented from performing its obligations under this SPPA by a Force Majeure Event, the period for performance of such obligation will be extended by the number of days of the duration the Force Majeure Event. If a Force Majeure Event shall have occurred that has affected Provider's ability to produce Energy to the extent that the System cannot provide at least 75% of the Estimated Annual Production, or has prevented CLIENT/AGENCY's performance of its material obligations hereunder, and that condition has continued, or is likely in the reasonable opinion of Provider and CLIENT/AGENCY to continue, for a period of one hundred twenty (120) consecutive days or one hundred eighty days in the aggregate in a twelve-month period, then CLIENT/AGENCY and Provider shall each be entitled to terminate this SPPA on thirty days prior written notice to the other Party and such termination due to a Force Majeure Event shall not constitute a event of default under this SPPA. Notwithstanding the occurrence of a Force Majeure Event, CLIENT/AGENCY shall continue to pay for any Energy delivered during any Force Majeure Event.

9.4 Change of Law. A change of law, including CLIENT/AGENCY's nondiscriminatory exercise of its regulatory authority, shall not constitute a Force Majeure Event.

10. Term; CLIENT/AGENCY Options; Special Termination Provisions.

10.1 Term. The term of this SPPA (the "Term") shall commence on the Parties' execution of this SPPA and shall expire on the date (the "Expiration Date") that is the last day of the period of twenty years following the Commercial Operation Date, unless the period is terminated earlier pursuant to Sections 9.3, 10.3, 10.4, or 12 (the date of any such termination, the "Termination Date") or the period is extended pursuant to Section 10.2.1. The purchase and sale obligations of the Parties under Section 5.1 with respect to the Energy from the System shall commence on the Commercial Operation Date and shall expire on the Expiration Date or Termination Date.

10.2 CLIENT/AGENCY Options Upon Expiration of Term.

10.2.1 Extension of Term. Upon prior written notice to Provider at least one-hundred eighty days prior to the first Expiration Date, provided that no CLIENT/AGENCY Material Default has occurred and is continuing, CLIENT/AGENCY shall have the option to renew the Term of this SPPA for one additional five-year period at such kWh Rates as the Parties may mutually agree to no later than ninety days prior to the Expiration Date. If the Parties have not agreed to the kWh Rates ninety days prior to the Expiration Date, this SPPA shall continue in accordance with its terms until the Expiration Date, unless the Parties agree, in writing, to extend the time to negotiate such new kWh Rates, with such extension automatically extending the times noted to exercise the option to purchase as described in paragraph 10.2.2 below.

10.2.2 Purchase of System. If CLIENT/AGENCY and Provider have not renewed the Term of this SPPA in accordance with Section 10.2.1, provided that no CLIENT/AGENCY material Default has occurred and is continuing, CLIENT/AGENCY shall have the option to purchase the System by giving Provider written notice of its exercise of this purchase option no later than ninety days prior to the Expiration Date and paying Provider the Fair Market Value of the System not later than thirty days after the Expiration Date. The option to purchase shall be in addition to any ability to purchase provided as a response to the RFP. On written notice to Provider, within thirty days of the determination of Fair Market Value in accordance with Section 10.2.3 CLIENT/AGENCY may, provided that CLIENT/AGENCY bears the full costs of the appraisal(s) and has remitted all amounts payable to the appraiser(s), decline to purchase the System, notwithstanding its previous exercise of a purchase option, with no other liability to Provider for failure to purchase the System and without waiving any future rights to exercise its purchase option. Upon receipt by Provider of payment of the Fair Market Value, title to the System shall transfer to CLIENT/AGENCY as-is, where-is, together with any Environmental Attributes not transferred or assigned to third parties, Environmental Incentives and Reporting Rights still associated with the System and the Energy and, to the extent transferable, the remaining period on all warranties for the System. From the date of CLIENT/AGENCY's exercise of its option to purchase the System and until CLIENT/AGENCY takes title to the System in accordance with this Section 10.2.2, Provider shall take commercially reasonable efforts to operate and maintain the System in a manner generally consistent with the manner in which Provider operated and maintained the System prior to CLIENT/AGENCY's exercise of its purchase option. If CLIENT/AGENCY declines to exercise this option, CLIENT/AGENCY shall provide written notice of that decision to Provider no later than ninety days prior to the Expiration Date or otherwise the CLIENT/AGENCY will be deemed to have waived the purchase option.

10.2.3 "Fair Market Value" Determination. The "Fair Market Value" of the System shall be the value of the System that a willing and informed discretionary buyer would pay to a willing and informed discretionary seller of the System, on the applicable Expiration Date or Termination Date. The Fair Market Value of the System shall be determined by the mutual agreement of CLIENT/AGENCY and Provider within ten days after receipt by Provider of CLIENT/AGENCY's notice of its intention to

determine Fair Market Value. The Fair Market Value of the System shall (i) take into account whether the System will remain at or be removed from the Site; and (ii) include the fair market value of any Environmental Attributes, Environmental Incentives and Reporting Rights that will still be associated with the System and the Energy. If CLIENT/AGENCY and Provider cannot mutually agree to a Fair Market Value within said ten (10) day period, then the Parties shall select a nationally recognized independent appraiser with experience and expertise in the solar photovoltaic industry to determine the Fair Market Value of the System. If the Parties are unable to agree on the selection of an appraiser within ten (10) days, the appraiser shall be jointly selected by an appraiser firm proposed by CLIENT/AGENCY and an appraiser firm proposed by Provider. The appraiser shall act reasonably and in good faith to determine the Fair Market Value and shall set forth the Fair Market Value determination in a written opinion delivered to the Parties. Subject to CLIENT/AGENCY's right under Section 10.2.2 to decline to purchase the System after receiving the Fair Market Value determination, the valuation made by the appraiser shall be binding on the Parties in the absence of fraud or manifest error. The costs of the appraisal shall be borne by the Parties equally.

10.2.4 Transfer to CLIENT/AGENCY of Rights in System and Manuals. Provider must, upon delivery of CLIENT/AGENCY's payment of the Fair Market Value under Section 10.2.2, grant and provide to CLIENT/AGENCY all access to and all ownership rights in the System, including without limitation all equipment, components, System, diagnostics, licenses, intellectual property rights, warranty rights, and operation and maintenance (O & M) manuals, documents and materials, that support or which may be reasonably necessary or convenient for CLIENT/AGENCY to assume the efficient operation, maintenance and repair of the System, together with a bill of sale or other appropriate documentation of the transfer of Provider's rights in the System.

10.3 Provider Termination.

10.3.1 Provider shall have the right to terminate this SPPA at any time on thirty days written notice to CLIENT/AGENCY, without further liability, if a change in law, including CLIENT/AGENCY's nondiscriminatory exercise of its regulatory authority, materially and adversely affects the operation of the System in the Licensed Area(s) as contemplated in this SPPA and the License.

10.3.2 CLIENT/AGENCY may elect to purchase the System as provided in Section 10.2, with the term "Expiration Date" as used therein understood to refer to "Termination Date" and with the due date for notice of CLIENT/AGENCY's election to purchase changed to the date on or before thirty days after receipt of Provider's notice to terminate.

10.4 Termination of License. Notwithstanding any other provision in this SPPA, this SPPA shall terminate effective upon the termination of the License. If the License is terminated due to a CLIENT/AGENCY failure to cure a material default hereunder, then in accordance with Section 11.1.3 below, that event shall constitute a CLIENT/AGENCY Default under this SPPA and any termination of this SPPA shall be in accordance with Section 12.2. If the License is terminated due to a Provider failure to cure a material default hereunder, then in accordance with Section 11.2.3 below, that event shall constitute a Provider Default under this SPPA and any termination of this SPPA shall be in accordance with Section 12.1. If the License is terminated for a reason other than a CLIENT/AGENCY default or a Provider default hereunder, CLIENT/AGENCY and Provider's liability shall be determined pursuant to the Section of the License under which the License is terminated.

10.5 Obligations Upon Termination. In the event that this SPPA is terminated in accordance with the following Sections, no Party shall have any liability to the other Party as a result of such termination, and the only amounts due under this SPPA shall be those amounts that accrued in accordance with this SPPA prior to the Termination Date:

- a. Section 7.1.1(b) (System Condition);
- b. Section 9.3 (Force Majeure); or
- c. Section 10.3.1 (Change in Law).

It is provided, however, that Provider will be responsible for the Removal of the System and Remediation of the Site (as such terms are defined in the License) as provided under Section 7.1 of the License.

11. Defaults.

11.1 CLIENT/AGENCY Default. The occurrence at any time of any of the following events shall constitute a “CLIENT/AGENCY Default”:

11.1.1 Failure to Pay. Unless excused by a Force Majeure Event pursuant to Section 9, the failure of CLIENT/AGENCY to pay on any three consecutive occasions during the Term any undisputed amounts owing to Provider on or before the day following the date on which such amounts are due and payable under the terms of this SPPA and CLIENT/AGENCY’s failure to cure any such failure within forty-five days after CLIENT/AGENCY receives written notice of each such failure from Provider;

11.1.2 Failure to Perform Other Obligations. Unless excused by a Force Majeure Event pursuant to Section 9, the failure of CLIENT/AGENCY to perform or cause to be performed any other material obligation required to be performed by CLIENT/AGENCY under this SPPA, or the failure of any material representation and warranty set forth in Section 14.2.2 of this SPPA to be true and correct as and when made; subject, however, to the following conditions:

- a. If such failure by its nature can be cured, then CLIENT/AGENCY shall have a period of thirty days after receipt of written notice from Provider of such failure to CLIENT/AGENCY to cure the same and an CLIENT/AGENCY Default shall not be deemed to exist during such period;
- b. If CLIENT/AGENCY commences to cure such failure during such period and is diligently and in good faith attempting to effect such cure, said period shall be extended for one-hundred twenty additional days; and
- c. in any event, if such failure shall continue for at least five calendar days and directly and substantially impairs Provider’s ability to deliver and sell Energy to CLIENT/AGENCY, Provider shall be entitled to reasonably estimate the amount of revenue that would have been obtained “but for” the CLIENT/AGENCY breach and shall invoice CLIENT/AGENCY for any such shortfall, unless such failure to perform is excused due to a Force Majeure Event pursuant to Section 9.

11.2.3 License Default. A material default by CLIENT/AGENCY under the License occurs and is continuing that has not been cured within the cure period provided in the License, and that default has not been waived by Provider under the License.

11.2 Provider Default. The occurrence of any of the following events shall constitute a “Provider Default”

11.2.1 Failure to Perform Obligations. Unless excused by a Force Majeure Event pursuant to Section 9, the failure of Provider to perform or cause to be performed any material obligation required to be performed by Provider under this SPPA or the failure of any material representation and warranty set forth in Section 14.2.1 of this SPPA to be true and correct as and when made; subject, however, to the following conditions:

- a. If such failure by its nature can be cured, then Provider shall have a period of thirty (30) days after receipt of written notice from CLIENT/AGENCY of such failure to Provider to cure the same and a Provider Default shall not be deemed to exist during such period;
- b. If Provider commences to cure such failure during such period and is diligently and in good faith attempting to effect such cure, said period shall be extended for one-hundred twenty (120) additional days; and
- c. Any failure of Provider to provide Energy as a direct result of any material interruption or interference attributable to CLIENT/AGENCY, including any interruption or interference described in Section 3.5 of the License, shall not be deemed to be a failure of the Provider to perform or cause to be performed a material obligation under this SPPA.

11.2.2 Bankruptcy, Etc. (i) Provider admits in writing its inability to pay its debts generally as they become due; (ii) Provider files a petition or answer seeking reorganization or arrangement under the federal bankruptcy laws or any other Applicable Laws and Requirements; (iii) Provider makes an assignment for the benefit of creditors; (iv) Provider consents to the appointment of a receiver of the whole or any substantial part of its assets; (v) Provider has a petition in bankruptcy filed against it, and such petition is not dismissed within ninety days after the filing thereof; (vi) a court of competent jurisdiction enters an order, judgment, or decree appointing a receiver of the whole or any substantial part of Provider's assets, and such order, judgment or decree is not vacated or set aside or stayed within ninety days from the date of entry thereof; or (vii) under the provisions of any other law for the relief or aid of debtors, any court of competent jurisdiction shall assume custody or control of the whole or any substantial part of Provider's assets and such custody or control is not terminated or stayed within ninety days from the date of assumption of such custody or control; or

11.2.3 License Default. A material default by Provider under the License occurs and is continuing that has not been cured within the period provided in Section 9.4.1 of the License, and that default has not been waived by CLIENT/AGENCY under the License.

11.3 Exercise of Rights. So long as a Default has occurred and is continuing, the defaulting Party may not exercise any right to terminate this SPPA and, in the case of CLIENT/AGENCY Default, any right to purchase the System.

12. Remedies Following Default.

12.1 CLIENT/AGENCY's Remedies On Occurrence of a Provider Default.

12.1.1 Termination. If a Provider Default as described in Section 11.2 above has occurred and is continuing, and if Provider has failed to correct or cure the condition within the cure period specified above) causing a Provider Default, then, upon ten days further written notice of CLIENT/AGENCY's intent to terminate this SPPA as a result of such Provider's Default, subject to Section 14.17, this SPPA shall terminate and be of no further force or effect as of the last day of such ten day period.

12.1.2 Other Rights and Remedies. In addition to all other legal and equitable rights and remedies available by law, if any Provider Default described under Section 11.2 has occurred and CLIENT/AGENCY has terminated this SPPA as a result thereof in accordance with the terms of Section 12.1.1 above, then CLIENT/AGENCY's additional remedies in respect of such Provider Default may at CLIENT/AGENCY's election include, but shall not be limited to, CLIENT/AGENCY assuming possession and ownership of the System by payment of the Fair Market Value of the System, reduced by

CLIENT/AGENCY's costs incurred in enforcing the Provider Default and exercising remedies, in which case title to the System, together with any Environmental Attributes not previously transferred to CLIENT/AGENCY and or assigned to third parties, Environmental Incentives and Reporting Rights still associated with the System and the Energy and to the extent transferable, the remaining period, if any, on all warranties for the System, shall transfer to CLIENT/AGENCY upon such payment, at which time Provider shall surrender possession of the System free of any liens or encumbrances to CLIENT/AGENCY and execute all such documentation as is necessary to make effective all such transfers contemplated by this Section 12.1.2. The CLIENT/AGENCY may alternatively immediately terminate this SPPA, in which event the Provider shall promptly remove the system without causing any damage or disruption to the CLIENT/AGENCY operations, property or persons.

12.2 Provider's Remedies On Occurrence of an CLIENT/AGENCY Default. If a CLIENT/AGENCY Default as described in Section 11.1 has occurred and is continuing, and if CLIENT/AGENCY has failed to correct or cure the conditions (within the cure period specified above) causing a CLIENT/AGENCY Default, then upon ten days further written notice of Provider's intent to terminate this SPPA as a result of such CLIENT/AGENCY Default, then, subject to Section 14.17, this SPPA shall terminate and be of no further force or effect as of the last day of such ten day period; and, at Provider's sole election, either (i) CLIENT/AGENCY shall promptly pay the applicable Termination Value without Removal Costs, in which case title to the System, together with the Environmental Attributes, Environmental Incentives and Reporting Rights still associated with the System and the Energy and to the extent transferable, the remaining period, if any, on all warranties for the System and all other rights with respect to the System, shall transfer to CLIENT/AGENCY upon such payment; or (ii) CLIENT/AGENCY shall promptly pay the applicable Termination Value with Removal Costs and Provider shall complete Removal of the System and Remediation of the Site in accordance with the terms of the License.

12.3 No Consequential Damages. Nothing in this SPPA is intended to cause either Party to be, and neither Party shall be, liable to the other Party for any lost business, lost profits or revenues from others or other special or consequential damages, all claims for which are hereby irrevocably waived by CLIENT/AGENCY and Provider.

12.4 Effect of Termination of Agreement. Unless this SPPA clearly provides otherwise, upon the Termination Date or the Expiration Date, as applicable, any amounts then owing by a Party to the other Party shall become immediately due and payable and the then future obligations of CLIENT/AGENCY and Provider under this SPPA shall be terminated, subject to Section 14.17. Such termination shall not relieve either Party from obligations accrued prior to the effective date of termination or expiration, unless this SPPA clearly provides otherwise.

12.5 Limitation on Remedies, Liability, and Damages. FOR BREACH OF ANY PROVISION FOR WHICH AN EXPRESS SOLE REMEDY OR MEASURE OF DAMAGES IS PROVIDED, THAT EXPRESS SOLE REMEDY OR MEASURE OF DAMAGES SHALL BE THE SOLE AND EXCLUSIVE REMEDY, THE OBLIGATOR'S LIABILITY SHALL BE LIMITED AS SET FORTH IN SUCH PROVISION, AND ALL OTHER REMEDIES OR DAMAGES AT LAW OR IN EQUITY ARE WAIVED. IF NO REMEDY OR MEASURE OF DAMAGES IS EXPRESSLY PROVIDED IN THIS SPPA, THE OBLIGOR'S LIABILITY SHALL BE LIMITED TO DIRECT, AND ACTUAL DAMAGES ONLY. UNLESS EXPRESSLY PROVIDED IN THIS SPPA, NEITHER PARTY SHALL BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR INDIRECT DAMAGES, LOST PROFITS OR OTHER BUSINESS INTERRUPTION DAMAGES, BY STATUTE, IN TORT, IN CONTRACT OR OTHERWISE.

Notwithstanding the above, the CLIENT/AGENCY does not waive any rights or defenses available to the CLIENT/AGENCY under the Utah Governmental Immunity Act, including without limitation, any applicable limitation of judgments.

13. Indemnification and Insurance.

13.1 Indemnification by Provider.

13.1.1 Indemnification. Provider agrees that it shall indemnify, defend and hold harmless CLIENT/AGENCY, their officers, employees, agents, Trustees and representatives, and their permitted successors and assigns, from all suits, actions, claims, damages, and judgments of any character resulting from or arising out of Provider's performance, nonperformance, wrongful act or negligence that are brought against CLIENT/AGENCY by any Person, on account of any injury or death to any Person or any loss or damage to property, due to the acts or omissions of Provider or any of its officers, employees, subcontractors, assignees, or representatives.

13.1.2 Defense of Action. If requested by CLIENT/AGENCY, Provider shall assume on behalf of CLIENT/AGENCY, and conduct with due diligence and in good faith, the defense of CLIENT/AGENCY with counsel reasonably satisfactory to CLIENT/AGENCY, provided, however, that CLIENT/AGENCY shall have the right to select separate counsel to participate in its defense of such action at CLIENT/AGENCY's expense. If any claim, action, proceeding or investigation arises to which the indemnity provided for in this Section 13.1 applies, and Provider fails to assume the defense of such claim, action, proceeding or investigation after having been requested to do so by CLIENT/AGENCY, then CLIENT/AGENCY may contest or, with the prior written consent of Provider, which consent shall not be unreasonably withheld, settle such claim, action, proceeding or investigation. All costs and expenses incurred by CLIENT/AGENCY in connection with any such contest or settlement shall be promptly paid by Provider on demand by CLIENT/AGENCY.

13.2 Insurance. At all times throughout the term of this Agreement, Provider shall maintain appropriate insurance in the minimum amounts as set forth in the CLIENT/AGENCY General Conditions.

14. Miscellaneous Provisions.

14.1 Notices. Unless a provision in this SPPA or the License specifically provides otherwise, all notices or other communications required or permitted hereunder shall be in writing, and shall be personally delivered (including by means of professional messenger service) or sent by overnight courier, or sent by registered or certified mail, postage prepaid, return receipt requested to the addresses set forth below, or sent by confirmed electronic facsimile to the facsimile numbers set forth below. All such notices or other communications shall be deemed received upon the earlier of: (i) if personally delivered or sent by overnight courier, the date of delivery to the address of the person to receive such notice; (ii) if mailed as provided above, on the date of receipt or rejection; or (iii) if given by electronic facsimile, when received by the other Party if received between Monday through Friday between 9:00 AM and 5:00 PM Mountain Time so long as such day is not a state or federal holiday and otherwise, on the next day, provided; however, that if the next day is a Saturday, Sunday, or a state or federal holiday, such notice shall be effective on the following business day.

TO LICENSEE:

NAME

Attn: _____

Address: _____

Phone: _____

Fax: _____

TO CLIENT/AGENCY:

NAME

Attn: _____

Address: _____

Phone: _____

Fax: _____

With a copy to:

NAME

Attn: _____

Address: _____

Phone: _____

Fax: _____

All notices, communications and waivers under this SPPA to any entity who has or will make funding available to Provider to assist in financing the System, shall be sent to the name and address specified in a notice from Provider to CLIENT/AGENCY.

14.2 Authority

14.2.1 Provider Representations. Provider hereby represents and warrants that:

- a. It is a corporation of the State of _____, duly organized, validly existing and in good standing under the laws of the State of _____ and has all requisite power and authority to enter into this SPPA, to perform its obligations hereunder and to consummate the transactions contemplated hereby;
- b. The execution and delivery of this SPPA and the performance of Provider's obligations hereunder have been duly authorized by all necessary corporate action;
- c. This SPPA is a legal, valid and binding obligation of Provider enforceable against Provider in accordance with its terms except as such enforcement may be limited by bankruptcy, reorganization, insolvency, or other law affecting creditors' rights generally and the general principles of equity;
- d. To the best knowledge of Provider, as of the date of execution hereof, no approval of a Governmental Authority (other than any approvals that have been previously obtained or disclosed in writing to CLIENT/AGENCY) is required in connection with the due authorization, execution and delivery of this SPPA by Provider or the performance by Provider of its obligations hereunder which Provider has reason to believe that it will be unable to obtain in due course on or before the date required for Provider to perform such obligations;
- e. As of the date of execution hereof, Provider (i) has taken all required actions, if any, necessary to comply with the Public Utility Holding Company Act of 2005, as amended, (ii) is

not intending to dedicate its property to public use, (iii) is not a “public utility” (as defined in any Applicable Laws and Requirements) and (iv) is not an electric utility subject to rate regulation by any Governmental Authority; and

f. Neither the execution and delivery of this SPPA by Provider nor compliance by Provider with any of the terms and provisions hereof (i) conflicts with, breaches or contravenes the provisions of the articles of formation or operating agreement of Provider or any contractual obligation of Provider or (ii) results in a condition or event that constitutes (or that, upon notice or lapse of time or both, would constitute) an event of default under any material contractual obligation of Provider.

14.2.2 CLIENT/AGENCY Representations. CLIENT/AGENCY hereby represents and warrants that:

a. It is a public educational institution and a subdivision of the State of Utah, duly existing under the laws of the State of Utah and has all requisite power and authority to enter into this SPPA, to perform its obligations hereunder and to consummate the transactions contemplated hereby;

b. The execution and delivery of this SPPA and the performance of its obligations hereunder have been duly authorized by all necessary action;

c. This SPPA is a legal, valid and binding obligation of CLIENT/AGENCY, enforceable against CLIENT/AGENCY in accordance with its terms except as such enforcement may be limited by the Utah Constitution or other law affecting creditors’ rights generally and the general principles of equity; and

d. CLIENT/AGENCY has not entered into any contracts or agreements with any other person which conflict with or would otherwise impair the CLIENT/AGENCY’s ability to perform its obligations under this SPPA.

14.3. Assignment. Except for Provider’s assignment of this SPPA to a Lender, the duties and obligations of Provider under this SPPA shall not be assignable by the Provider in whole or in part without the prior written consent of CLIENT/AGENCY and upon such reasonable terms and conditions that CLIENT/AGENCY may require. CLIENT/AGENCY’s consent to one assignment shall not be deemed consent to any subsequent assignment.

14.3.1 Event of Default. In the event of Provider Default by any assignee or successor to Provider, CLIENT/AGENCY may proceed directly against Provider without the necessity of exhausting remedies against such assignee or successor.

14.3.2 Unique Expertise. Notwithstanding the foregoing, Provider acknowledges that CLIENT/AGENCY is relying upon the unique expertise and capability of Provider. Provider must demonstrate that any proposed assignee has both the financial capacity and the technical ability to perform the obligations required under this SPPA at a level deemed appropriate by CLIENT/AGENCY.

14.3.3 Definition of Assignment. For purposes of this section, the dissolution, liquidation, sale, assignment, transfer or disposition, directly or indirectly, of any type which results in a change of control of Provider shall be deemed an assignment of this SPPA. Change of control shall be as defined in common law, and may be the result of a single or multiple related transactions which result in the cumulative transfer of all or substantially all of the assets of Provider, or more than 50% of the voting

stock or equity interests of Provider. Provider shall have a continuing duty to keep CLIENT/ AGENCY fully apprised in writing of any material changes in the Provider's business structure or status.

14.3.4 Collateral Security. Nothing in this Section 14.3 shall prohibit Provider from assigning or granting a lien on, for purposes of collateral security, Provider's rights to payments under this SPPA. However, under no circumstances, and notwithstanding any other provision of this SPPA, including any Exhibits, shall Provider, or anyone have the right to place a lien or encumbrance on any property owned by the CLIENT/AGENCY.

14.3.5 Notice. For any assignment for which CLIENT/AGENCY consent is required, Provider shall provide sixty days notice to CLIENT/AGENCY regarding its intent to assign this SPPA, which shall include adequate supporting information to verify that the proposed assignee is qualified to assume Provider's rights and obligations under this SPPA.

14.3.6 Financing. Provider may pledge its interest in this SPPA, including any rights to payment and the System, as security for loans or financing. If Provider's lender requests additional terms and conditions to those already provided in this SPPA, CLIENT/AGENCY agrees to consider those requests, and will not unreasonably withhold its consent to those requests. CLIENT/AGENCY acknowledges that Provider may be financing the acquisition and installation of the System with financing accommodations from one or more financial institutions and that Provider's obligations will be secured by, among other collateral, a pledge or collateral assignment of this SPPA and Provider's rights to payment and a first security right in the System. In order to facilitate such necessary financing, and with respect to any such financial institutions of which Provider may notify CLIENT/AGENCY in writing (each, a "Lender") CLIENT/AGENCY agrees to classification of the System as personal property only. For purposes of this paragraph, The System shall not include the roofing system or any other part of the facilities that are critical for the operation of the CLIENT/AGENCY or the Site. CLIENT/AGENCY acknowledges that part of the collateral securing financial accommodations of Provider may be the granting of a first priority security interest ("Security Interest") in the System to a Lender to be perfected by a filing under the Uniform Commercial Code (UCC) and to be documented in a recorded notice on title to the Site. CLIENT/AGENCY agrees to such filings so long as they reflect the Parties' agreement that any filing to perfect or provide notice of the Security Interest clearly document the Parties' intent that the System shall constitute personal property only and is not considered a fixture to the Site. These filings by Provider or Lender may include a UCC filing of a Financing Statement (FORM UCC-1) which clearly covers the System as personal property only and not as a fixture.

14.4. Successors and Assigns. The rights, powers and remedies of each Party shall inure to the benefit of such party and its successors and permitted assigns.

14.5. Entire Assignment. This SPPA (including all exhibits, attachments and other documents incorporated herein), the License, and the Contract Documents represent the entire agreement between the parties to this SPPA with respect to the subject matter hereof and thereof and supersede all prior and contemporaneous oral and prior written agreements. In the event of any conflict between the provisions of this SPPA and the provisions of the License, the provisions of this SPPA shall govern and control.

14.6. Amendments to Agreement. This SPPA shall not be amended, modified or supplemented without the written agreement of Provider and CLIENT/AGENCY at the time of such amendment, modification or supplement.

14.7. Waiver ; Approvals. No waiver of any provision of this SPPA shall be effective unless set forth in writing signed by the Party making such waiver, and any such waiver shall be effective only to the extent it is set forth in such writing. Failure by a Party to insist upon full and prompt performance of any provision of this

SPPA, or to take action in the event of any breach of any such provisions or upon the occurrence of any Provider Default or CLIENT/AGENCY Default, as applicable, shall not constitute a waiver of any rights of such Party, and, subject to the notice requirements of this SPPA, such Party may at any time after such failure exercise all rights and remedies available under this SPPA with respect to such Provider Default or CLIENT/AGENCY Default. Receipt by a Party of any instrument or document shall not constitute or be deemed to be an approval of such instrument or document. Any approvals required under this SPPA must be in writing signed by the Party whose approval is being sought.

14.8. Partial Invalidity. In the event that any provision of this SPPA is deemed to be invalid by reason of the operation of Applicable Laws and Requirements, Provider and CLIENT/AGENCY shall negotiate an equitable adjustment in the provisions of the same in order to effect, to the maximum extent permitted by law, the purpose of this SPPA (and in the event that Provider and CLIENT/AGENCY cannot agree, then such provisions shall be severed from this SPPA) and the validity and enforceability of the remaining provisions, or portions or applications thereof, shall not be affected by such adjustment and shall remain in full force and effect.

14.9. Execution in Counterparts. This SPPA may be executed in counterparts, and all said counterparts when taken together shall constitute one and the same agreement.

14.10. Governing Law; Jurisdiction Forum. This SPPA shall be governed by and construed in accordance with the laws of the State of Utah. Venue for any legal proceeding shall be in Salt Lake County, Utah.

14.11. No Third Party Rights. This SPPA is exclusively for the benefit of the parties to this SPPA, their successors and permitted assigns and Persons expressly benefited by the indemnity provisions of this SPPA. No other Person (including, without limitation, tenants of the Site) shall be entitled to rely on any matter set forth in, or shall have any rights on account of the performance or non-performance by any Party of its obligations under, this SPPA.

14.12. No Agency. This SPPA is not intended, and shall not be construed, to create any association, joint venture, agency relationship or partnership between the Parties or to impose any such obligation or liability upon either Party. Neither Party shall have any right, power or authority to enter into any agreement or undertaking for, or act as or be an agent or representative of, or otherwise bind, the other Party.

14.13. No Public Utility. Nothing contained in this SPPA shall be construed as expressing an intent by Provider to dedicate its property to public use or subject itself to regulation as a public utility under any Applicable Laws and Requirements.

14.14. Cooperations. Each of CLIENT/AGENCY and Provider, if requested by the other Party, will take such actions or execute such additional documents, instruments and assurances and take such additional actions as are reasonably necessary and desirable to carry out the terms and intent hereof.

14.15. Setoff. Except as otherwise set forth herein, each Party reserves to itself all rights, set-offs, counterclaims and other remedies and defenses to which it is or may be entitled, arising from or out of this SPPA or the License or arising out of any other contractual arrangements between the Parties. All outstanding obligations to make, and rights to receive, payment under this SPPA or the License may be offset against each other.

14.16. Proprietary Information. Provider acknowledges that CLIENT/AGENCY is a governmental entity subject to the Utah Government Records Access and Management Act, Utah Code Ann., Section 63G-2-101 et seq., as amended (“GRAMA”); that certain records within CLIENT/AGENCY’s possession or control, including without limitation, this Agreement, may be subject to public disclosure; and that CLIENT/AGENCY’s confidentiality obligations shall be subject in all respects to compliance with GRAMA. Pursuant to Section 63G-2-309 of GRAMA, any confidential information provided to CLIENT/AGENCY that Provider believes should be

protected from disclosure must be accompanied by a written claim of confidentiality and a concise statement of reasons supporting such claim. Notwithstanding any provision to the contrary in the Agreement, CLIENT/ AGENCY may disclose any information or record to the extent required by GRAMA or otherwise required by law, and to CLIENT/AGENCY's attorneys, accountants, consultants on a need to know basis.

14.17. Survival. Except as provided by the Utah Governmental Immunity Act, any provision of this SPPA that expressly or by implication comes into or remains in full force shall survive termination or expiration of this SPPA, including but not limited to Sections 6 (as to obligations that have accrued prior to termination), 7, 10.2, 12, 13, and 14. In the event that this SPPA is terminated according to its terms and the License is still in effect, the provisions of this SPPA, which are incorporated by reference in the License shall survive this SPPA's termination for use in the interpretation and construction of the License.

No provision herein shall waive any provision of the Utah Governmental Immunity Act.

14.18. Applicable Laws and Requirements. Provider shall keep its self fully informed of all Applicable Laws and Requirements, and all changes thereto, which in any manner affect the contract and all performance thereof, including but not limited to any manuals listed in the License. Provider shall comply with all Applicable Laws and Requirements then in effect, including the giving of all notices necessary and incident to proper and lawful prosecution of the work, and requires the payment of Prevailing Wage Rates to workers on the installation projects, as well as obtaining necessary bonding, as outlined in Sections 3.7.2 and 3.7.3 of the SLA and all changes thereto. If any discrepancy or inconsistency is discovered between this SPPA and any such Applicable Laws and Requirements then in effect, Provider immediately shall report the same in writing to CLIENT/AGENCY.

14.19. Requisite Standards. Provider shall cause the System to be installed with due care by qualified employees, representatives, agents or contractors of Provider and shall conform to applicable industry standards and practices, Applicable Laws and Requirements, and the Contract Documents. If Provider fails to meet any of the foregoing standards, Provider shall perform at its own cost, and without additional charge to CLIENT/ AGENCY, the professional services necessary to correct errors and omissions, including any necessary replacement of the System, that are caused by Provider's failure to comply with the above standard so that the System is capable of providing the Energy at a reasonably continuous rate.

14.20. Miscellaneous. Neither CLIENT/AGENCY nor any person related to CLIENT/AGENCY shall have the right to operate or be deemed to operate the System for purposes of Section 7701(e)(4)(A)(i) of the Internal Revenue Code, 26 USC section 7701(e)(4)(A)(i).

EXHIBIT C-1 ESTIMATED ANNUAL PRODUCTION

EXHIBIT C-2 PRICING

Provider shall bill all energy produced by the array on the same billing cycle day, or nearest day to RMP's or the Local Utility's billing cycle, from readings obtained from the XX Meter shown in the above diagram. CLIENT/AGENCY shall purchase from Provider the Energy generated by the System.

Initial Solar Energy Tariff Rate (\$/kWh or "kWh Rate") = \$0.0325 (example)

Solar Energy Rate Annual Escalator (%) = 2% per year (example)

"kWh Rate" by year during PPA term: [subject to change pending outside tax counsel review and final engineering.]

Year	kWh Rate	Year	kWh Rate
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7		17	
8		18	
9		19	
10		20	

"Prepayment Guaranteed Monthly Energy" shall be as follows:

[insert table]

Billing and Payment.

Monthly Charges. Purchaser shall pay Seller monthly for the electric energy generated by the System and delivered to the Delivery Point at the \$/kWh rate shown in Exhibit C-2 – Pricing. The monthly payment for such energy will be equal to the applicable \$/kWh rate multiplied by the number of kWh of energy generated during the applicable month, as measured by the System meter.

Monthly Invoices. Seller shall invoice Purchaser monthly. Such monthly invoices shall state (i) the amount of electric energy produced by the System and delivered to the Delivery Point, (ii) the rates applicable to, and charges incurred by Purchaser under this Agreement, and (iii) the total amount due from Purchaser.

Utility Invoices. Purchaser shall authorize the Utility to send to Seller duplicates of any bills sent to Purchaser. If Utility does not permit duplicate bills to be sent to Seller, Purchaser shall, promptly upon receipt of each bill, make a photocopy of each bill and mail the copy to Seller. Purchaser shall pay all charges assessed by the Utility to the Facility.

Taxes. See Section 6.4. Taxes

Payment Terms. See Section 6. Billing and Payment.

Solar Array & Meter Diagram Attached.



EXHIBIT D

(EXAMPLE)

SOLAR SITE LICENSE AGREEMENT
Solar PV Energy System
Design, Construction, Operation,
Maintenance and Financing

CLIENT/AGENCY, ADDRESS

DFCM Project No. 15279810

<u>AGREEMENT COVERING SITE LOCATED AT:</u> CLIENT/AGENCY, ADDRESS	
<u>AGENCY</u> AGENCY NAME	<u>LICENSEE</u> NAME

This Site License Agreement # _____ (“SLA” or “Agreement”), made and entered into as of _____, (the “Effective Date”) by and between Client/Agency, a public educational institution organized and existing pursuant to Utah law (“CLIENT/AGENCY”), and NAME, a Corporation of the State of _____ (“Licensee”), whose address is _____, each a “Party” and collectively referred to as “the Parties.”

RECITALS:

WHEREAS, CLIENT/AGENCY is the Owner of, and has jurisdiction and control over the selected BUILDING/SITE, located in XXX, Utah, as depicted and described in Exhibits D-1 and D-2 attached hereto and incorporated by reference herein. (“Site”);

WHEREAS, Licensee desires to obtain, and CLIENT/AGENCY desires to provide, a license to use a portion of the Site to install, maintain and operate solar photovoltaic System, which Area (the “Licensed Area”) are more particularly depicted and described in Exhibits D-1 and D-2 attached hereto and incorporated by reference herein;

WHEREAS, Licensee desires to sell, and CLIENT/AGENCY desires to purchase, electricity from the solar photovoltaic System (“System”), as more particularly described in the Solar Power Purchase Agreement (“SPPA”) between CLIENT/AGENCY and Licensee of even date herewith for Licensee’s provision of the electricity from the System to CLIENT/AGENCY; and

WHEREAS, Licensee wishes to obtain and CLIENT/AGENCY wishes to grant this SLA for the purposes of: (1) constructing and operating the solar power System in the Licensed Area to create long term energy cost savings, and price stability; and (2) to develop solar power System that offer high public visibility and a sense of community ownership associated with the CLIENT/AGENCY, with the goal of developing renewable energy showcases with a very high interpretive value.

AGREEMENT:

NOW, THEREFORE, in consideration of the Recitals and the mutual promises set forth in this SLA, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties agree as follows:

ARTICLE 1 - DEFINITIONS; CONFLICTS

1.1 Definitions. The definitions in the SPPA shall govern this Agreement unless this Agreement provides a different definition. In the event that the SPPA is terminated according to its terms and this SLA is still in effect, the definitions contained in the SPPA shall survive its termination for use in this SLA. In addition to the terms that are defined in the SPPA and elsewhere in this SLA, the following terms are used in this Agreement:

“Alterations” has the meaning set forth in Section 4.4.

“Construction Criteria” means all applicable codes and regulations in the State of Utah.

“Contract Documents” has the meaning as defined in the SPPA.

“Expiration Date” has the meaning set forth in Section 2.1.

“Hazardous Substances” has the meaning set forth in Section 5.6.5(ii).

“Installation Work” has the meaning set forth in Section 4.2.3.

“Licensed Area” has the meaning set forth in the Recitals and as more specifically described at Exhibit D-2.

“Licensee” means the entity identified above, which holds the license to install and operate the System at the Site under this SLA and sell Energy to the CLIENT/AGENCY LAC facility pursuant to the SPPA. Licensee as used herein, in terms of any obligations or requirements, shall be deemed to also refer to all agents, subcontractors, suppliers, and anyone else that Licensee authorized to perform under this SLA or anyone for whom the Licensee may be liable for, at any tier.

“Local Electric Utility” shall mean Rocky Mountain Power (“RMP”) or other electric power utility serving the CLIENT/AGENCY LAC.

“O & M Work” has the meaning set forth in Section 5.6.1.

“Removal” has the meaning set forth in Section 7.1.

“Restoration” has the meaning set forth in Section 7.1.

“Site” has the meaning set forth in the Recitals and as more specifically described at Exhibit F-1.

“Solar Power Purchase Agreement” or “SPPA” means that certain CLIENT/AGENCY–Solar Power Purchase Agreement of even date herewith between the CLIENT/AGENCY and Licensee as Provider, which governs the terms by which CLIENT/AGENCY LAC facility will purchase from Licensee the energy generated by the System at the Site(s).

“System” means the approximately (INSERT SIZE) kW solar photovoltaic generating System (as more specifically defined in this SLA and the SPPA, and as such System may be modified from time to time in accordance with Section 4.4 of this SLA and the SPPA.

“Termination Date” has the meaning set forth in Section 2.1.

“Work” means the Installation Work and/or the O & M Work.

1.2 Conflicts with the SPPA. Except for the definitions above, should any provision, term or requirement in this SLA conflict with any provision, term or requirement in the SPPA, this SLA shall be controlling, unless explicitly provided otherwise in this SLA.

ARTICLE 2 -- TERM

2.1 General. The term of this Agreement shall commence on the Effective Date and shall expire on the date (the "Expiration Date") that is one hundred twenty days following the expiration or termination of the SPPA.

2.2 Licensee shall provide CLIENT/AGENCY a separate document setting forth Licensee's warranty obligations with respect to the System (the "Warranty"). Licensee hereby disclaims all other warranties except as expressly stated in this SLA, the SPPA or the Warranty. This shall be a separate warranty document provided by the System Owner/Site Licensee, which sets forth the system warranty, addressing three key elements:

2.2.1 A warranty for materials and workmanship specific to the system installation, which shall be a minimum of five years from the date of facility commissioning,

2.2.2 A statement that the existing roof warranty, as provided to Licensee by the CLIENT/AGENCY, will not be impacted or jeopardized by the solar installation or any other related activity by the Licensee during the term of the License, and a warranty that in the event that such roof warranty is declared void or modified by roofing provider, Licensee shall warranty as an offset.

2.2.3 A warranty for the specific solar materials employed in the facility, e.g., Solar Modules, Solar Inverter(s), and Solar Racking System, respectively, as provided in writing by the manufacturers of same, called out in the Licensee's statement of System Warranty, and with manufacturer warranty documents provided by attachment thereto.

2.3 Cross-Default with SPPA. Any Provider Default under the SPPA shall be deemed a default by Licensee under this SLA.

ARTICLE 3 -- USE

3.1 Permitted Use.

3.1.1 Subject to CLIENT/AGENCY's reserved rights in Sections 3.3 to 3.7 of this SLA, and the terms and conditions of this SLA, CLIENT/AGENCY grants to Licensee:

(a) a non-exclusive license for ingress, egress and access across the Site(s) and other CLIENT/AGENCY properties necessary to access the Licensed Area; and

(b) a license to use the Licensed Area within the Site for the construction (and such other portions of the Site as are reasonably necessary and approved, in advance and in writing by CLIENT/AGENCY, for laydown and staging during construction of the System), maintenance and operation of the System for the production, transformation and transmission of solar photovoltaic generated Energy, in addition to the construction of semi-permanent facility sponsorship signage, as approved in advance and in writing by CLIENT/AGENCY and related materials, and for no other use or purpose (the "Permitted Use").

3.1.2 Licensee shall complete the installation of the System, restore and clean up those portions of the Site and the Licensed Area not occupied by the System that were impacted by construction of the System no later than ten calendar days after the date the installation is substantially complete. In addition, Licensee shall complete the installation of a functioning interpretational kiosk, to mutually agreed specification, and a location determined by CLIENT/AGENCY, which shall be finally completed on or before (INSERT DATE).

3.2 No CLIENT/AGENCY Warranties. Licensee acknowledges and agrees that, except as expressly set forth in this SLA, CLIENT/AGENCY has made no statements, representations or warranties regarding the Site. Licensee acknowledges and agrees that except for the representations and warranties expressly set forth in this SLA and the information provided by CLIENT/AGENCY to Licensee under Section 4.2.7 of this SLA, Licensee has not relied and will not rely on any statement, representation, warranty, or information provided by CLIENT/AGENCY regarding the Site or the fitness of the Site for any particular use of Licensee. CLIENT/AGENCY expressly disclaims and Licensee waives all implied warranties including, without limitation, any warranty of suitability or fitness of the Site or the Licensed Area for any particular use or purpose.

3.3 Limitation on Use. Licensee shall not provide the System for the use of others without first obtaining CLIENT/AGENCY's written consent. Licensee may use the Licensed Area only for the construction, operation and maintenance of the System to be operated for the benefit of CLIENT/AGENCY in accordance with the SPPA and this SLA.

3.4 Prohibited Uses. Licensee shall not use or allow the Site to be used for any unlawful purposes, nor shall Licensee cause, maintain or permit any nuisance in, on or about the Site. Licensee will not use the Site, nor allow the Site to be used, for any purpose inconsistent with this SLA or the SPPA.

3.5 No Interference with CLIENT/AGENCY Uses/Quiet Enjoyment. Licensee must install and maintain the System in a manner that minimizes, to the fullest extent commercially practicable, inconvenience to and interference with CLIENT/AGENCY's use of the Site and the CLIENT/AGENCY LAC, other CLIENT/AGENCY property and improvements located on the Site and the CLIENT/AGENCY LAC. CLIENT/AGENCY shall maintain continuing control over the Site, the CLIENT/AGENCY LAC, and all other CLIENT/AGENCY property and improvements located thereon. CLIENT/AGENCY may construct, reconstruct, modify or make alterations to the Site so long as such activities do not cause material interference with the insolation (including shading) or the operation of the System, as such insolation exists as of the effective date of this SLA. However, it is provided that occasional and temporary interference that may result from CLIENT/AGENCY's operations on the Site as CLIENT/AGENCY's operations change over time shall not be considered a violation of this Section 3.5 unless such interference materially affects the generation of Energy by the System to the extent that the System cannot provide at least 90% of the estimated electricity production of the System for a period of thirty consecutive days as determined by the National Renewable Energy Laboratory (NREL) "PV Watts Calculator" for the same time period. The calculator is located on the internet at: <http://rredc.nrel.gov/solar/calculators/PVWATTS/version1/US>.

3.6 Subordination to Existing Leases, Easements and Rights of Way. Licensee acknowledges and agrees that this SLA and all rights of Licensee are subject and subordinate to all existing leases, easements, rights of way, declarations, restrictions or other matters of record with respect to the Site. CLIENT/AGENCY reserves the right, under mutual consent with Licensee, to grant to parties other than Licensee additional licenses, easements, leases or rights of way, whether recorded or unrecorded, that do not interfere (including shading) with Licensee's use of the Site and the System.

3.7 Applicable Laws and Requirements; Permits and Approvals.

3.7.1 Compliance with Laws.

(a) All activities conducted by Licensee pursuant to this SLA must comply with all applicable State, Federal and local laws, ordinances, rules, regulations, rulings, and policies (including those of the CLIENT/AGENCY) and any manuals listed in Exhibit XXX attached hereto and by this reference incorporated herein, zoning requirements, CLIENT/AGENCY design standards, specifications and general conditions, and all issued permits and licenses (collectively "Applicable Laws and Requirements"). All activities conducted by Licensee pursuant to this SLA shall be conducted at Licensee's own cost and expense.

(b) Licensee shall be solely responsible for designing and operating the System in a manner consistent with the Contract Documents, National Electric Code safety practices and all applicable laws or regulations for utilities at the solar Site(s). All design plans and specification shall be subject to the CLIENT/AGENCY prior review and approval.

(c) Licensee shall, in its use of the Site(s), comply with all rules, orders, regulations, requirements and recommendations of CLIENT/AGENCY, related to the protection of the Site and the improvements thereon.

3.7.2 There is no Performance Bond requirement in this contract. However, in the event that Vendor, for any reason, without prior written authorization executed by the Site Owner, fails to initiate or diligently pursue the performance of the project on the project site, ceases activity on the project site and/or abandons the project for a period of at least twenty-one calendar days, the Site Owner shall have the right to issue a notice of default and confiscate any Vendor materials or improvements delivered, constructed or otherwise located on the site as liquidated damages. Such notice of default shall provide for a twenty-one calendar day period to cure, with said time period for the cure starting upon delivery of the notice of default provided to the Vendor at its last known address identified in the Power Purchase Agreement, and if the Vendor fails to commence the diligent and continual pursuit of the performance of the project on the project site within said twenty-one calendar day cure period, the Site Owner, at its sole discretion, may confiscate said materials or improvements, cancel the PPA Agreement with Vendor, and/or select a new PPA provider. If the Site Owner confiscates said materials or improvements, the Site Owner shall be entitled to complete ownership and title thereof and the Site Owner may use or dispose of said materials or improvements for any purpose, including but not limited to the use by or transfer of ownership to another selected PPA provider. The liquidated damages referred to in this paragraph are: (i) to compensate the Site Owner for the damages for breach of this paragraph of the contract as well as the resulting delay of the project; (ii) is provided for herein because actual damages cannot be readily ascertained at the time of execution of this Agreement; (iii) is not a penalty; and (iv) shall not prevent the Site Owner from maintaining Claims for other damages unrelated to the failure to perform under this paragraph, including but not limited to, costs to complete or remedy defective Work

3.7.3 Permits and Approvals. In accordance with Exhibit B attached hereto and by this reference incorporated herein, Licensee shall secure all permits and governmental approvals necessary for the construction, maintenance and operation of the System. Before commencing any work on the System, Licensee shall provide the CLIENT/AGENCY with copies of all required permits, approvals and conditions issued by applicable Federal, State and local governmental entities and by the local utility service company. Licensee must respond appropriately and in conformance with all Applicable Laws and Requirements to any notice from any governmental authority having jurisdiction over any of

Licensee's activities under this SLA, that Licensee's operation of, or any activities that relate to, the System, constitute a violation of any of the Applicable Laws and Requirements until the violation, if any, is corrected and the applicable governmental authority concurs that the violation is corrected. Licensee's response, when required under such a notice, must include the immediate suspension of use of the System. Licensee shall immediately notify CLIENT/AGENCY of any notice of alleged violation with respect to the System received from a governmental authority other than the CLIENT/AGENCY. Licensee agrees to promptly take all reasonable steps necessary to either: (a) contest the notice; or (b) eliminate or correct such alleged violation. CLIENT/AGENCY may consider any violation that Licensee does not eliminate within thirty calendar days of receipt of written notice from CLIENT/AGENCY or the governmental authority agency to be a material breach of this SLA and treat it as a default by Licensee. It is provided, however, that such thirty day period shall not commence so long as Licensee is: (i) contesting in good faith a notice that does not involve an reasonable threat to public health or safety; or (ii) if Licensee commences to cure such violation during such thirty day period and is diligently and in good faith attempting to effect such cure. Under these circumstances and as long as there remains no reasonable threat to public health or safety, CLIENT/AGENCY shall extend the period for a reasonable time necessary to cure or resolve the alleged violation and a default shall not be deemed to exist during that extended period. In the event a violation occurs that poses an reasonable threat to public health or safety, a willful failure of Licensee to immediately: (i) take curative action; (ii) suspend use of the System, if required; or (iii) notify CLIENT/AGENCY in accordance with this Section 3.7.4, wherein, after receiving such notice of violation, CLIENT/AGENCY, at its sole discretion, may find such violation constitutes grounds for termination of this SLA by CLIENT/AGENCY.

3.8 No Infringement/Copyright and Patent Obligations. Licensee shall not infringe upon any third party's intellectual property or other proprietary rights. Licensee shall pay all royalties and license fees which may be required for the methodology, techniques, and other intellectual property used or applied in connection with constructing, maintaining and operating the System as well as all reasonably anticipated or customary associated uses related to this License, including, but not limited to the kiosks. Licensee shall indemnify and defend the CLIENT/AGENCY, and their officers, employees and agents against all suits or claims for infringement of any intellectual property or other proprietary rights, patent, copyright, trade secret, trade name, trademark or any other proprietary or contractual rights relating to the System and shall hold CLIENT/AGENCY, and their officers, employees and agents harmless from loss, expense, claim or cost on account thereof.

ARTICLE 4 – CONSTRUCTION, INSTALLATION AND TESTING OF SYSTEM

4.1 Ownership of System.

4.1.1 Title to System. Subject to the rights provided to CLIENT/AGENCY under other terms of this SLA, the System and all Alterations, additions, improvements or installations made thereto by Licensee and all Licensee property used in connection with the installation, operation and maintenance of the System is, and shall remain, the personal property of Licensee ("Licensee Property"). Licensee shall be entitled to file one or more precautionary UCC Financing Statements or fixture filings, as applicable, in such jurisdictions as it deems appropriate with respect to the System and the Licensee Property in order to protect the rights of Licensee, its owners or any Mortgagee in the System or the Licensee Property. Notwithstanding the foregoing, under no circumstances shall Licensee be able to encumber or file any lien on personal or real property of CLIENT/AGENCY.

4.1.2 Possessory Interest Taxes. Licensee acknowledges that there may be taxes imposed as a result of the System and this SLA, and that those taxes, if imposed, shall be Licensee's obligation and shall be paid as and when required by the applicable taxing authority.

4.2 Installation and Operation of System.

4.2.1 In General. The construction and installation of the System and all related matters are subject to, and shall be substantially completed in accordance with, the terms and conditions of the Contract Documents, the Construction Criteria, and the Initial Approval Procedures set forth in Exhibit B and C. In constructing the System, Licensee shall: (i) obtain all necessary permits and authorities for construction and operation of System, including without limitation those permits listed in Exhibit B; (ii) design and construct the System in a manner consistent with the highest standards of the industry, such that all components are new and not previously used in any other applications; (iii) comply with all interconnection requirements required by the Local Electric Utility under the Net Metering and Interconnection Agreement (as defined in the SPPA) between the Local Electric Utility and the CLIENT/AGENCY relating to the Energy; and (iv) as described in the MIan RFP Document and Exhibit B, submit design, construction, maintenance and any operation plans to CLIENT/AGENCY for prior approval under Section 4.2.2 of this SLA. Plans must be submitted to, and approved by the CLIENT/AGENCY before the CLIENT/AGENCY will issue any Notice to Proceed with the construction.

4.2.2 CLIENT/AGENCY Review; Limitations. No construction or installation by Licensee shall begin until CLIENT/AGENCY has reviewed and approved the completed plans and specifications for the System and all required permits have been issued to Licensee, in accordance with Exhibit XXX-I. Licensee shall prepare and submit to CLIENT/AGENCY and (to the full extent required by law, regulation, tariff or existing agreement) to the Local Electric Utility, for review and prior approval, detailed engineering drawings showing the plan and array configuration for the Licensed Area, detailed plans of all structures, electrical System, interfaces with the grid electricity supply and other components of the System, and a detailed description of any necessary facility or utility infrastructure improvements or modifications in accordance with a schedule to be agreed upon with CLIENT/AGENCY. In no event shall such review be interpreted as making CLIENT/AGENCY responsible for the design, construction, operation or maintenance of the System or in any way relieve the Licensee of its liability. Licensee shall at its sole cost and expense design, build, own, maintain and operate the System in compliance with the Contract Documents, the Construction Criteria, this SLA and the SPPA.

4.2.3 Installation. Subject to Section 4.2.4, Licensee must cause the System to be designed, engineered, installed and constructed (the "Installation Work") substantially in accordance with the terms of this SLA, the Contract Documents, the Construction Criteria, and in compliance with any existing or referenced Technical Requirements, as provided by CLIENT/AGENCY or other agency with jurisdiction over the project(s) construction. Licensee shall organize the procurement of all materials and equipment for the Installation Work and maintain the same at the Licensed Area. Subject to the terms of this SLA, Licensee shall perform the Installation Work at the Licensed Area on a schedule, including any schedule required or provided as part of the Contract Documents, which if not identified in the procurement process, it is subject to mutual agreement between the Parties, and in a manner that minimizes inconvenience to and interference with the CLIENT/AGENCY LAC and their invitees' use of the Licensed Area to the extent commercially practical.

4.2.4 Conditions Precedent to Commencement of Construction and Installation. Commencement by Licensee of construction and installation activities with respect to the Licensed Area shall be subject to the satisfaction of the following conditions precedent (in addition to CLIENT/AGENCY's approval of the Installation Work schedule under Section 4.2.3), each of which is for the benefit of both Parties and may be waived only by written mutual agreement of the Parties:

- (a) CLIENT/AGENCY and the Local Electric Utility (to the full extent required by law, regulation, tariff or existing agreement) shall have approved Licensee's detailed engineering drawings of the System and interconnection facility pursuant to Section 4.2.2;

(b) Licensee shall have entered into the applicable contract(s) with the CLIENT/AGENCY and all other necessary entities for the complete construction and installation of the System;

(c) Licensee and the Local Electric Utility shall have obtained any other permits, licenses and other approvals required by Applicable Laws and Requirements for the construction, interconnection, net metering and operation of the System, and the requisite line extension of the Local Electric Utility's distribution facility, including any necessary UPSC approvals ;

(d) Licensee shall have obtained and submitted to CLIENT/AGENCY, certificates of insurance evidencing the coverages required by Article 6 of this SLA or evidence to the satisfaction of CLIENT/AGENCY of appropriate levels of self-insurance coverage; all subject to approval of the CLIENT / DFCM Office of Risk and Insurance Management.

(e) Prior to CLIENT/AGENCY issuing a Notice to Proceed on any work being performed for construction of the System, Licensee shall post, or require its prime construction contractor to post, a performance bond in accordance with the Contract Documents and the Construction Criteria.

(f) On satisfaction of the conditions described in this Section 4.2.4, CLIENT/AGENCY shall issue to Licensee a written Notice to Proceed (the "Notice to Proceed") instructing Licensee to begin construction and installation activities for the System in the Licensed Area. Licensee agrees and acknowledges that it shall not begin such activities prior to receipt of said Notice to Proceed.

4.2.5 Utility Approvals.

(a) Licensee shall be responsible for preparing applications and obtaining all permits, licenses and approvals required for the performance of Work. Should the Local Electric Utility refuse or fail to approve the interconnection of the System with respect to the Site or require equipment in addition to the equipment set forth in this SLA in connection with the Site, Licensee immediately must notify CLIENT/AGENCY of the Local Electric Utility's refusal or failure to approve. In these circumstances, CLIENT/AGENCY and Licensee promptly must negotiate in good faith to develop an amendment to this SLA, an amendment to the SPPA, or a change order, to address the requirements of the Local Electric Utility.

(b) Licensee must ensure that the System(s) complies with all applicable laws and rules for interconnected distributed generation System and with all applicable State, Federal and local codes. Licensee must ensure that the System interconnection with the Local Electric Utility grid complies with the interconnection protocols of the Local Electric Utility. Licensee shall be responsible to have current licenses and all permits to do the Work indicated before a Notice to Proceed is issued. Licensee shall be responsible for any taxes or fees involved in constructing, owning, operating and maintaining the System.

4.2.6 Site Adequacy. Licensee has inspected the Site and the Licensed Area and determined for itself the suitability of the Licensed Area for the construction, operation and maintenance of the System. Licensee has determined the Site is suitable for the System, including, but not limited to, the roof materials and condition, the preexisting structural conditions, wind, snow and seismic characteristics, drainage, slope and soil conditions.

4.3 Licensee's Access. Licensee acknowledges that, prior to the effective date of this SLA, Licensee was provided access to the Site in order to conduct feasibility and configuration assessments, environmental assessments, and other inspections of the Site, as Licensee deemed necessary. Licensee's access to the Site shall be subject to all procedures reasonably adopted from time to time by CLIENT/AGENCY including, but not limited to, those certain manuals listed in Exhibit B and the procedures addressed in this Section. Only Licensee's employees, agents and contractors retained by Licensee and identified in a written notice to CLIENT/AGENCY shall be permitted access to the Site; provided however, that with prior written approval by CLIENT/AGENCY, Licensee and its employees, agents, contractors and invitees may access the Site for publicity purposes pursuant to Section 9.2 of this SLA. Licensee shall be permitted to access the Site twenty-four hours per day, seven days a week for emergency purposes consistent with applicable CLIENT/AGENCY limited access policies that are further described in the attached Exhibits. Licensee shall use the provided or authorized access at Licensee's sole risk. Licensee acknowledges the active light rail facilities located on the CLIENT/AGENCY property surrounding the Site, and agrees to use precautions when crossing such rail facilities. Access to the Site by construction workers, material providers and agents of Licensee during construction shall be conducted so as to reasonably minimize interference with the operations of CLIENT/AGENCY, in accordance with applicable CLIENT/AGENCY limited access policies, as further described in the attached Exhibits. Except in the case of an emergency, and notwithstanding any other provision herein, prior to Licensee's access to the Site, Licensee shall notify the CLIENT/AGENCY Plant Operations Dispatch Office. The CLIENT/AGENCY reserves the right to change the contact at anytime it deems necessary, but with reasonable notice to the Licensee. Also, notwithstanding any other provision herein, the CLIENT/AGENCY may enact enforcement and security clearance requirements necessary for the protection of persons or property. Licensee shall, before, during and after construction of the solar array, adhere to all applicable CLIENT/AGENCY safety and security policies and procedures.

4.4 Modifications/Alterations. After the completion of construction and the acceptance of the work, Licensee shall obtain CLIENT/AGENCY's written consent, in accordance with Exhibit XXX-2, before implementing any material changes to the design of the System or the replacement, modification, or alteration of the System (collectively "Alterations"). Licensee must obtain CLIENT/AGENCY's written consent to such Alterations before Licensee begins implementing or installing the Alterations. CLIENT/AGENCY may not unreasonably withhold its consent to Licensee's proposed Alterations, but CLIENT/AGENCY may impose reasonable conditions on its grant of consent to any Alterations. Any Alterations performed by Licensee shall be performed in accordance with the Contract Documents, the Construction Criteria, the SPPA, and all Applicable Laws and Requirements, including any and all necessary permits and approvals from authorities other than the CLIENT/AGENCY, copies of which Licensee shall provide to CLIENT/AGENCY. Licensee agrees to provide CLIENT/AGENCY with sufficient advance notice of any proposed Alterations to allow the coordination and approval by CLIENT/AGENCY of the construction schedule for such Alterations. Notwithstanding the foregoing, Licensee's repair or replacement of existing components of the System in connection with Licensee's work that does not reduce the amount of Energy delivered by the System shall not be considered Alterations and shall not be subject to the CLIENT/AGENCY Consent provisions of this Section 4.4.

4.5 Site Security. At all times during the construction and operations on the Site, Licensee shall cause to exist, if applicable, reasonable security fencing for any Ground-Mount (GM) solar array Options, if shown in Exhibits D-1 and D-2, and must be consistent with applicable CLIENT/AGENCY policies. Such fencing shall include construction fencing during installation and removal of the System, and permanent fencing around the GM solar array Site during operations. Licensee shall coordinate with LAC Facility or Site manager and comply with all CLIENT/AGENCY Site security requirements when accessing the Site.

4.6 CLIENT/AGENCY Inspection of System. CLIENT/AGENCY shall be permitted non-emergency access to inspect the System upon notice to Licensee. This requirement in no way prohibits CLIENT/AGENCY or any officer or agency of CLIENT/AGENCY from inspecting any and all portions of the Site other than the System

itself. In the event of emergency, CLIENT/AGENCY may inspect the System and must notify Licensee within one business day after the commencement of such inspection.

ARTICLE 5 -- OPERATIONS & MAINTENANCE; COMMUNICATIONS NETWORK

5.1 Documentation and Training. Licensee shall provide all necessary training to the CLIENT/AGENCY, starting promptly after substantial completion of the project, in order that the CLIENT/AGENCY be prepared for any emergency condition or other aspect that may affect the CLIENT/AGENCY property or safety of persons. Although the System will be owned by Licensee and operated and maintained by Licensee, Licensee shall, at its sole expense, provide to CLIENT/AGENCY two complete and accurate sets of operation, maintenance, and parts manuals for each photovoltaic system specific to each Licensed Area. Licensee also must provide to CLIENT/AGENCY, throughout the term of this SLA, updates to such manuals as is reasonably necessary to keep them current, complete and accurate. Licensee shall provide CLIENT/AGENCY, at its sole expense, a copy of any manuals that describe scheduled maintenance requirements, troubleshooting, and safety precautions specific to the supplied equipment, operations in emergency conditions and any other pertinent information for CLIENT/AGENCY LAC personnel. In addition, without fee for its services, Licensee shall reasonably assist CLIENT/AGENCY in training CLIENT/AGENCY LAC personnel to respond in case of emergencies involving the System, property damage or bodily injury. Licensee shall also provide, at its sole expense, two sets of as-built drawings to CLIENT/AGENCY. CLIENT/AGENCY acknowledges that Licensee's provision of the documents and information detailed in this Section 5.1 in no way authorizes CLIENT/AGENCY or any of its agents to operate, maintain, or in any way interfere with the System without Licensee's prior consent except in an emergency with respect to the System that threatens property damage or bodily injury. In addition, Licensee shall provide to CLIENT/AGENCY any training reasonably required for CLIENT/AGENCY LAC personnel with respect to the monitoring, operation and maintenance of the System, in the event that CLIENT/AGENCY takes title to the System.

5.2 Site Communications. CLIENT/AGENCY and Licensee shall cooperate in good faith to provide the site communications specified in Exhibit D-5 hereto and by this reference incorporated herein, and to obtain such permits as are necessary to provide said communications.

5.3 Monitoring. Licensee shall provide, at its expense, the monitoring of the System required by Exhibit XXX-5 and as specified in Section 5.4 of the SPPA.

5.4 Malfunctions and Emergencies. CLIENT/AGENCY and Licensee shall notify the other within 24 hours following the discovery by it if: (i) any material malfunction in the operation of the System; or (ii) an unanticipated interruption in the supply of Energy. Discovery by CLIENT/AGENCY or Licensee means the discovery and actual knowledge of such malfunction or interruption by designated personnel. Licensee and CLIENT/AGENCY shall each designate personnel and establish procedures such that each Party may provide notice of such conditions requiring Licensee's repair or alteration at all times, twenty-four hours a day, seven days a week. Licensee and CLIENT/AGENCY each shall notify the other Party as soon as possible upon the discovery of an emergency condition in the System. Licensee shall give CLIENT/AGENCY commercially reasonable advance written notice of any planned disruption or intervention in the supply of Energy. If an emergency condition exists, Licensee shall promptly dispatch the appropriate personnel upon becoming aware thereof to perform the necessary repairs or corrective action in an expeditious and safe manner. Emergency maintenance personnel representing Licensee shall be on site within twelve hours of the notification to assess the condition and commence corrective actions. For routine and emergency repairs, the Parties shall contact the designated persons as the Parties provided to each other prior to the issuance of the Notice to Proceed, or such other Person as a Party may designate from time to time by written notice to the other Party.

5.5 Metering.

5.5.1 Performance Monitoring. Licensee shall provide monitoring as set forth in Section 5.4 of the SPPA.

5.5.2 CLIENT/AGENCY Audits and Inspections. Once per calendar year, CLIENT/AGENCY shall have the right to audit the previous twelve months of Meter data upon reasonable notice, and any such audit shall be at CLIENT/AGENCY's sole cost, provided, however, that if the audit shows a 5% or greater overcharge to CLIENT/AGENCY, then Licensee shall bear the out-of-pocket cost to CLIENT/AGENCY of such audit. Any overcharge or undercharge revealed by such audit shall be credited against future payments due from CLIENT/AGENCY pursuant to the SPPA (in the case of an overcharge) or paid by CLIENT/AGENCY to Licensee (in the case of an undercharge). The audit shall take place at the location where the relevant records are kept by Licensee. CLIENT/AGENCY shall have the right of access to all meters at reasonable times but upon reasonable prior notice for the purpose of verifying readings and calibrations. Copies of metering data records shall be kept locally, readily accessible for CLIENT/AGENCY staff.

5.6 Licensee's Obligations.

5.6.1 In General. On and after the Commercial Operation Date, subject to the terms of this SLA and the SPPA, Licensee shall cause the System to be operated and maintained at Licensee's sole expense, including the cost of capital repairs and replacements, in a commercially reasonable manner throughout the term of this SLA and the SPPA. This obligation includes the monitoring and maintenance of the metering equipment that determines the quantity of Energy produced by the System and makes such operating information available to CLIENT/AGENCY on a monthly basis (collectively, the "O&M Work"). Licensee warrants that all of its operating and maintenance personnel and subcontractors will be adequately qualified and trained throughout the term of this SLA. Licensee shall be responsible for maintenance and repairs to the Site to the extent such maintenance and repairs are necessary as a direct result of Licensee's Permitted Use. As applicable, Licensee shall maintain the security fencing surrounding the Licensed Area in a commercially reasonable manner at Licensee's sole expense. Subject to the terms of this SLA, Licensee shall perform the O&M Work: (i) to ensure that the System are continuously capable of delivering Energy in accordance with the specifications set forth in the SPPA, subject to expected, ordinary degradation of the System and weather fluctuations; (ii) to ensure that all applicable manufacturer, installer and equipment warranties remain in place for their full terms, including but not limited to all roof warranties; and (iii) at the Licensed Area on a schedule approved by CLIENT/AGENCY in a manner that minimizes, to the extent commercially practical, inconvenience to and interference with CLIENT/AGENCY and CLIENT/AGENCY's invitees' use of the Site.

5.6.2 Health and Safety. Licensee shall take all necessary and reasonable safety precautions with respect to performing the Installation Work and the O&M Work, including compliance with all Applicable Laws and Requirements pertaining to the safety of persons and real and personal property. Licensee shall promptly report to CLIENT/AGENCY upon discovery by Licensee of any death, injury, or property damage to CLIENT/AGENCY's property that occurs on or about the Site or as part of the Licensee's operation of the System.

5.6.3 Permits and Approvals. While providing Energy, Licensee shall obtain and maintain all approvals, consents, licenses, permits, and inspections from Governmental Authorities, utilities, utility personnel, and other agreements and consents that are required to be obtained and maintained by Licensee and to enable Licensee to generate Energy. Licensee shall promptly deliver to CLIENT/AGENCY copies of all permits and approvals obtained pursuant to this Section 5.6.3 to CLIENT/AGENCY.

5.6.4 Losses/Damages. CLIENT/AGENCY will not be responsible for losses or damage to Licensee's property or any other personal property, equipment or materials of Licensee at the Site. Licensee will hold CLIENT/AGENCY harmless from any such losses or damages pursuant to Section 6.4 hereof. All losses by Licensee at the Site shall be reported promptly to CLIENT/AGENCY upon discovery by Licensee.

5.6.5 Hazardous Substances.

(a) Licensee represents, warrants and covenants that it shall not use or place any Hazardous Substances on the Licensed Area or Site, and further represents, warrants and covenants that no Hazardous Substances shall be brought upon the Site or Licensed Area as a result of the construction, maintenance or operation of the System.

(b) "Hazardous Substances" means asbestos and asbestos-containing material (regardless of its condition); any chemical, material or substance at any time defined as or included in the definition of "hazardous substances", "hazardous wastes", "hazardous materials", "extremely hazardous waste", "biohazardous waste", "pollutant", "toxic pollutant", "contaminant", "restricted hazardous waste", "acutely hazardous waste", "radioactive waste", "infectious waste", "toxic substances", or any other term or expression intended to define, list, or classify substances by reason of properties harmful to health, safety of the indoor or outdoor environment (including harmful properties such as ignitability, corrosivity, reactivity, carcinogenicity, toxicity or words of similar import) under any Applicable Laws and Requirements; any oil, petroleum, petroleum fraction or petroleum derived substance; urea formaldehyde foam insulation; mold; and electrical equipment which contains any oil or dielectric fluid containing polychlorinated biphenyls. Hazardous Substances shall not include the foregoing substances to the extent such substances are used, stored, treated and disposed of in compliance with all Applicable Laws and Requirements, do not require monitoring by Governmental Authorities, and are typically found or used in similar quantities in comparable operations.

(c) If Hazardous Substances related to Licensee's use of the Licensed Area are discovered on the Licensed Area, then Licensee shall, at its sole cost and expense, promptly perform all abatement work and repair or replace all improvements damaged by the abatement work to the satisfaction of the CLIENT/AGENCY.

(d) Licensee shall indemnify, defend and hold CLIENT/AGENCY, and their officers, employees, commissions and agents harmless from and against any and all reasonable costs relating to any Hazardous Substances used or placed at the Licensed Area or Site as a result of Licensee's use of the Licensed Area and Site and any abatement work related thereto. Licensee shall be solely responsible for and shall comply with all Applicable Laws and Requirements with respect to Hazardous Substances used by Licensee on the Licensed Area.

5.7 CLIENT/AGENCY's Obligations

5.7.1 In General. Subject to any limitations in this SLA or the SPPA, CLIENT/AGENCY shall at all times during the term of this SLA maintain the Site, other than the System, in good condition and repair so as to enable Licensee to operate and maintain the System and so that CLIENT/AGENCY will be able to receive and utilize the Energy delivered to the Site from the System. Likewise, damages occurred to the structure that can be identified as caused by licensee's equipment installation and/or usage practices shall be made good by Licensee. CLIENT/AGENCY shall maintain the Site and ensure that insulation

and communication access are not adversely affected by shading, growing weeds or by any facility or structure on property owned or controlled by CLIENT/AGENCY. It is provided, however, that such occasional and temporary interference as may result from LAC operations on the Site(s) shall not be considered a violation of this Section 5.7 unless such occasional and temporary interference materially and adversely affects the generation of Energy to the extent that the System cannot provide at least 90% of the estimated electricity production of the System for a period of thirty consecutive days as determined by the National Renewable Energy Laboratory (NREL) "PV Watts Calculator" for the same time period. The calculator is located on the internet at: <http://rredc.nrel.gov/solar/calculators/PVWATTS/version1/US>.

ARTICLE 6 -- INSURANCE/ INDEMNIFICATION

6.1 No CLIENT/AGENCY Obligation to Insure. CLIENT/AGENCY is not responsible for and will not maintain insurance covering the System against any casualty, and Licensee will make no insurance claim of any nature against CLIENT/AGENCY by reason of any damage to the Licensee's property or liability to persons in the event of damage or destruction by any cause.

6.2 Licensee's Insurance Obligations. Licensee shall procure and maintain, throughout the term of this SLA, insurance against all claims for injuries to persons or damages to property which may arise from or in connection with Licensee's use of the Site or performance of the Work under this SLA or the results of that Work by Licensee, its agents, representatives, employees or subcontractors, in the forms and amounts as required by the CLIENT/AGENCY General Conditions and those required by the Contract Documents. Without limiting the generality of the foregoing, Licensee shall maintain the following minimum insurance through the entire term of the agreement.

6.2.1 Commercial General Liability. Licensee shall obtain, at Licensee's expense, and keep in effect during the term of this SLA, Commercial General Liability Insurance or covering bodily injury and property damage in a form and with coverage in the forms and amounts specified in the CLIENT/AGENCY General Conditions. This insurance shall include personal injury liability, and products and completed operations liability. Coverage may be written in combination with Automobile Liability Insurance (with separate limits) or umbrella coverage. This coverage shall be written on an occurrence basis.

6.2.2 Property Insurance. Licensee shall maintain, in the forms and amounts specified in the CLIENT/AGENCY General Condition, during the term of this SLA all risk replacement property insurance sufficient to insure against complete loss or destruction of the System installed on the Site.

6.2.3 Automobile Liability. In the forms and amounts specified in the CLIENT/AGENCY General Conditions, Licensee shall obtain, at Licensee's expense, and keep in effect during the term of this SLA, Commercial Business Automobile Liability Insurance covering all owned, non-owned, or hired vehicles. This coverage may be written in combination with the Commercial General Liability Insurance or Self- Insurance (with separate limits) or umbrella coverage.

6.2.4 Additional Insured. The liability insurance or self-insurance coverage required for performance of this SLA shall include CLIENT/AGENCY as Additional Insured's or Loss Payees (as applicable) but only with respect to the Licensee's activities to be performed under this SLA. Coverage shall be primary and non-contributory with any other insurance and self-insurance carried by CLIENT/AGENCY.

6.2.5 Notice of Cancellation or Change. There shall be no cancellation, material change, potential exhaustion of aggregate limits or non-renewal of insurance or self-insurance coverage(s) without thirty calendar days written notice delivered from the Licensee or its insurer(s) to CLIENT/AGENCY.

6.2.6 Certificate(s) of Insurance. As evidence of the insurance coverage required by this SLA, the Licensee shall furnish Certificate(s) of Insurance to CLIENT/AGENCY prior to the Licensee's commencement of work under this SLA. The Certificate(s) will specify all of the parties who are endorsed on the policy as Additional Insured's or Loss Payees. Insurance coverage required under this SLA shall be obtained from insurance companies or a self-insurance plan acceptable to CLIENT/AGENCY. The Licensee shall pay for all deductibles, self-insured retention and/or self-insurance, to the extent self-insurance is authorized by the CLIENT/AGENCY, included hereunder.

6.2.7 Subcontractors. Licensee shall include all subcontractors at any tier under Licensee's policies or shall furnish to CLIENT/AGENCY separate certificates and endorsements in the forms and amounts required above, for each subcontractor of Licensee. All coverages for subcontractors shall be subject to all of the requirements stated in this Section 6.2.

6.3 Licensee Indemnification. Licensee shall indemnify, defend and hold harmless CLIENT/AGENCY, and their officers, commissions, employees and agents, from all suits, actions, claims, damages, and judgments of any character arising from Licensee's performance of this SLA that are brought against CLIENT/AGENCY, and any of their officers, trustees, employees and agents or anyone for whom any of which may be liable, by any person on account of any injury or death to any person or any loss or damage to property, due to the acts or omissions by the Licensee or any of its officers, employees, subcontractors, assignees, representatives or anyone for whom Licensee may be liable. Licensee shall give CLIENT/AGENCY prompt notice of any such claims and defend any such action in accordance with Section 13 of the SPPA.

ARTICLE 7 -- VACATING SITE

7.1 Vacating the Site/Removal of Equipment: On the expiration or termination of this SLA, if CLIENT/AGENCY does not purchase the System pursuant to a right to purchase as provided in this SLA or in the SPPA, Licensee shall have an additional one hundred and eighty calendar days to use the Site and the Licensed Area, but solely for the purpose of Removal and Restoration (as defined below). During this period, Licensee shall (i) remove all equipment, System, materials and other property comprising the System (other than equipment and property owned by the CLIENT/AGENCY) from the Site and CLIENT/AGENCY property at Licensee's cost and expense ("Removal"), and (ii) restore the Site, the Licensed Area and all affected electrical lines and meters to their pre- installation condition, and shall leave the Licensed Area and Site in neat and clean order ("Restoration"). However, if CLIENT/AGENCY purchases the System pursuant to the SPPA or Section 7.5 of this SLA, or otherwise takes ownership of the System, then Licensee shall not perform Removal and Restoration. Any such required Removal and Restoration shall be completed by a mutually agreed date, but in no case later than one hundred and eighty calendar days after the expiration or termination of this SLA. Removal and Restoration shall be at Licensee's cost unless this SLA has been terminated due to an CLIENT/AGENCY default, or because CLIENT/AGENCY has terminated this SLA under Section 9.6, in which case CLIENT/AGENCY shall reimburse Licensee for the actual and necessary costs of Removal and Restoration within thirty calendar days of receipt of an invoice for such costs.

7.2 CLIENT/AGENCY Remedies: If Licensee fails to Remove the System and complete the Restoration when required to do so under this SLA, CLIENT/AGENCY may: (i) remove the System and complete the Restoration of the Site at Licensee's cost and expense; (ii) take ownership of the System; and (iii) pursue all other remedies that may be available to CLIENT/AGENCY under this SLA, at law, or in equity. CLIENT/AGENCY may exercise these remedies individually or in any combination. If CLIENT/AGENCY takes any action or combination of actions described in subsections (i), (ii), or (iii) above, all equipment and

other property on the Site, including without limitation the System, (the “Abandoned Equipment”) shall be deemed abandoned and CLIENT/AGENCY may dispose of the Abandoned Equipment in any manner authorized by law and retain the proceeds of any such disposal, or may retain ownership thereof, as CLIENT/AGENCY may determine in its sole discretion. The proceeds of any sale of the Abandoned Equipment if any, received by the CLIENT/AGENCY shall be applied first against the expenses incurred by CLIENT/AGENCY in taking action under this Section, including but not limited to the expenses of System Removal, Site Restoration, the preservation and valuation of the System and any components, the pursuit of legal remedies, and the disposition of the System or any components, with the balance, if any, retained by CLIENT/AGENCY.

7.3 CLIENT/AGENCY Purchase Option. During the term of the SPPA and this SLA, CLIENT/AGENCY's option to purchase the System shall be as described in the SPPA.

ARTICLE 8 – FORCE MAJEURE

8.1 Definition of Force Majeure Event. For purposes of this SLA, an act or event is a “Force Majeure Event” if such act or event is beyond the reasonable control, and not the result of the fault or negligence, of the affected Party and such Party has been unable to overcome such act or event with the exercise of due diligence (including the expenditure of commercially reasonable sums). Subject to the foregoing conditions, “Force Majeure Event” shall include the following acts or events: (i) natural phenomena, such as storms, hurricanes, floods, lightning, volcanic eruption and earthquakes; (ii) explosions or fires arising from lightning or other causes unrelated to the acts or omissions of the Party seeking to be excused from performance; (iii) acts of war or public disorders, civil disturbances, riots, insurrection, sabotage, epidemic, terrorist acts, or rebellion; (iv) strikes or labor disputes; (v) action by a Governmental Authority, including a moratorium on any activities related to this SLA; and (vi) the impossibility for one of the Parties, despite its reasonable efforts, to obtain, in a timely manner, any approval by a Governmental Authority necessary to enable the affected Party to fulfill its obligations in accordance with this SLA, provided that the delay or non-obtaining of such approval by a Governmental Authority is not attributable to the Party in question and that such Party has exercised its reasonable efforts to obtain such approval.

8.2 Procedure for Claiming Force Majeure. Any Party claiming a Force Majeure Event shall advise the other Party as soon as possible of the occurrence of the Force Majeure Event and shall provide the other Party with the basis of the claim, in writing, within ten calendar days of the occurrence of the Force Majeure Event.

8.3 Consequences of Force Majeure Event. The Parties shall make reasonable efforts to avoid the adverse impacts of a Force Majeure Event and to resolve the event or occurrence once it has occurred in order to resume performance, unless Licensee has no repair and replacement obligations as contemplated under Section 7.1.1 of the SPPA. Subject to the termination rights contained in this Section 8.3, if a Party is prevented from performing its obligations under this SLA by a Force Majeure Event, the period for performance of such obligation will be extended by the number of days of the duration the Force Majeure Event. If a Force Majeure Event shall have occurred that has affected Licensee's or CLIENT/AGENCY's performance of its obligations hereunder and that has continued, or is likely in the reasonable opinion of Licensee and CLIENT/AGENCY to continue, for a period of one hundred twenty consecutive days in a twelve-month period or one hundred eighty days in the aggregate in a twelve-month period, then CLIENT/AGENCY and Licensee shall each be entitled to terminate this Agreement with no liability of either Party, except as provided under Section 7.1 upon thirty calendar days prior written notice to the other Party.

8.4 Change of Law. Notwithstanding any other provision herein, a change of law, including CLIENT/AGENCY's nondiscriminatory exercise of its regulatory authority, shall not constitute a Force Majeure Event.

ARTICLE 9 -- MISCELLANEOUS

9.1 Notices. Unless a provision in the SPPA or this SLA specifically provides otherwise, all notices or other communications required or permitted hereunder shall be in writing, and shall be personally delivered (including by means of professional messenger service) or sent by overnight courier, or sent by registered or certified mail, postage prepaid, return receipt requested to the addresses set forth below, or sent by electronic facsimile to the facsimile numbers set forth below. All such notices or other communications shall be deemed received upon the earlier of (i) if personally delivered or sent by overnight courier, the date of delivery to the address of the person to receive such notice, (ii) if mailed as provided above, on the date of receipt or rejection, or (iii) if given by electronic facsimile, when received by the other Party if received between Monday through Friday between 9:00 AM and 5:00 PM so long as such day is not a state or federal holiday and otherwise, on the next day, provided; however, that if the next day is a Saturday, Sunday, or a state or federal holiday, such notice shall be effective on the following business day.

TO LICENSEE:

NAME
Attn:
Address: _____

Phone:
Fax:

TO CLIENT/AGENCY:

AGENCY NAME
Attn: _____
Address: _____

Phone:
Fax:

With a copy to:

Attn: _____
Address: _____

Phone:
Fax:

9.2 Communications/Publicity. No later than _____, 201_, Licensee and CLIENT/AGENCY shall mutually agree on, and shall thereafter comply with, a written communications plan governing all publicity related to the System, which at a minimum shall provide that:

9.2.1 Licensee, subject to approval of the CLIENT/AGENCY, which approval shall not be unreasonably withheld, and CLIENT/AGENCY may publish or post factually accurate information regarding the System;

9.2.2 Any tours or guest access to the Licensed Area shall be subject to CLIENT/AGENCY's prior

approval, which shall not be unreasonably withheld and may be granted in advance for defined circumstances, as agreed in the communications plan;

9.2.3 CLIENT/AGENCY may take photographs or video of the System and its construction and operation and may use such photographs and video in its sole and reasonable discretion to promote similar solar projects with or by CLIENT/AGENCY. CLIENT/AGENCY may also take photos, video or other non-intrusive evidentiary actions to evaluate the System as well as any impact on the CLIENT/AGENCY facility(ies);

9.2.4 Any records prepared, owned, used or retained by CLIENT/AGENCY are public records which are governed by the Utah Government Records Access and Management Act, Section 63G-2-101, *et. seq.*, Utah Code Ann. ("GRAMA"), as amended and all other applicable State's Public Records Laws. Licensee acknowledges that public records are subject to disclosure on request unless exempt from disclosure under GRAMA. CLIENT/AGENCY will not be liable for the release of any information when required by law or court order to do so, whether pursuant to GRAMA or otherwise.

9.3 Integration; Exhibits. This SLA, together with the SPPA, and all other documents incorporated by reference, constitute the entire agreement and understanding between CLIENT/AGENCY and Licensee with respect to the subject matter hereof and supersedes all prior agreements relating to the subject matter hereof, which are of no further force or effect. All Exhibits and other documents referred to herein are integral parts hereof and are made a part of this SLA by this reference.

9.4 Failure to Perform Obligations.

9.4.1. Except as otherwise expressly provided for herein, the failure of a Party to perform or cause to be performed any material obligation required to be performed by such Party under this SLA or the failure of any material representation or warranty set forth herein to be true and correct as and when made shall be a default and grounds for the other Party to terminate this Agreement;. It is provided, however, that if such failure by its nature can be cured, then the defaulting Party shall have a period of sixty calendar days after receipt of written notice from the other Party of such failure of the defaulting Party, to cure the same and a default shall not be deemed to exist during such period; provided, further, that if the default cannot reasonably be cured within sixty calendar days and the defaulting Party has commenced curing such failure during such period and is diligently and in good faith attempting to effect such cure, said cure period shall be extended for and additional sixty calendar days.

However, the completion, acceptance and normal operation of the System and the Interpretational Kiosk(s) by (INSERT DATE), is critical to, and of the essence of this SLA. Therefore, the cure periods provided in this Section 9.4.1 shall not apply to Licensee's obligation to complete and obtain acceptance of the System, and to achieve normal operation of the System and its Interpretational Kiosk(s) by (INSERT DATE).

9.4.2. The non-defaulting Party may not terminate this SLA until completion of the cure period, as described above.

9.5 Payment Obligations Upon Termination; Termination without liability of either Party. In the event that this SLA is terminated in accordance with Section 8.3 (Force Majeure), no Party shall have any liability to the other Party under this SLA as a result of such termination, and the only amounts due shall be those amounts that accrued in accordance with this SLA prior to the Termination Date, provided, however, that Licensee will be responsible for the Removal of the System and Remediation of the Site in accordance with Section 7.1.

9.6 CLIENT/AGENCY Termination for Official Purpose. CLIENT/AGENCY may terminate this SLA, in whole or in part, subject to sixty calendar days written notice to Licensee. If CLIENT/AGENCY elects to terminate this SLA pursuant to this Section 9.6: (i) prior to the Commercial Operation Date, CLIENT/AGENCY shall pay or reimburse Licensee only to the extent not paid pursuant to SPPA Section 10.3.1, for all time and material expenses actually incurred by Licensee subsequent to execution of this SLA to the extent permitted by CLIENT/AGENCY's normal procedures for time and materials contracts plus all costs of Removal of System and Restoration of the Licensed Area and Site, but not including full Fair Market Value of the System, which may be re-deployed with value; or (ii) after the Commercial Operation Date, only to the extent such amounts are not paid by CLIENT/AGENCY pursuant to the SPPA, CLIENT/AGENCY shall be required to pay for the Removal of the System and Restoration of the Site, but not including full Fair Market Value of the System, which may be re-deployed with value. In no event shall CLIENT/AGENCY be required to pay any amount under this Section 9.6 for which CLIENT/AGENCY has already paid under the SPPA.

9.7 Cumulative Remedies. Except as set forth to the contrary herein or in the SPPA, any right or remedy of either party shall be cumulative and without prejudice to any other right or remedy, whether contained herein or not.

9.8 Time is of the Essence. Time is of the essence in each Party's performance of its obligations under this SLA. In particular, but not in lieu of or in derogation of other performance obligations of Licensee, Licensee shall have completed the construction of the System, including the Interpretational Kiosk(s), and shall have achieved its acceptance and commenced its normal operation, on or before (INSERT DATE). Licensee shall send to CLIENT/AGENCY a written Notice of Final Completion.

9.9 Limited Effect of Waiver. The failure of either CLIENT/AGENCY or Licensee to enforce any of the provisions of this SLA, or the waiver any provision of this SLA in any instance, shall not be construed as a general waiver or relinquishment on the waiving Party's part of any such provision in any other instance or of any other provision in any instance.

9.10 Survival. Any provision of this SLA that, by its nature is intended to survive termination, shall survive termination or expiration of this SLA.

9.11 Relation of Parties. The relationship between CLIENT/AGENCY and Licensee shall not be that of partners, agents or joint venturers for one another, and nothing contained in this SLA shall be construed as establishing or constituting a partnership, agency agreement or joint venture between them for any purposes, including federal income tax purposes. Licensee shall be considered an independent contractor and responsible for its own tax liabilities and all other matter indicative of an independent contractor.

9.12 Assignment, Successors and Assigns. This SLA and the rights and obligations under this SLA shall be binding upon and shall inure to the benefit of CLIENT/AGENCY and Licensee and their respective permitted successors and assigns. The rights, duties and obligations of Licensee under this SLA shall not be assignable by the Licensee in whole or in part without the written consent of CLIENT/AGENCY and upon such reasonable terms and conditions that CLIENT/AGENCY may require. CLIENT/AGENCY's consent to one assignment shall not constitute, and shall not be construed as constituting, consent to any subsequent assignment.

9.12.1 Event of Default. In the event of default by any assignee or successor to Licensee, CLIENT/AGENCY may proceed directly against Licensee without the necessity of exhausting remedies against such assignee or successor.

9.12.2 Unique Expertise. Notwithstanding the foregoing, Licensee acknowledges that CLIENT/AGENCY is relying upon the unique expertise and capability of Licensee. Licensee must demonstrate

that any proposed assignee has both the financial capacity and the technical ability to perform the obligations required under this SLA at a level reasonably deemed appropriate by CLIENT/AGENCY.

9.12.3 Definition of Assignment. For purposes of this Section 9.12, the dissolution, liquidation, sale, assignment, transfer or disposition, directly or indirectly, of any type which results in a change of control of Licensee, or a transfer of all or any portion of Licensee's rights under this Agreement to any third party, shall be deemed an assignment of this Agreement. Change of control shall be as defined in common law, and may be the result of a single or of multiple related transactions which result in the cumulative transfer of all or substantially all of the assets of Licensee, or more than 50% of the equity interests of Licensee.

9.12.4 Permitted Transfers. Notwithstanding anything to the contrary in this Section 9.12, Licensee may transfer all or substantially all of its assets to the local, serving electric utility ("Utility"), including without limitation the System, together with the duties and obligations of Licensee under this SLA, without CLIENT/AGENCY's consent but on sixty calendar days prior written notice to CLIENT/AGENCY, provided that Utility assumes this SLA, the SPPA and all of Licensee's rights and obligations thereunder. In the event that Licensee transfers such assets to Utility, CLIENT/AGENCY acknowledges that Utility may include such transferred assets in Utility's rate base.

9.12.5 Collateral Security. Nothing in this Section 9.12 shall prohibit Licensee from assigning or granting a lien on, for purposes of collateral security, Licensee's rights to payments under this Agreement.

9.12.6 Notice. For any assignment or request for consent to assignment, Licensee shall provide sixty calendar days notice to CLIENT/AGENCY regarding its intent to assign this Agreement, which shall include adequate supporting information to verify that the assignee is qualified to assume Licensee's rights and obligations under this Agreement.

9.12.7 Financing. CLIENT/AGENCY will not subordinate its interest in the Site as security for any Licensee loans or financing. However, Licensee may pledge its interest in the Agreement, including any rights to payment and to the System, as security for loans or financing. If Licensee's lenders request additional terms and conditions to those already provided in this Agreement, CLIENT/AGENCY agrees to consider any such requests, but may refuse such requests in its reasonable discretion. CLIENT/AGENCY acknowledges that Licensee may be financing the acquisition and installation of the System with financing accommodations from one or more financial institutions and that Licensee's obligations may be secured by, among other collateral, a pledge or collateral assignment of this Agreement and a first security right in the System. In order to facilitate such necessary financing, and with respect to any such Mortgagee of which Licensee has notified CLIENT/AGENCY in writing, CLIENT/AGENCY agrees to classification of the System as personal property only. CLIENT/AGENCY acknowledges that part of the collateral securing financial accommodations of Licensee may be the granting of a first priority security interest ("Security Interest") in the System to a Mortgagee to be perfected by a filing under the Uniform Commercial Code (UCC) and to be documented in a recorded notice on title to the Site. CLIENT/AGENCY agrees to such filings so long as they reflect the Parties' agreement that any filing to perfect or provide notice of the Security Interest clearly document the Parties' intent that the System is considered personal property only and is not considered a fixture to the Site. These filings by Licensee or Mortgagee may include a UCC filing of a Financing Statement (FORM UCC-1) which clearly covers the System as personal property only and not as a fixture. Every provision of this paragraph is subject to the requirement that any foreclosing or succeeding entity shall be bound to all the terms of this SLA.

9.13 Default Under SPPA. CLIENT/AGENCY shall have the right to terminate this SLA at any time if there is a Provider Default under the SPPA.

9.14 Evaluation of the System. CLIENT/AGENCY and Licensee shall reasonably cooperate with one another in the evaluation of the System, this SLA, the SPPA and any related arrangements in order to contribute toward the feasibility of other CLIENT/AGENCY solar projects.

9.15 Counterparts. This Agreement may be executed in one or more counterparts, all of which taken together shall constitute one and the same instrument.

9.16 Authority.

9.16.1 Licensee Representations. Licensee hereby represents and warrants that:

- (a) It is a limited liability corporation of the state of _____ duly organized, validly existing and in good standing under the laws of the State of _____, is authorized to do business in the State of Utah, and has all requisite power and authority to enter into this SLA, to perform its obligations hereunder, and to consummate the transactions contemplated hereby;
- (b) The execution and delivery of this SLA and the performance of its obligations have been duly authorized by all necessary corporate action;
- (c) This SLA is a legal, valid and binding obligation of Licensee, enforceable against Licensee in accordance with its terms, except as such enforcement may be limited by bankruptcy, reorganization, insolvency, or other law affecting creditors' rights generally and the general principles of equity;
- (d) To the best knowledge of Licensee, as of the date of execution of this SLA, no approval of a Governmental Authority (other than any approvals that have been previously obtained or disclosed in writing to CLIENT/AGENCY) is required in connection with the due authorization, execution and delivery of this SLA by Licensee or the performance by Licensee of its obligations hereunder or which Licensee has reason to believe that it will be unable to obtain in due course on or before the date required for Licensee to perform such obligations;
- (e) As of the date of execution hereof, Licensee (i) has taken all required actions, if any, necessary to comply with the Public Utility Holding Company Act of 2005, as amended, (ii) is not intending to dedicate its property to public use, (iii) is not a "public utility" (as defined in any Applicable Laws and Requirements) and (iv) is not an electric utility subject to rate regulation by any Governmental Authority.
- (f) Neither the execution and delivery of this Agreement by Licensee nor compliance by Licensee with any of the terms and provisions hereof (i) conflicts with, breaches or contravenes the provisions of the articles of formation or operating agreement of Licensee or any contractual obligation of Licensee or (ii) results in a condition or event that constitutes (or that, upon notice or lapse of time or both, would constitute) an event of default under any material contractual obligation of Licensee.

9.16.2 CLIENT/AGENCY Representations. CLIENT/AGENCY hereby represents and warrants that:

(a) It is a public transit district and a political subdivision of the State of Utah, legally and regularly created, established, organized and existing pursuant to Utah law and has all requisite power and authority to enter into this SLA, to perform its obligations hereunder and to consummate the transactions contemplated hereby;

(b) The execution and delivery of this Agreement and the performance of its obligations hereunder have been duly authorized by all necessary action; and

(c) This Agreement is a legal, valid and binding obligation of CLIENT/AGENCY, enforceable against CLIENT/AGENCY in accordance with its terms, except as such enforcement may be limited by bankruptcy, reorganization, insolvency, or other law affecting creditors' rights generally and the general principles of equity.

9.17 Consent. Except as otherwise specifically provided herein to the contrary, in each instance where consent or approval of a Party is required, such consent or approval shall not be unreasonably withheld or delayed.

9.18 SPPA Survival. In the event that the SPPA is terminated according to its terms and this SLA is still in effect, the terms and conditions contained in the SPPA and expressly referenced in this SLA shall survive the termination of the SPPA for use in interpreting and enforcing this SLA.

9.19 Attorney Fees. In the event that either Licensee or CLIENT/AGENCY institutes any action or proceeding against the other relating to the provisions of this SLA or any default hereunder, then the unsuccessful party in such action or proceeding agrees to reimburse the successful party for the reasonable expenses of such action including reasonable attorneys' fees, incurred therein by the successful party.

IN WITNESS WHEREOF and in confirmation of their consent to the terms and conditions contained in this Agreement and intending to be legally bound hereby, CLIENT/AGENCY and Licensee have executed this Agreement as of the Effective Date.

NAME

Signature

Date

Title: _____

Please type/write name clearly

AGENCY:

Name
Title

Date

Reviewed by:

Name
Title

Date

Name
Title

Date

Solar Site License Agreement - Exhibits

- D-1 Site Location Maps and Descriptions
- D-2 Licensed Area
- D-3. Description of System and System Appurtenances
- D-4. Applicable Procedures for Site and System Specifications
- D-5. Site Communications, Metering and Interconnections
- D-6. Permits and Initial Approval Procedures

Solar Site License Agreement - Exhibit D-1

Site Location Map and Description

Solar Site License Agreement - Exhibit D-2

Licensed Area

[Will be Updated Upon Completion of Final Engineering]

Building—Construction Period

Licensed Area during the construction of the System will be as follows:

1. Staging Area, including reasonable ingress/egress access to the staging Area, as shown in the staging map A-2-1 below.
2. All rooftop Area.
3. Utility transformer /meter area north of building.
4. Electrical conduit Area from the roof to the utility area.
5. An area, to be selected, adjacent to the staging Area for waste containers.
6. Other Area as necessary for installation of the system.

Building —Post-Construction Period

1. All rooftop Area except the following:
 - A ___ foot wide setback area from the edge of any rooftop space.
 - Area already in use by the building for HVAC, hatches, vents or other building equipment not related to the System.
2. Area for conduit access between the System and the utility area.
3. A space of approximately ___ feet in the utility area for inverters and metering.
4. Natural ingress/egress Area for operations personnel and maintenance equipment to rooftop Area and the utility area.
5. Area necessary for staging, movement or installation of equipment for major maintenance in the event major maintenance is required on the System. Any disturbance of Area not included in this Exhibit F-2 for major maintenance shall be pre-approved by CLIENT/AGENCY.

Solar Site License Agreement - Exhibit D-3

Description of System

[Subject to Final Engineering]

EXAMPLE

A solar photovoltaic facility of XXX kW to be located at the CLIENT/AGENCY, XXX, Utah consisting of the following:

1. XXX watt SolarWorld solar photovoltaic panels (XXX # panels), comprising the “array”.
2. BRAND Racking system.
3. BRAND XXX kW inverter(s).
4. [XXX] power meter and meter base [TBD pending final engineering].
5. Interconnecting wiring and conduit between array, inverter, meter base and CLIENT/AGENCY site main circuit breaker panel.

CLIENT/AGENCY Owned Equipment consists of the following:

1. System Main Circuit Breaker Panel
2. As necessary, power conduit for Utility Line Extension on CLIENT/AGENCY property

Utility Owned Equipment may consist of the following:

1. XXX V Transformer
2. XXXXX meter
3. Utility/CLIENT/AGENCY Shared Communications Cabinet
4. Router, switch and Uninterrupted Power Supply (UPS) System

Solar Site License Agreement - Exhibit D-4

Applicable Procedures for Site & System Specifications

Reserved

Solar Site License Agreement - Exhibit D-5

Site Communications, Metering and Interconnection

Licensee Responsibilities:

At its sole expense, Licensee shall procure, provide and install all necessary materials and equipment for the Installation Work required in the SLA pertaining to Site Communications, Metering and Interconnection, and maintain the same at the Licensed Area, including the cost of capital repairs and replacements. Subject to the terms of this SLA, Licensee shall perform the Installation Work at the Licensed Area on a schedule approved by CLIENT/AGENCY, and in a manner that minimizes inconvenience to and interference with CLIENT/AGENCY and CLIENT/AGENCY's invitees' use of the Licensed Area, to the extent practical.

AGENCY Responsibilities:

CLIENT/AGENCY will, at its own expense, host the software-based solar electric Performance Monitoring System, as provided by Licensee, and as described in Section 5.5.1 of the SLA. Details of the work and cost involved for hosting the web based monitoring system are required before finalization of the contract.

ARTICLE 1 – SITE COMMUNICATIONS

- 1.1 Procurement and Installation. Licensee shall be responsible for the procurement, installation, operation and maintenance of all site communication requirements in accordance with the terms of the SLA, including the procurement of data cables, cable connectors and solar electric metering hardware, connecting the site solar arrays to the Licensee monitoring station, and the procurement, operation and maintenance of the monitoring software as further described in this Exhibit F-5, Article 2. Licensee and CLIENT/AGENCY shall cooperate to ensure that proper communication is established and maintained between parties regarding the solar electric performance, primarily through emailed messages sent via the monitoring software, throughout the term of the SLA.

ARTICLE 2 -- METERING

- 2.1 Procurement and Installation. Licensee shall be responsible for the procurement, installation, operation and maintenance of all solar electric metering equipment and monitoring software, as required in the SLA. This includes the Communications Gateway hardware that Licensee determines necessary for the chosen Solar Options, the Administrator's Monitoring Software described in Section 5.5.1 of the SLA, and CLIENT/AGENCY's web based Solar Performance Monitoring System as further described in Section 5.5.1 of the SLA.

ARTICLE 3 -- INTERCONNECTION

- 3.1 Installation. Subject to Section 4.2.4 of the SLA, Licensee must cause the System to be designed, engineered, installed and constructed substantially in accordance with the terms of this SLA, in compliance with CLIENT/AGENCY referenced technical requirements, and all applicable federal, state and local solar electric System requirements.
- 3.2 Site Communications. CLIENT/AGENCY and Licensee shall cooperate in good faith to provide the site communications specified in this Exhibit and in Section 5.4 of the SPPA, and as applicable, to obtain necessary permits to provide said communications.

- 3.3 Monitoring. Licensee shall provide, at its expense, on-going twenty-four hours per day, seven days per week performance monitoring of the Solar Electric System, as specified in this Exhibit, Articles 1 & 2, and Section 5.5 of the SLA.
- (a) Licensee must ensure that the System comply with all applicable rules for interconnected distributed generation System and with applicable State and local codes. Licensee must further ensure that the System interconnection with the Local Electric Utility grid complies with the interconnection protocols of the Local Electric Utility. Licensee shall be responsible to have current licenses and all permits to do the work indicated before a Notice to Proceed is issued. Licensee shall be responsible for any taxes or fees involved in constructing, owning, operating and maintaining the System.

Solar Site License Agreement- Exhibit D-6

Electronic copies of all documents will be made available to all parties.

Permits and Initial Approval Procedures

Reserved

Example elements to be included:

Action

System Plans and Specifications: Submit two copies of proposed and any revised site and System plans and specifications.

Project Schedule

Utility Permit(s): Secure Application(s) and Permit(s) – including both the System permit and the permit for extension of Utility’s customer service to the interchange

Administrative Rules: Submit letter acknowledging receipt and review of and pertinent Utah Administrative Rules

Permits and Licenses: Submit a list of all relevant permits and licenses that need to be obtained for this project. Submit letter certifying that all permits and licenses required to be obtained under applicable laws and requirements in connection with the construction and operation of the System have been obtained and are in full force and effect, and enclose copies of the permits and licenses.

Certificates of Insurance: Submit certificates of insurance evidencing coverages as required.

Financial Assurance: Submit original and copy of a performance bond or other financial assurance in an amount necessary to restore the site to its pre-installation condition in the event Licensee fails to complete the installation and is responsible for site restoration as specified in the agreements. CLIENT/AGENCY must review and approve both the amount and the form of the bond.

Further Assurances: Submit original and copy of Utility’s further assurances letter.

Precedent Conditions: Submit a letter stating by precedent condition whether that condition has been fulfilled or waived.

Notice to Proceed: Issued by Project Manager

Billing and Reconciliation Procedures: Submit proposed billing, including monthly and annual reconciliation, procedures.

Electrical Breaker Panel: Obtain written permission to connect the System power to the CLIENT/AGENCY electrical breaker panel.

Notice of Acceptance Testing: Notify CLIENT/AGENCY not less than three (3) days prior to the anticipated date of System Acceptance Testing.

Completion Notice: Following acceptance testing, submit a letter to CLIENT/AGENCY certifying that the System is capable of generating Energy for commercial use by CLIENT/AGENCY, as designed, and the System has been approved for interconnected operation by the local electric utility.

Emergency Contacts and Procedures: Submit written emergency contact information and procedures and provide licensed site access keys (prior to commercial operation).

Commercial Operation: Submit letter certifying that System has been placed in service and forwarding any punch list of work that may remain.

Emergency Training: Provide training to CLIENT/AGENCY's personnel to respond in case of emergencies (within 60 days of Commercial Operation).

Final Completion: Submit letter certifying Final Completion of the System, including completion of all punch list work (within 60 days of Commercial Operation).

As-Built Drawings, Manuals and Warranties: Submit two sets of the as- built construction drawings, installation work manuals, operation, maintenance, and parts manuals, and equipment and System warranties within 60 days of completion, including completion of any revision. This includes copies of any manuals specifically describing scheduled maintenance requirements, troubleshooting, and safety precautions.



133 North 1330 West
Orem, Utah - 84057
Phone (801) 225-5711

3662 West 2100 South
Salt Lake City, Utah - 84120
Phone (801) 808-9310

1596 W. 2650 S. #108
Ogden, Utah - 84401
Phone (801) 399-9516

December 3, 2013

Weber State University
Attention: Mr. Jacob Cain
2601 University Circle
Ogden, Utah 84403

**Re: Limited Geotechnical Investigation
WSU Davis Solar Panels
2750 North University Park Boulevard
Layton, Utah
Job No. 131611G
P.O. No. P0045989**

Mr. Cain:

This letter summarizes our limited geotechnical investigation related to solar panels to be installed at Weber State University (WSU) Davis Campus located at 2750 North University Park Boulevard in Layton, Utah. It is our understanding that the project consists of constructing solar panels on approximately 5 acres near the southeast end of the campus. The scope of work completed for this study included field reconnaissance, limited subsurface investigation, laboratory soil testing, and the preparation of this letter.

Observations and Testing

General Site Description

The project site is located around the central chilling plant in the southeast end of the campus. A detention basin is located southwest of the central chilling plant and contained no water at the time of our field investigation and appeared to be in good condition. Multiple storm drain manholes and land drain manholes were observed near Test Pit 4 (TP-4) and Test Pit 6 (TP-6). The east end of the subject property was heavily vegetated with alfalfa with the west end containing sparse vegetation. The site is bordered on the north by a parking lot and the central chilling plant, on the east by alfalfa fields, and on the south and west by residential houses.

Field Investigation

Under the direction of a qualified member of our geotechnical staff, subsurface explorations were conducted at the site on November 6, 2013, by excavating six (6) exploratory test pits using a rubber-tire backhoe to depths of about 5½ to 6½ feet below the existing ground surface. The approximate locations of the test pits are shown on Figure No.1, *Site Plan Showing Location of Test Pits*. Graphical representations and detailed descriptions of the soils encountered are shown on Figures Nos. 2 through 7, *Test Pit Log*, at the end of this letter. The stratification lines shown on the logs represent the approximate boundary between soil units; the actual transition may be gradual. Due to potential natural variations inherent in soil deposits, care should be taken in interpolating between and extrapolating beyond exploration points. A key to the symbols and terms on the logs is presented on Figure No. 8, *Legend*.

The subsurface soils exposed in the test pits were classified by visual examination using the guidelines of the Unified Soil Classification System (USCS). Disturbed bag samples and

relatively undisturbed block samples were collected at various depths in each test pit. Samples were transported to our Ogden, Utah laboratory for further analysis. Samples will be retained in our laboratory for 30 days following the date of this report and then discarded unless a written request for additional holding time is received prior to the disposal date.

Laboratory Testing

Representative soil samples collected during our field exploration were tested in the laboratory to assess pertinent engineering properties and to aid in refining field classifications, if needed. Tests performed included natural moisture contents, dry density tests, liquid and plastic limits determinations, and modified (partial) gradation analyses. The following table summarizes the laboratory test results, which are also included on the attached test pit logs at the respective sample depths.

Table No. 1: Laboratory Test Results

TEST PIT NO.	DEPTH (ft.)	NATURAL MOISTURE (%)	NATURAL DRY DENSITY (pcf)	ATTERBERG LIMITS		GRAIN SIZE DISTRIBUTION (%)			**SOIL TYPE
				LIQUID LIMIT	PLASTICITY INDEX*	GRAVEL (+ #4)	SAND	SILT/CLAY (- #200)	
TP-1	1	8	---	29	14	0	35	65	CL
TP-1	3	7	---	23	*NP	0	35	65	ML
TP-2	2	6	---	22	NP	0	16	84	ML
TP-2	6	22	---	29	11	0	6	94	CL
TP-3	5	15	---	22	NP	0	29	71	ML
TP-4	5	19	---	24	9	0	25	75	CL
TP-5	5	20	---	26	NP	0	21	79	ML
TP-6	1½	14	---	30	15	0	34	66	CL

* NP = Non-Plastic

**Detailed descriptions of the soils encountered are presented on the test pit logs

Subsurface Conditions

The soils encountered at the test pit locations generally consisted of approximately 1 to 2 feet of fill material and topsoil underlain by layers of Sandy Lean Clay (CL), Sandy Silt (ML), Silt with sand (ML), Lean Clay (CL), and Lean Clay with sand (CL) to the maximum depths explored of approximately 6½ feet below existing site grades. Based on our experience and observations during the field exploration, the clay and silty visually appeared to be medium stiff to stiff in consistency. A more complete description of the soils encountered during our field investigation can be found on Figure Nos. 2 through 7, *Test Pit Log*, attached to this letter.

Groundwater was not encountered at the time of our initial site investigation on November 6, 2013. However, we observed oxidation in the soils, a possible indicator of past water or seepage levels, at a depth of about 1½ feet below the existing ground surface. Note that groundwater levels will fluctuate in response to the season, precipitation and snow melt, irrigation, and other on and off-site influences. Quantifying these fluctuations would require long term monitoring, which is beyond the scope of this study. The contractor should be prepared to dewater excavations and provide stabilization as needed.

Conclusions and Recommendations

General Site Grading

We encountered fill material and topsoil at the test pit locations which we estimated to extend about 1 to 2 feet below the existing ground surface. Unsuitable soils and vegetation should be removed from below foundations and exterior concrete flatwork. Unsuitable soils consist of topsoil, organic soils, undocumented fill, soft, loose, or disturbed native soils, and any other inapt materials. Any topsoil (including soil with roots larger than about ¼ inch in diameter), undocumented fill, construction debris, or soils loosened by construction activities should be removed (stripped) from the construction area prior to placement of site grading fills.

Temporary Excavations

Temporary excavations that are less than 4 feet in depth and above groundwater should have side slopes no steeper than ½H:1V (Horizontal:Vertical). Temporary excavations where water is encountered in the upper 4 feet or that extend deeper than 4 feet below site grades should be sloped or braced in accordance with OSHA¹ requirements for Type C soils.

Fill Material

Structural fill is defined as fill material that will ultimately be subjected to any kind of structural loading, such as those imposed by footings, floor slabs, pavement, etc. The native soils and fill material encountered at the site is not suitable for use as structural fill. We recommend that a professional engineer or geologist verify that the structural fill to be used on this project meets our requirements, given below. We recommend that structural fill consist of imported sandy/gravelly soils meeting the following requirements:

Maximum particle size:	4 inches
Percent retained on the ¾ inch sieve (coarse gravel):	30 maximum
Percent passing the No. 4 sieve (sand + fines):	45 minimum
Percent passing the No. 200 sieve (fines):	15 maximum
Liquid Limit of fines:	35 maximum
Plasticity Index of fines:	15 maximum

In some situations, particles larger than 4 inches and/or more than 30 percent coarse gravel may be acceptable, however, compaction and compaction testing may be more difficult. As a result more strict quality control measures than normally used may be required. Such measures may include using thinner lifts, and increased or full time observation of fill placement by a certified professional.

We recommend that utility trenches below any structural load be backfilled using structural fill. Note that most local governments and utility companies require Type A-1-a or A-1-b (AASHTO classification) soils (which overall is stricter than our recommendation for structural fill) be used as backfill above utilities in certain areas. All backfill soil should have a maximum particle size of 4 inches, a maximum Liquid Limit of 35 and a maximum Plasticity Index of 15. All backfill soil should meet the following requirements:

¹ OSHA Health And Safety Standards, Final Rule, CFR 29, part 1926.

Maximum particle size:	4 inches
Liquid Limit of fines:	35 maximum
Plasticity Index of fines:	15 maximum

Fill in submerged areas should consist of free draining granular material (sand and/or gravel) meeting the following requirements:

Maximum particle size:	3 inches
Percent passing the No. 10 sieve:	25 maximum
Percent passing the No. 40 sieve:	15 maximum
Percent passing the No. 200 sieve (fines):	5 maximum

Three inch minus washed rock (sometimes called river rock or drain rock) and pea gravel materials usually meet these requirements and may be used as free draining fill. If free draining fill will be placed adjacent to soil containing a significant amount of sand or silt/clay, precautions should be taken to prevent the migration of fine soil into the free draining fill. Such precautions should include either placing a filter fabric, such as Mirafi 140N or equivalent, between the free draining fill and the adjacent material, or using a well graded, clean filtering material approved by the geotechnical engineer.

Fill Placement and Compaction

The thickness of each lift should be appropriate for the compaction equipment that is used. We recommend a maximum lift thickness prior to compaction of 4 inches for hand operated equipment, 6 inches for most "trench compactors" and 8 inches for larger rollers, unless it can be demonstrated by in-place density tests that the required compaction can be obtained throughout a thicker lift. The full thickness of each lift of structural fill placed should be compacted to at least the following percentages of the maximum dry density, as determined by ASTM D-1557:

In landscape areas not supporting structural loads:	90%
Less than 5 feet of fill below concrete work and pavements:	95%
Five or more feet of fill below concrete work and pavements:	98%

Generally, placing and compacting fill at moisture contents within $\pm 2\%$ of the optimum moisture content, as determined by ASTM D-1557, will facilitate compaction. Typically, the further the moisture content is from optimum the more difficult it will be to achieve the required compaction.

Fill should be tested frequently during placement and more intense early testing is recommended to demonstrate that placement and compaction methods are achieving the required compaction. It is the contractor's responsibility to ensure that fill materials and compaction efforts are consistent so that tested areas are representative of the entire fill.

Stabilization

The native clay and silt soils encountered during our field exploration may rut and pump during grading and construction. The likelihood of rutting and/or pumping, and the depth of disturbance, is proportional to the moisture content in the soil, the load applied to the ground surface, and the frequency of the load. Consequently, rutting and pumping can be minimized by avoiding concentrated traffic, minimizing the load applied to the ground surface by using lighter

equipment and/or partial loads, by working in dry times of the year, or by providing a working surface for equipment.

During grading the soil in any obvious soft spots should be removed and replaced with granular material. If rutting or pumping occurs traffic should be stopped in the area of concern. The soil in rutted areas should be removed and replaced with granular material. In areas where pumping occurs the soil should either be allowed to sit until pore pressures dissipate (several hours to several days) and the soil firms up, or be removed and replaced with granular material. Typically, we recommend removal to a minimum depth of 18 inches; however, removal and replacement to a greater depth may be required.

For granular stabilization material, we recommend using angular well-graded gravel, such as pit run, or crushed rock with a maximum particle size of six inches. We suggest that the initial lift be approximately 12 inches thick and be compacted with a static, smooth-faced drum, compactor. A finer granular material such as sand, gravelly sand, sandy gravel or road base may also be used, but will likely need to be thicker to achieve stabilization. The more angular and coarse the material, the thicker the placement lift can be. We recommend that the fines content (percent passing the no. 200 sieve) be less than 20%, the liquid limit of the fine fraction be less than 35, and the plasticity index be less than 15.

Using a geosynthetic fabric, such as Mirafi 600X or equivalent, may also reduce the amount of material required and avoid mixing of the granular material with the subgrade soils. If a fabric is used, following removal of disturbed soils and water, the fabric should be placed over the bottom and up the sides of the excavation a minimum of 18 inches. The fabric should be placed in accordance with the manufacturer's recommendations, including proper overlaps. The granular material should then be placed over the fabric in compacted lifts. Again, we suggest that the initial lift be approximately 12 inches thick and be compacted with a static, smooth-faced drum, compactor.

General Conditions

The exploratory data presented in this letter was collected to provide limited geotechnical recommendations for this project. The test pits may not be indicative of subsurface conditions outside the study area or between points explored and thus have a limited value in depicting subsurface conditions for contractor bidding. Variations from the conditions portrayed in the test pits may occur and which may be sufficient to require modifications in the design. If during construction, conditions are different than presented in this report, please advise us so that the appropriate modifications can be made.

The geotechnical investigation as presented in this report was conducted within the limits prescribed by our client, with the usual thoroughness and competence of the engineering profession in the area. No warranty or representation is intended in our proposals, contracts, or reports.

The recommendations presented herein are based on the assumption that an adequate program of tests and observations will be followed during construction to verify compliance with our recommendations. We also assume that we will review the project plans and specifications to verify that our conclusions and recommendations are incorporated and remain appropriate (based on the actual design). Earthtec Engineering should be retained to review the final


design plans and specifications so comments can be made regarding interpretation and implementation of our geotechnical recommendations in the design and specifications. Earthtec Engineering also should be retained to provide observation and testing services during grading, excavation, and other earth-related construction phases of the project.

Closure

We appreciate the opportunity of providing our services on this project. If we can answer questions or be of further service, please contact our office (801) 399-9516.

Respectfully;

EARTHTEC ENGINEERING



Shawn A. Stuart, E.I.T.
Staff Geotechnical Engineer



Timothy A. Mitchell, P.E.
Geotechnical Engineer

Attachments: Figure No. 1 - *Site Plan Showing Location of Test Hole*
Figure Nos. 2 through 7 - *Test Pit Log*
Figure No. 8 - *Legend*

SAS/tam

1 copy emailed
2 copies mailed

SITE PLAN SHOWING LOCATION OF TEST PITS
WSU DAVIS SOLAR PANELS
2750 NORTH UNIVERSITY PARK BOULEVARD
LAYTON, UTAH



⊗ Approximate Location of Test Pits (Site plan provided by client)



Not to Scale

PROJECT NO.: 131611G



FIGURE NO.: 1

TEST PIT LOG

NO.: TP-1

PROJECT: WSU Davis Solar Panels
CLIENT: Weber State University
LOCATION: See Figure 1
OPERATOR: C.E. Butters Construction
EQUIPMENT: Rubber-tire Backhoe
DEPTH TO WATER; INITIAL ∇ :

PROJECT NO.: 131611G
DATE: 11/06/13
ELEVATION: Not Measured
LOGGED BY: SAS

AT COMPLETION ∇ :

Depth (Ft.)	Graphic Log	USCS	Description	Samples	TEST RESULTS								
					Water Cont. (%)	Dry Dens. (pcf)	LL	PI	Gravel (%)	Sand (%)	Fines (%)	Other Tests	
0			FILL: consisting of silty sand, dry, dark brown, heavy root material										
1		CL	Sandy Lean CLAY, stiff (estimated), dry, light brown, moderate pinhole texture	X	8		29	14	0	35	65		
2			Sandy SILT, medium stiff (estimated), dry, light brown, moderate iron oxide staining										
3		ML		X	7		23	NP	0	35	65		
4													
5		CL	Lean CLAY with sand, stiff (estimated), slightly moist, light brown, moderate iron oxide staining										
6				X									
7			MAXIMUM DEPTH EXPLORED APPROXIMATELY 6½ FEET										

Notes: No groundwater encountered.

Tests Key

- CBR = California Bearing Ratio
- C = Consolidation
- R = Resistivity
- DS = Direct Shear
- SS = Soluble Sulfates
- UC = Unconfined Compressive Strength

PROJECT NO.: 131611G



FIGURE NO.: 2

LOG OF TESTPIT 13-1611G.GPJ EARTHTEC.GDT 12/2/13

TEST PIT LOG

NO.: TP-2

PROJECT: WSU Davis Solar Panels
CLIENT: Weber State University
LOCATION: See Figure 1
OPERATOR: C.E. Butters Construction
EQUIPMENT: Rubber-tire Backhoe
DEPTH TO WATER; INITIAL ∇ :

PROJECT NO.: 131611G
DATE: 11/06/13
ELEVATION: Not Measured
LOGGED BY: SAS

AT COMPLETION ▼ :

Depth (Ft.)	Graphic Log	USCS	Description	Samples	TEST RESULTS								
					Water Cont. (%)	Dry Dens. (pcf)	LL	PI	Gravel (%)	Sand (%)	Fines (%)	Other Tests	
0			FILL: consisting of clay, dry, dark brown, heavy root material										
1													
2		ML	SILT with sand, stiff (estimated), dry, tan, moderate pinhole texture, heavy salt staining		6		22	NP	0	16	84		
3		ML	Sandy SILT, medium stiff (estimated), dry, light brown, minor pinhole texture, minor iron oxide and salt staining										
4				X									
5		CL	Lean CLAY, medium stiff (estimated), slightly moist to moist, light brown, heavy iron oxide staining, minor pinhole texture, interbedded sand lenses,										
6					22		29	11	0	6	94		
7			MAXIMUM DEPTH EXPLORED APPROXIMATELY 6½ FEET										

Notes: No groundwater encountered.

Tests Key

- CBR = California Bearing Ratio
- C = Consolidation
- R = Resistivity
- DS = Direct Shear
- SS = Soluble Sulfates
- UC = Unconfined Compressive Strength

PROJECT NO.: 131611G



FIGURE NO.: 3

LOG OF TESTPIT 13-1611G.GPJ EARTHTEC.GDT 12/2/13

TEST PIT LOG

NO.: TP-3

PROJECT: WSU Davis Solar Panels
CLIENT: Weber State University
LOCATION: See Figure 1
OPERATOR: C.E. Butters Construction
EQUIPMENT: Rubber-tire Backhoe
DEPTH TO WATER; INITIAL ∇ :

PROJECT NO.: 131611G
DATE: 11/06/13
ELEVATION: Not Measured
LOGGED BY: SAS

AT COMPLETION ∇ :

Depth (Ft.)	Graphic Log	USCS	Description	Samples	TEST RESULTS							
					Water Cont. (%)	Dry Dens. (pcf)	LL	PI	Gravel (%)	Sand (%)	Fines (%)	Other Tests
0			TOPSOIL, sandy, dry, dark brown, organic rich									
1												
2												
3		ML	Sandy SILT, medium stiff (estimated), dry, tan, minor thin root material, moderate pinhole texture, heavy salt staining									
4												
5												
5		ML	SILT with sand, medium stiff (estimated), slightly moist to moist, brown, moderate salt staining									
5					15		22	NP	0	29	71	
6			MAXIMUM DEPTH EXPLORED APPROXIMATELY 5½ FEET									
7												

Notes: No groundwater encountered.

Tests Key

- CBR = California Bearing Ratio
- C = Consolidation
- R = Resistivity
- DS = Direct Shear
- SS = Soluble Sulfates
- UC = Unconfined Compressive Strength

LOG OF TESTPIT 13-1611G.GPJ EARTHTEC.GDT 12/2/13

PROJECT NO.: 131611G



FIGURE NO.: 4

TEST PIT LOG

NO.: TP-4

PROJECT: WSU Davis Solar Panels
CLIENT: Weber State University
LOCATION: See Figure 1
OPERATOR: C.E. Butters Construction
EQUIPMENT: Rubber-tire Backhoe
DEPTH TO WATER; INITIAL ∇ :

PROJECT NO.: 131611G
DATE: 11/06/13
ELEVATION: Not Measured
LOGGED BY: SAS

AT COMPLETION ∇ :

Depth (Ft.)	Graphic Log	USCS	Description	Samples	TEST RESULTS									
					Water Cont. (%)	Dry Dens. (pcf)	LL	PI	Gravel (%)	Sand (%)	Fines (%)	Other Tests		
0			FILL: consisting of a mix of sand and gravel, slightly moist, brown											
1			TOPSOIL, silty sand, slightly moist, dark brown, organic rich											
2			Lean CLAY with sand, medium stiff (estimated), slightly moist to moist, light brown, minor to moderate pinhole texture, minor salt staining											
3		CL		X										
4														
5														
6			MAXIMUM DEPTH EXPLORED APPROXIMATELY 5½ FEET		19		24	9	0	25	75			
7														

Notes: No groundwater encountered.

Tests Key

- CBR = California Bearing Ratio
- C = Consolidation
- R = Resistivity
- DS = Direct Shear
- SS = Soluble Sulfates
- UC = Unconfined Compressive Strength

LOG OF TESTPIT 13-1611G.GPJ EARTHTEC.GDT 12/2/13

PROJECT NO.: 131611G



FIGURE NO.: 5

TEST PIT LOG

NO.: TP-5

PROJECT: WSU Davis Solar Panels
CLIENT: Weber State University
LOCATION: See Figure 1
OPERATOR: C.E. Butters Construction
EQUIPMENT: Rubber-tire Backhoe
DEPTH TO WATER; INITIAL ∇ :

PROJECT NO.: 131611G
DATE: 11/06/13
ELEVATION: Not Measured
LOGGED BY: SAS

AT COMPLETION ∇ :

Depth (Ft.)	Graphic Log	USCS	Description	Samples	TEST RESULTS								
					Water Cont. (%)	Dry Dens. (pcf)	LL	PI	Gravel (%)	Sand (%)	Fines (%)	Other Tests	
0			FILL: consisting of a mix of sand and clay, dry, brown										
1			TOPSOIL, silty sand, slightly moist, brown, organic rich										
2			Lean CLAY with sand, medium stiff (estimated), slightly moist, light brown, minor to moderate pinhole texture, minor iron oxide and salt staining										
3		CL											
4													
5		ML	SILT with sand, medium stiff (estimated), moist, light brown, interbedded clay lenses		20		26	NP	0	21	79		
6			MAXIMUM DEPTH EXPLORED APPROXIMATELY 5½ FEET										
7													

Notes: No groundwater encountered.

Tests Key

- CBR = California Bearing Ratio
- C = Consolidation
- R = Resistivity
- DS = Direct Shear
- SS = Soluble Sulfates
- UC = Unconfined Compressive Strength

PROJECT NO.: 131611G



FIGURE NO.: 6

TEST PIT LOG

NO.: TP-6

PROJECT: WSU Davis Solar Panels
CLIENT: Weber State University
LOCATION: See Figure 1
OPERATOR: C.E. Butters Construction
EQUIPMENT: Rubber-tire Backhoe
DEPTH TO WATER; INITIAL ∇ :

PROJECT NO.: 131611G
DATE: 11/06/13
ELEVATION: Not Measured
LOGGED BY: SAS

AT COMPLETION ∇ :

Depth (Ft.)	Graphic Log	USCS	Description	Samples	TEST RESULTS								
					Water Cont. (%)	Dry Dens. (pcf)	LL	PI	Gravel (%)	Sand (%)	Fines (%)	Other Tests	
0			FILL: consisting of a mix of sand and clay, slightly moist, minor root material										
1			TOPSOIL, silty sand, slightly moist, dark brown, organic rich										
2		CL	Sandy Lean CLAY, medium stiff (estimated), slightly moist, brown	X	14		30	15	0	34	66		
3			SILT with sand, medium stiff (estimated), slightly moist, light brown, moderate iron oxide and salt staining, minor to moderate pinhole texture, interbedded sand lenses										
4		ML											
5													
6			MAXIMUM DEPTH EXPLORED APPROXIMATELY 5½ FEET	X									
7													

Notes: No groundwater encountered.

Tests Key

- CBR = California Bearing Ratio
- C = Consolidation
- R = Resistivity
- DS = Direct Shear
- SS = Soluble Sulfates
- UC = Unconfined Compressive Strength

PROJECT NO.: 131611G



FIGURE NO.: 7

LIGHTING AND APPLIANCE PANELBOARD SCHEDULE

PANEL NAME: HCP TYPE: NF CIRCUIT BREAKERS: BOLT ON PLUG ON 277 / 480 VOLTAGE 3 PH 4 W
 ENGRAVED NAME TAGS BUS MATERIAL: ALUM BUS CU BUS GROUND: GROUND BUS ISOL GND BUS NEUTRAL: 100% 200% LUGS: MAIN SUB-FEED FEED-THROUGH MAIN BREAKER: AMPS BUS AMPS: 400

NOTES	ITEM	AMP	POLE	WIRE SIZE	LOAD TYPE	LEFT PHASE LOAD			RIGHT PHASE LOAD			CIR NO.	LOAD TYPE	AMP	POLE	WIRE SIZE	ITEM	NOTES
						A	B	C	A	B	C							
	CWP-1	80	3	4	M	13800			7160			4	M	40	3			
	SPARE	-	-	-	-													
	CWP-2	80	3	4	M	13800	13800		7160	7160		8	M	40	3	8	CWP-2	
	TUNNEL OUTLETS	-	-	-	-							12	M	-	-	-		
	SPARE	3	3	4	M				7160	7160		14	M	40	3		CHP-3 (FUTURE)	
	COOL TOWER FILTER	3	3	4	M						22	M	-	-	-		FEED TO LCP	
	SPARE	-	-	-	-						26	F	3				SPARE	
	SPC-1	20	3	12	M	275	275		5560	5560		32	F	40	3	10	CTF-C1	
	EXTERIOR LIGHTING	20	1	12	L	330			5000			36	F	25	3	10	FEED TO T11'	
	EMERGENCY LIGHTING	20	1	12	L	36	164		5000			40	F	-	-	-		
	AREALIGHTING	20	1	12	L	41	376		5000			42	F	-	-	-		
						FRONT: <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> HINGED <input type="checkbox"/> DOOR-IN-DOOR			TOTAL CONNECTED LOAD: 204.809									
						MOUNTING: <input type="checkbox"/> FLUSH <input checked="" type="checkbox"/> SURFACE <input type="checkbox"/> SURFACE W/ SKIRT ABOVE <input type="checkbox"/> SURFACE W/ SKIRT BELOW			SHORT CIRCUIT RATING: <input type="checkbox"/> SERIES - RATED <input checked="" type="checkbox"/> FULLY - RATED									
						* LOAD TYPES: F=FIXED EQUIPMENT, L=LIGHTING LOAD, M=MOTOR LOAD, ML=LARGEST MOTOR LOAD, R=RECEPTACLE LOAD			65.000									
REFER TO ONE-LINE DIAGRAM FOR FEEDER, CONDUIT AND CONDUCTOR SIZES																		

LIGHTING AND APPLIANCE PANELBOARD SCHEDULE

PANEL NAME: LCP TYPE: NOOD CIRCUIT BREAKERS: BOLT ON PLUG ON 120 / 208 VOLTAGE 3 PH 4 W
 ENGRAVED NAME TAGS BUS MATERIAL: ALUM BUS CU BUS GROUND: GROUND BUS ISOL GND BUS NEUTRAL: 100% 200% LUGS: MAIN SUB-FEED FEED-THROUGH MAIN BREAKER: AMPS 50 BUS AMPS: 100

NOTES	ITEM	AMP	POLE	WIRE SIZE	LOAD TYPE	LEFT PHASE LOAD			RIGHT PHASE LOAD			CIR NO.	LOAD TYPE	AMP	POLE	WIRE SIZE	ITEM	NOTES
						A	B	C	A	B	C							
	SPARE	20	1	12	M				180			4	R	20	1	12	GENERATOR BATTERY	
	SPARE	20	1	12	M				1000			6	R	20	1	12	GEN. ACCESSORY	
	TTB	20	1	12	R	7	460		1125	1125		8	M	20	1	12	OVERHEAD DOOR	
	TUNNEL OUTLETS	20	1	12	R	9			720			10	M	20	1	12	OVERHEAD DOOR	
	TUNNEL OUTLETS	20	1	6	R	11			540	540		12	M	20	1	12	OVERHEAD DOOR	
	TUNNEL OUTLETS	20	1	2	R	13	540					14	M	20	1	12	WATER HEATER	
	TUNNEL OUTLETS	20	1	1	R	15			720			16	M	20	1	12	SWMS	
	SPARE	20	1	12	M						18	M	-	-	-		SOUTHWEST OUTLETS	
	CHP-3	20	1	12	M	19	300		1600			20	M	-	-		SPARE	
	W-2	20	1	12	M	21					22	M	-	-		SPARE		
	EF-C2	20	1	12	M	23			828			24	M	-	-		SPARE	
	NORTHWEST OUTLETS	20	1	12	M	25					26	F	30	3	10	SPD		
	SPARE	20	1	12	M	27					28	F	-	-	-		SPARE	
	SPARE	20	1	12	M	29					30	F	-	-	-		SPARE	
						FRONT: <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> HINGED <input type="checkbox"/> DOOR-IN-DOOR			TOTAL CONNECTED LOAD: 12.143									
						MOUNTING: <input type="checkbox"/> FLUSH <input checked="" type="checkbox"/> SURFACE <input type="checkbox"/> SURFACE W/ SKIRT ABOVE <input type="checkbox"/> SURFACE W/ SKIRT BELOW			SHORT CIRCUIT RATING: <input type="checkbox"/> SERIES - RATED <input checked="" type="checkbox"/> FULLY - RATED									
						* LOAD TYPES: F=FIXED EQUIPMENT, L=LIGHTING LOAD, M=MOTOR LOAD, ML=LARGEST MOTOR LOAD, R=RECEPTACLE LOAD			10.000									
REFER TO ONE-LINE DIAGRAM FOR FEEDER, CONDUIT AND CONDUCTOR SIZES																		

LIGHTING AND APPLIANCE PANELBOARD SCHEDULE

PANEL NAME: HEM TYPE: NF CIRCUIT BREAKERS: BOLT ON PLUG ON 277 / 480 VOLTAGE 3 PH 4 W
 ENGRAVED NAME TAGS BUS MATERIAL: ALUM BUS CU BUS GROUND: GROUND BUS ISOL GND BUS NEUTRAL: 100% 200% LUGS: MAIN SUB-FEED FEED-THROUGH MAIN BREAKER: AMPS BUS AMPS: 100

NOTES	ITEM	AMP	POLE	WIRE SIZE	LOAD TYPE	LEFT PHASE LOAD			RIGHT PHASE LOAD			CIR NO.	LOAD TYPE	AMP	POLE	WIRE SIZE	ITEM	NOTES
						A	B	C	A	B	C							
	EF-C1	20	3	12	M	477	477					2	F	-	-	-	FEED TO LEM'	
	HYAC	20	3	12	M	7			477			6	F	-	-	-	EF-C1	
	SPARE	-	-	-	-							10	F	-	-	-		
	SPACE ONLY	-	-	-	-							14	F	-	-	-	SPACE ONLY	
	FC-C1	20	3	12	M	15	1285		5000	5000		16	F	25	3	10	FEED TO T11'	
	SPARE	-	-	-	-							18	F	-	-	-		
	SPARE	-	-	-	-							20	F	-	-	-		
						FRONT: <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> HINGED <input type="checkbox"/> DOOR-IN-DOOR			TOTAL CONNECTED LOAD: 21.657									
						MOUNTING: <input type="checkbox"/> FLUSH <input checked="" type="checkbox"/> SURFACE <input type="checkbox"/> SURFACE W/ SKIRT ABOVE <input type="checkbox"/> SURFACE W/ SKIRT BELOW			SHORT CIRCUIT RATING: <input type="checkbox"/> SERIES - RATED <input checked="" type="checkbox"/> FULLY - RATED									
						* LOAD TYPES: F=FIXED EQUIPMENT, L=LIGHTING LOAD, M=MOTOR LOAD, ML=LARGEST MOTOR LOAD, R=RECEPTACLE LOAD			65.000									
REFER TO ONE-LINE DIAGRAM FOR FEEDER, CONDUIT AND CONDUCTOR SIZES																		

LIGHTING AND APPLIANCE PANELBOARD SCHEDULE

PANEL NAME: LEM TYPE: NOOD CIRCUIT BREAKERS: BOLT ON PLUG ON 120 / 208 VOLTAGE 3 PH 4 W
 ENGRAVED NAME TAGS BUS MATERIAL: ALUM BUS CU BUS GROUND: GROUND BUS ISOL GND BUS NEUTRAL: 100% 200% LUGS: MAIN SUB-FEED FEED-THROUGH MAIN BREAKER: AMPS 50 BUS AMPS: 100

NOTES	ITEM	AMP	POLE	WIRE SIZE	LOAD TYPE	LEFT PHASE LOAD			RIGHT PHASE LOAD			CIR NO.	LOAD TYPE	AMP	POLE	WIRE SIZE	ITEM	NOTES
						A	B	C	A	B	C							
	ATC PANEL	20	1	12	F	3			200			4	F	20	1	12	FACP	
	REFRIG LEAK	20	1	12	F	5			200			6	M	20	1	12	DATA OUTLET	
	SPARE	20	1	12	M							8	M	20	1	12	SPARE	
	GAS MONITOR	20	1	12	M							10	M	20	1	12	TUNNEL EXHAUST FAN DAMPER	
	SPARE	20	1	12	M							11	M	20	1	12	SPARE	
	SPARE	20	1	12	M							14	M	20	1	12	SPARE	
	SPARE	20	1	12	M							16	M	20	1	12	SPARE	
	SPARE	20	1	12	M							18	F	-	-	-	SPARE	
	SPARE	20	1	12	M							20	F	-	-	-	SPARE	
	SPARE	20	1	12	M							22	M	20	1	12	SPARE	
	SPARE	20	1	12	M							24	M	20	1	12	SPARE	
	SPARE	20	1	12	M							26	F	30	3	10	SPD	
	SPARE	20	1	12	M							28	F	-	-	-	SPARE	
	SPARE	20	1	12	M							30	F	-	-	-	SPARE	
						FRONT: <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> HINGED <input type="checkbox"/> DOOR-IN-DOOR			TOTAL CONNECTED LOAD: 600									
						MOUNTING: <input type="checkbox"/> FLUSH <input checked="" type="checkbox"/> SURFACE <input type="checkbox"/> SURFACE W/ SKIRT ABOVE <input type="checkbox"/> SURFACE W/ SKIRT BELOW			SHORT CIRCUIT RATING: <input type="checkbox"/> SERIES - RATED <input checked="" type="checkbox"/> FULLY - RATED									
						* LOAD TYPES: F=FIXED EQUIPMENT, L=LIGHTING LOAD, M=MOTOR LOAD, ML=LARGEST MOTOR LOAD, R=RECEPTACLE LOAD			10.000									
REFER TO ONE-LINE DIAGRAM FOR FEEDER, CONDUIT AND CONDUCTOR SIZES																		

DISTRIBUTION PANEL LOADS


PANEL NAME: CPMSB
 PANEL TYPE: FLOOR MOUNTED WALL MOUNTED
 SERVICE ENTRANCE RATED ENGRAVED NAME TAGS
 BUS AMPS: 3000
 VOLTAGE: 277/480
 3 PHASE, 4 WIRE
 1 PHASE, 3 WIRE

SHORT CIRCUIT RATING: SERIES - RATED FULLY - RATED
 BUS MATERIAL: ALUMINUM COPPER
 GROUND: GROUND BUS ISOL GND BUS
 NEUTRAL: 100% 200%
 NEMA RATING: NEMA 1 NEMA 3R NEMA 4X NEMA 12 STAINLESS STEEL

NOTES	ITEM	LEFT PHASE LOAD			RIGHT PHASE LOAD			ITEM	NOTES
		A	B	C	A	B	C		
	CH-1	99525			92250			CH-2	
	CH-3 (FUTURE)	99525	99525		92250	92250		CH-4 (FUTURE)	
	CT-1	20400			20400			CT-2	
	CT-3 (FUTURE)	17250			17250			CT-4 (FUTURE)	
	CTP-1	25450			25450			CTP-2	
	SPARE				7219			PANEL THEM	
	PANEL HCP	68245			24000			WH4-C1	
		TOTAL VA PHASE			TOTAL VA PHASE				
		TOTAL AMPS / PHASE			TOTAL AMPS / PHASE				
TOTAL CONNECTED LOAD: 1,827.716 VA									

MECHANICAL EQUIPMENT SCHEDULE - CENTRAL PLANT

UNIT NAME	DESCRIPTION	LOAD	TYPE	VOLTAGE	PHASE	AMPERAGE	CONDUIT SIZE	WIRES		STARTER / DISCONNECT	CONNECTION AT UNIT		REMARKS	
								NO.	SIZE		SIZE	POLES		
CH-1	CHILLER	405	MCA	480	3	360	1/2"	3	12/500	9B	VFD	-	INTERLOCK CONTROLS	
CH-2	CHILLER	372	MCA	480	3	333	1/2"	3	12/350	9B	VFD	-	WITH EPO PUSH BUTTON	
CTP-1	COOLING TOWER PUMP	75	HP	480	3	60	2"	3	1/0	9B	VFD	-		
CTP-2	COOLING TOWER PUMP	75	HP	480	3	60	2"	3	1/0	9B	VFD	-		
CWP-1	CONDENSED WATER PUMP	40	HP	480	3	49.8	1-1/4"	3	4	9B	VFD	-		
CWP-2	CONDENSED WATER PUMP	40	HP	480	3	49.8	1-1/4"	3	4	9B	VFD	-		
CWP-3	CONDENSED WATER PUMP	0.75	HP	120	1	13.75	3/4"	2	12	1A	-	-	THP 1	
CHP-1	CHILLED WATER PUMP	20	HP	480	3	25.8	1"	3	8	9B	VFD	-		
CHP-2	CHILLED WATER PUMP	20	HP	480	3	25.8	1"	3	8	9B	VFD	-		
CHP-3	CHILLED WATER PUMP	-	-	-	-	-	-	-	-	-	-	-	*NOT USED*	
CT-1	COOLING TOWER	60	HP	480	3	73.8	1-1/2"	3	1	17A/5B	VFD	125	3	200
CT-2	COOLING TOWER	60	HP	480	3	73.8	1-1/2"	3						



WEBER STATE UNIVERSITY - DAVIS

Nov 2014

BLDG.	BLDG. #	BLDG. NAME
CCE	14-50-210	CENTER FOR CONTINUING EDUCATION
D02	09639-202	DAVIS BUILDING 2
D03	15809-203	DAVIS BUILDING 3
D04	13753-204	CENTRAL PLANT
D13	15860-213	D13 - 875 SOUTH

BLDG.	BLDG. #	BLDG. NAME
N01		NUAMES PORTABLE OFFICE
N02		NUAMES PORTABLE CLASSROOM 2
N06		NUAMES PORTABLE CLASSROOM 6
N10		NUAMES PORTABLE CLASSROOM 10
N11		NUAMES PORTABLE CLASSROOM 11
N12		NUAMES PORTABLE CLASSROOM 12

FUTURE SOLAR TRAINING SITE

PROPOSED (9.45) ACRE GROUND-MOUNTED SOLAR ARRAY BOUNDARY

EXISTING STORM DETENTION BASIN